

# 2022



**SAFETY  
FOOTWEAR & WORKWEAR  
COLLECTION**



LEGEND

REQUIREMENTS - Clothings



High visibility clothing



Garments for protection against cold



Garments for protection against rain

PLUS - Clothings



Ruler pocket/hammer loop



Triple-needle stitching



Double pocket



Washed



Kneepad pocket



Industrial laundering



Non-deformable



Summer



Breathable



All seasons



Windproof



Winter



Water resistant



Woman size



Thermal insulation



Anti-allergic and odour-free



Keeping the skin dry



Women fit

REQUIREMENTS - Shoes



Water-repellent uppers



Breathable leather uppers



Anti-static shoes



Hydrocarbons resistant sole



200J toe cap



Heel energy absorption



Anti-perforation insert



Slip resistant



Waterproof lining



Thermic lining



Sole resistant to heat transmission by contact

PLUS - Shoes



Electrostatic charge dissipation



Metal Free



Toe protection



Non-marking sole



Outer sole for rough ground



Breathability



Cushioning



Flexibility



Lightness



Women size



DGUV REGEL 112-191

PLUS - Accessories



Insole Gel Relax



Insole Gel Performance



Insole Foam Comfort



<b>INTRO</b>	<b>2</b>
Assortments Chart	4
Shoes Collection Chart	6
<b>SHOES</b>	<b>10</b>
<b>TECHNOLOGIES</b>	<b>10</b>
Fly	28
Glove net	32
Glove eco mds	38
Glove mds matryx	42
Glove mds	48
Glove mds master	52
Run net airbox master	56
Glove	60
Beat	64
Run net airbox	68
Cross sport	76
Cross country	80
Shark Stable Impact	84
Run	88
Run Micro	92
Formula	96
Blitz	100
Crew	104
<b>CLOTHINGS</b>	<b>110</b>
<b>TECHNOLOGIES CLOTHINGS - ACCESSORIES</b>	<b>110</b>
<b>ATHENA LINE</b>	<b>114</b>
<b>PANTS</b>	<b>119</b>
Performance	119
Cargo	126
Denim	133
Bermuda	136
<b>OUTERWEAR</b>	<b>141</b>
Shell Jackets	141
Padded Jackets	151
<b>TOPS</b>	<b>153</b>
Sweatshirts	153
Shirts	160
Polo Shirts	161
T-shirt	161
<b>HIGH VISIBILITY</b>	<b>166</b>
<b>UNDERWEAR</b>	<b>172</b>
<b>ACCESSORIES</b>	<b>175</b>
<b>CAPS</b>	<b>176</b>
<b>SOCKS</b>	<b>177</b>
<b>KNEE PADS</b>	<b>179</b>
<b>NATURAL WAX</b>	<b>179</b>
<b>INSOLE</b>	<b>180</b>
<b>LACES</b>	<b>185</b>
<b>CERTIFICAZIONI - TABLE OF SIZES - INFORMATIVE NOTE</b>	<b>188</b>

# Utility 2022

## INNOVATION, SPORT, DESIGN.

Utility is Diadora's workwear range, reference point within the Italian safety clothing and footwear sector. Diadora Utility provides efficient, effective solutions for the workplace with the introduction of exclusive technologies such as the Mass Damper and NET Breathing System. Extremely high levels of quality and advanced design have enabled

Diadora Utility to confirm its status as a cutting-edge brand with the ability to change the rules of the market, constantly setting new competitive standards.

Since 1998, Utility has been guided by a single philosophy - to combine **Diadora's sporting DNA** with **research and technological**

**innovation** to deliver products that guarantee the **highest levels of safety**.

The Diadora Utility 2022 collection offers a wide range of footwear and clothing, with a focus on important new products and developments: the **Fly** and **Shark** lines, and **Master** and **Athena** projects.

### 1998



A stroke of genius enabled Diadora to capitalise on the experience gained in the sports market and to return to its origins, turning its attention once again to work footwear. Fifty years after the company was founded, the new **Pioneer** model marks the arrival of Diadora Utility.

### 2013



The patented **Net Breathing System™ by Geox** is introduced in this collection: Diadora Utility is the first and only range of accident prevention clothing in the world to introduce this special transpiration system which can be found on the Jet line of footwear.

### 2005



**Glove** is born, one of the icons of the Diadora Utility range. Taking inspiration from the worlds of sport and lifestyle, this is the first shoe that really stands out within the accident prevention market, thanks to its innovative design and style.

### 2018



The Diadora Research Centre (CRD) develops the revolutionary new **Mass Damper** cushioning system: introduced across the D-Lift line of footwear, it combines superior cushioning and energy return for maximum comfort.





2019



Diadora Utility signs a partnership with a historic Italian sports brand: **Aprilia Racing**; a winning combination based on the constant quest for technological excellence. The technical team wears the Glove Eco model, equipped with Breathing System technology by Geox.

2021



**Glove Eco** is born, the crown jewel of Diadora Utility in the world of sustainability. Glove Eco uses partly recycled components that guarantee a reduction in the consumption of virgin resources as well as the respect of environmental and social standards within the production chain, as part of an increasingly sustainable production and consumption model.

**Fly** is the fruit of the partnership between Diadora Utility and Vibram: a revolutionary safety shoe that provides maximum safety and outstanding performance in just over 300 grams. Ultra-light and full optional, Fly is the result of in-depth research both in terms of components and materials. These include an outsole with exclusive Vibram Litebase technology for Diadora Utility on the European market.

2020



The Net Breathing System™, a patented solution developed within Geox's research and development laboratories, is further enhanced thanks to the development of a new Diadora technology. The special GEOX membrane is further enhanced by Diadora with the addition of lateral ventilation holes, ensuring maximum breathability for the foot whilst remaining in perfect harmony with the protective elements of the shoe.

2022






















Utility presents Shark, the innovative Diadora Utility shoe in which technology plays a key role: The **STABLE IMPACT SYSTEM** — created by Diadora's research laboratories — gives the shoe greater cushioning, reactivity and comfort. Thanks to this special technology, the wearer experiences maximum comfort regardless of the force exerted and, therefore, regardless of their weight.




	<b>INDOOR</b>    Industry and workshops	 Logistics	<b>PRO</b>    Craftsmanship
	<b>LITEWORK</b>		<b>TECH WORLD</b>
<b>Outerwear</b>	 bomber d-swat-151  vest d-swat-151  softshell level litework-145  shell vest level-145  jkt poly ll-147  mover- 148  rain jkt litework-143		 padded jkt tech-142  softshell carbon tech-141  light padded jkt tech-141  ww jkt tech-143  vest carbon tech-142
<b>Long sleeves tops</b>	 sweatshirt fz litework-156  sweatshirt hz litework-156  sweatshirt industry fz-157  sweatshirt industry hz-157  sweatshirt crew-158  sweatshirt zip-158  sweatshirt athena-116		 sweatshirt hoodie urban-159
<b>Short sleeves tops</b>	 t-shirt mc atony organic-163  t-shirt ml mono organic-162  t-shirt industry-163  polo mc industry-162  polo mc atlar organic-161  polo ml atlantis organic-161  t-shirt mc athena -117  polo mc athena -117		
<b>Pants</b>	 rock winter- 124  staff winter-131  pant rock stretch perf-125  pant staff stretch cargo-132  rock-123  staff-131  rock camo-123  pant level-132  bib overall-126  coverall -125  rock light cotton-124  staff light cotton-131  bermuda poly-139  bermuda poly camo-139		 pant tech perf-119  pant top perf-121  pant carbon-120  pant multi pocket perf-119  bermuda tech - 137
<b>Accessories/ Underwear</b>	 baseball cap-176  top soul ss-173  tech summer-178  cotton summer-177  ghost-178  work socks breath-177		
<b>Footwear line</b>	 shark stable impact- 84  run-88  run micro-93  formula-96  blitz-100  crew-104		 glove net-32  glove mds matrix-42  glove eco-38  fly litebase matrix-30  glove mds master-53  run net airbox master-57



Plant engineering		OUTDOOR		Gardening and farming		Construction	
URBAN		TRAIL		EXTREME		HV	
 padded jkt oslo-150  padded vest oslo-150  knitted jkt chicago-153   padded vest athena-116		 padded jkt cross-149  bonded jkt cross-144  sail-80-144   vest stretch-148  padded softshell sail - 149		 ww jkt easywork-143  ww jkt easywork light-146   vest easywork light-147		 hv jkt-167  hv jkt external shell-168   softshell hv-168  hv vest-169	
 sherpa jkt-153  membrane fz hoodie-154   shirt check-160  shirt denim-160		 sweat cross fz-159		 sweat pile fz-154  micropile gripen-155   micropile pkt lifework-155		 hoodie zip hv-170  sweat pile hv-169	
 t-shirt graphic organic-114  t-shirt urban -114		 t-shirt cross organic-164				 polo mc hv-171  t-shirt hv-171	
 cargo camo-126  cargo ripstop-127  wayet cargo II-129  pant stone cargo light-135  pant stone plus-133   pant cargo stone-134  pant stone 5pkt-134  pant stone-133  pant stone light-135  cargo pant moscow-128   cargo pant new york-127  bermuda stone-136  ber. stone cargo light-136  pant cargo athena-115  pant stone athena-115		 pant cross perf-121  pant cross cargo-128   pant stretch-122  cargo stretch-129   bermuda stretch-139		 pant easywork perf-121   pant easywork light-122  win II-124   bermuda easywork light-137  wonder II-138		 hv pant cargo-167	
 wool cap graphic-176  cotton winter-177  merinos winter-179		 tech winter-178  pant soul-125		 top soul ls-126		 polar beanie-227	
 run net airbox-57  glove mds-48  beat-64  glove-60		 sport diatex-79		 country-81			

		SHOE			OUTSOLE										
															
PLATFORM		PRODUCTION	CONSTRUCTION		PROTECTION				SLIP RESISTANCE		HEAT RESISTANCE	BREATHABILITY		CUSHIONING TECHNOLOGY	
		MADE IN EUROPE	DIRECT INJECTION	ASSEMBLED	OB	S1P	S2	S3	SRA	SRC	HRO	NBS	NBS AIRBOX	MDS	STABLE IMPACT SYS.
PRO	 fly litebase matrix-30	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	 glove net-32	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	 glove eco-38	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	 glove mds matrix-42	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	 glove mds master-53	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	 glove mds-48	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	 glove-60	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	 beat-64	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	 run net airbox master-57	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	 run net airbox-57	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
OUTDOOR	 sport diatex-79	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	 country-81	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
INDOOR	 shark stable impact-84	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	 run-88	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	 formula-96	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	 blitz-100	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	 crew-104	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



SHOE						INSOLE		FIT
								
THERMIC INSULATION	WATER RESISTANCE	ELECTROSTATIC CHARGE DISSIPATION	NON MAGNETIC FOOTWEAR	TOE PROTECTION	SIZE RANGE	CERTIFICATION	INSOLES	
CI	WR	ESD	METAL FREE	OVERCAP		DGUV REGEL	UNIVERSAL	
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	38-48	<input checked="" type="checkbox"/>	<input type="checkbox"/>	COMFORT 11
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	35-49	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	COMFORT 11
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	35-48	<input type="checkbox"/>	<input type="checkbox"/>	COMFORT 11
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	35-48	<input checked="" type="checkbox"/>	<input type="checkbox"/>	COMFORT 11
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	35-48	<input checked="" type="checkbox"/>	<input type="checkbox"/>	COMFORT 11
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	35-48	<input checked="" type="checkbox"/>	<input type="checkbox"/>	COMFORT 11
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	35-48	<input type="checkbox"/>	<input checked="" type="checkbox"/>	REGULAR 10
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	35-48	<input type="checkbox"/>	<input type="checkbox"/>	COMFORT 11
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	35-48	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	COMFORT 11
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	35-48	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	COMFORT 11
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	35-48	<input checked="" type="checkbox"/>	<input type="checkbox"/>	COMFORT 11
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	35-48	<input checked="" type="checkbox"/>	<input type="checkbox"/>	COMFORT 11
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	35-48	<input checked="" type="checkbox"/>	<input type="checkbox"/>	COMFORT 11
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	35-49	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	REGULAR 10
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	35-48	<input type="checkbox"/>	<input type="checkbox"/>	COMFORT 11
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	35-48	<input type="checkbox"/>	<input type="checkbox"/>	COMFORT 11
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	35-48	<input type="checkbox"/>	<input type="checkbox"/>	REGULAR 10





SHOES

TECHNOLOGIES	10
FLY	28
GLOVE NET	32
GLOVE ECO MDS	38
GLOVE MDS MATRYX	42
GLOVE MDS	48
GLOVE MDS MASTER	52
RUN NET AIRBOX MASTER	56
GLOVE	60
BEAT	64
RUN NET AIRBOX	68
CROSS SPORT	76
CROSS COUNTRY	80
SHARK STABLE IMPACT	84
RUN	88
RUN MICRO	92
FORMULA	96
BLITZ	100
CREW	104

# GLOVE ECO

MADE IN ITALY



**BY THE CONTINUOUS RESEARCH  
FOR INNOVATION AND CRAFTSMANSHIP,  
ARISES GLOVE ECO  
A CROWN JEWEL OF DIADORA UTILITY  
IN THE WORLD OF SUSTAINABILITY**


12,4% RCS recycled polyester  
5,2% RCS recycled synthetic rubber  
3,5% RCS recycled polyurethane  
2,3% RCS recycled polyethylene  
Certified by ICEA  
RC0173  
Made with 23% recycled material



## GLOVE ECO

## SUSTAINABILITY

## GLOVE ECO



## DESCRIPTION

This exclusive, *limited-edition shoe is made using partially recycled and RCS-certified (Recycled Claim Standard) materials* that enable us to reduce our use of prime resources and to adhere to the environmental and social criteria applied to the production chain, thus embracing a **more sustainable production and consumption model**.

The **Recycled Claim Standard (RCS)** allows recycled material to be verified and tracked through the supply chain, from raw material to the finished product: products that are RCS-certified contain recycled materials that have been independently verified at each stage of the supply chain.

The purchase of RCS-certified products fuels

the demand for more recycled products and materials.

**GLOVE ECO** was conceived, designed, engineered and manufactured within the Diadora complex, located in the Montebelluna footwear district; an internationally-recognised 'shoe capital' due to the sports shoes and exceptional niche products expertly crafted there.

## ADVANTAGES

- All Glove Eco fabrics are made from 100% recycled polyester (R-PET), certified in accordance with the RCS Standard.
- Made from RCS-certified synthetic rubber, of which 30% is recycled material, the outsole guarantees outstanding performance.
- The leather used for the upper is free from PFAS: pollutants that are harmful to both environment and human health.





## COMPONENTS

**UPPER MATERIAL AND LINING**

Made 100% from RCS-certified (Recycled Claim Standard) polyester, which is 100% recyclable without losing its fundamental qualities when recovered.

**STITCHING**

Made 100% from RCS-certified recycled polyester

**PFAS-free LEATHER**

Widely used in the textile and tanning industry, PFAS are resistant, polluting chemicals that are used during the manufacturing, disposal and use of products, and pose a risk to both the environment and human health. No PFAS are used during the production of leathers for the Glove Eco shoe.



#### LACES

made 100% from R-PET, the yarn used to make them is derived from recycled plastic bottles and is RCS-certified. They also have tips that are heat-sealed, thus preventing the use of acetate.



#### PUNCTURE-PROOF INSERT

Textile whose fibre is made 20% from recycled polyethylene certified in accordance with the RCS Standard.



#### TOE CAP

Aluminium alloy, around 15% of which is production waste, thus reducing energy consumed during production. Thanks to the patented technology used, this toe cap is made using only the quantity of raw material needed for the shape, thus generating almost no waste at all. The Glove Eco toe cap can be recycled when the shoe is disposed of, reducing its environmental impact even more.



#### INSOLE

Made from RCS-certified PU Foam, 86% of which is recycled from manufacturing waste.



#### OUTSOLE

Made from nitrile rubber. This special nitrile rubber composition, developed by Diadora Utility and its partners, enables the use of 30% RCS-certified, pre-consumer recycled synthetic rubber, while maintaining the same outstanding outsole performance.



#### PACKAGING AND TISSUE PAPER

The packaging is made from paper derived from recycled and reclaimed material 'FSC Recycled' certified, while the tissue paper is 'FSC Mix' certified and is made from paper deriving from FSC-certified material and recycled material. The Forest Stewardship Council® (FSC) is an NGO established to promote responsible forest management worldwide, in the respect of the environment, socially useful and economically sustainable.

**VIBRAM LITEBASE****NEW TECHNOLOGY****SOLE TECHNOLOGY - LIGHT WEIGHT****DESCRIPTION**

Vibram Litebase is the innovative sole that reduces thickness and weight, while guaranteeing the same performance in terms of grip, stability and durability.

In fact, while the thickness of the rubber sole is 50% less than a normal sole and the weight is reduced by up to 30%, stability, durability, grip and traction are still the same as always.

In addition, the special Vibram HRO compound is contact heat-resistant and does not mark surfaces.

**ADVANTAGES**

UP TO  
**50%**  
THINNER

UP TO  
**30%**  
LIGHTER

PERFORMANCE  
**100%**  
UNCHANGED

**FEATURES****LARGE CONTACT AREA**

For better grip

**REINFORCED LUGS**

For stability and durability

**OPEN DESIGN**

To aid self-cleaning









MATRYX 2.0

UPPER TECHNOLOGY - RESISTANCE

MATRYX<sup>®</sup> 2.0





DESCRIPTION

Matryx is a multi-zone technical fabric made from aramid fiber and extra-tough polyamide developed by Chamatex®, a French company which is specialized in high performance technical fabrics.

Matrix 2.0 is an exclusive patented fabric, specifically designed in close collaboration with Diadora in order to meet the needs of the workplace.

With maximum resistance to abrasion, lateral support and high flexibility, Matryx® 2.0 enables professionals to work without sacrificing on comfort.

ADVANTAGES



RESISTANCE TO ABRASION



BREATHABILITY





LATERAL SUPPORT



LIGHTNESS

COMPONENTS



FRONT ZONE

Extra-tough reinforced polyamide with integrated lining to ensure maximum resistance to abrasion.

STABILITY ARCH

MID ZONE

Extra-tough reinforced polyamide and aramid fiber for maximum arch support.

BREATH ZONE

REAR ZONE



Extra-tough polyamide for maximum breathability.



# STABLE IMPACT SYSTEM *NEW TECHNOLOGY*

SOLE TECHNOLOGY – SOLE CUSHIONING

## STABLE IMPACT SYSTEM



### DESCRIPTION

From the Diadora research labs comes the STABLE IMPACT SYSTEM CUSHIONING technology, providing outstanding cushioning and comfort, regardless of force exerted.

The Stable Impact System is a cushioning system

created by shaping the design of the sole in a special way.

The purpose of cushioning is to absorb the energy generated by impact with the ground and to reduce the peak of the force returned

on the muscles and bones of the wearer.

The energy returned thanks to this technology is independent of the weight of the user, thus demonstrating that this system offers the perfect combination of cushioning, reactivity and comfort.

### FEATURES

#### BALANCED CUSHIONING



Thanks to the combination of cushioning and reactivity, regardless of the size of the shoe and

independent of the weight of the user.



Thanks to the stable, uniform cushioning, comfort

and stability of the shoes, they feel the same for all wearers.

#### SOLE WITHOUT LOAD APPLIED



#### SOLE DEFORMED BY LOAD APPLIED



### ADVANTAGES



#### STABLE CUSHIONING

thanks to the special shaping of the sole



#### MAXIMUM REACTIVITY

thanks to an energy return independent of the weight of the wearer




#### COMFORT GUARANTEED

thanks to the perfect combination of cushioning and reactivity



## MASS DAMPER

### SOLE TECHNOLOGY – SOLE CUSHIONING



#### DESCRIPTION

Cushioning, energy return and long-lasting performance. Born from the Diadora research, **Mass Damper** is the new frontier of safety in the workplace.

Mass Damper is a revolutionary technology that guarantees total cushioning and energy return while offering maximum protection, versatility and top quality performances over time for the

new generation of safety shoes. To feel more energised and less tired at the end of a long day.

#### FEATURES




##### COMPRESSION SET NEXT TO 0

The low-density material of the sole ensures great resilience and compression set performances, for maximum comfort and a high energy return.



##### TPU PROTECTION

The coating creates an external protection shell that increases the sole resistance to abrasion, tearing, hydrolysis, fuels and oil. In addition, it serves to provide stability during the energy release phase.



##### FULL-SOLE EXTENSION

The Mass Damper technology extends to cover the whole surface of the sole, distributing the body weight evenly and allowing the foot to comfortably roll.

#### ADVANTAGES



Uniform cushioning along the entire sole of the shoe for maximum comfort.



Special new-generation PU compound for maximum energy return.




Stability and durability guaranteed over time courtesy of the protective zones crafted from TPU.



## D-LIGHT

### MIDSOLE TECHNOLOGY - LIGHTNESS

# 3D-LIGHT



#### DESCRIPTION

The fruit of Diadora's research and development laboratories, D-Light technology is able to guarantee **maximum lightness** without

compromising on **comfort** or **cushioning**. This new-generation polyurethane compound is 20% lighter than traditional polyurethane –

positioned in the midsole, the level of cushioning remains the same while the fit is both comfortable and soothing.

#### ADVANTAGES



##### EXTREMELY LIGHTWEIGHT

Years of research have lead to the creation of a compound that is 20% lighter than traditional polyurethane, guaranteeing unparalleled lightness in the world of protective footwear.



##### COMFORT GUARANTEED

Enhanced by D-Light technology, the Run platform is a comfortable range of footwear that's perfect for working indoors.



##### CUSHIONING

To ensure the wearer is comfortable at all times, the new-generation polyurethane provides cushioning in both static and dynamic use.



## U-MICRO

### MIDSOLE TECHNOLOGY - LIGHTNESS

# U-MICRO



#### DESCRIPTION


The special microfibre is water-repellent yet breathable. The fabric is easy to wash and offers

maximum resistance to light. Its structure makes it perfect for use in the food

industry, not only because it is resistant to light but also because it is 30% lighter than leather.

NET BREATHING SYSTEM BY GEOX

OUTSOLE TECHNOLOGY - BREATHABILITY



DESCRIPTION

THE ONLY LINE OF WORKSHOES THAT LETS YOUR BODY BREATHE WHILE KEEPING THE WATER OUT.

The innovative and exclusive breathing systems developed by Geox Labs ensure **maximum breathability** and **comfort**.

The Geox revolution came about after long-time research targeted at the creation of a special membrane: made of microporous materials, it is

able to absorb sweat in its vapour state and expel it via the perforated sole.


The waterproof breathable membrane allows feet to breathe while keeping water out. This system allows for a natural thermal regulation of the feet, facilitating the presence of the ideal microclimate

inside the shoes, resulting in dry, healthier feet.


Thermal regulation is guaranteed even in the hottest climates and during the most intense work tasks. And flexibility features ensure maximum comfort in every situation.

ADVANTAGES

- Natural thermal regulation
- Feet breathability
- Maximum comfort



COMPONENTS



- Breathing insole
- Membrane (microporous material)
- Protective silver mesh
- K-Sole Breathable sole




## NET BREATHING SYSTEM BY GEOX - AIRBOX

### OUTSOLE TECHNOLOGY - BREATHABILITY/CUSHIONING

# AIRBOX

**NET  
BREATHING  
SYSTEM™**  
by GEOX



#### DESCRIPTION

DIADORA broadens its NET BREATHING SYSTEM range of products (licensed by GEOX), introducing its own proprietary technology. This exclusive line, developed within Diadora's research laboratories, represents excellence in the field of innovation and design.

These shoes leave the foot free to breathe, offering maximum comfort in any situation.

The innovative lateral position of the ventilation holes in the new **Airbox** construction ensures unmatched breathability.


#### THE NEW TECHNOLOGY

The special GEOX Diadora membrane has now been further enhanced with the addition of holes along the sides, ensuring maximum breathability for the foot whilst remaining in perfect harmony

with the protective elements that make up the shoe.

Research has confirmed that this membrane - which features tiny holes or "micropores" that are smaller than a drop of water, but larger than a molecule of water vapour - prevents water from entering the shoe, while ensuring that the foot remains dry.

#### ADVANTAGES




● Natural thermal regulation

● Breathability

● Cushioning for maximum comfort

#### COMPONENTS

- 1 Removable micro-perforated insole in PU foam with active carbon
- 2 Perforated breathable lasting board
- 3 Breathable Geox membrane
- 4 Expanded PU midsole
- 5 Airbox perforated insert
- 6 Textile anti-perforation insert
- 7 Compact PU outsole



#### OUTSOLE:

PU-PU DOUBLE DENSITY

#### ANTI-PERFORATION:

K-SOLE/TEXTILE

#### NET BREATHING SYSTEM - AIRBOX:

VISIBLE TECHNOLOGY

DIA-TEX

UPPER TECHNOLOGY - WATER RESISTANT

DIA-tex




DESCRIPTION

Diatex is an exclusive waterproof and breathable membrane developed by Diadora Utility, which guarantees to keep feet dry and comfortable while ensuring maximum breathability and water resistance.

- WR Membrane
- Lining
- Water-repellent upper
- Anti-perforation

COMPONENTS



ADVANTAGES



100% WATERPROOF

Water column: 10,000 mm



EXCELLENT BREATHABILITY

Extremely thin and stretchy



EXTREMELY RESISTANT

Dynamic climate regulation




CROSS: OUTDOOR INSPIRED



CROSS SPORT



CROSS COUNTRY




DESCRIPTION

Research by Diadora Utility gave rise to the Cross project, inspired by the outdoor world and developed for two shoe lines: one with a more classical look, the **CROSS COUNTRY** line, and one with a sportier look and remarkable performance, the **CROSS SPORT** line.

The new bi-density polyurethane sole with direct injection construction method was especially created to be used outdoors and on uneven ground. The midsole in expanded PU with side grooves at the heel guarantees a higher level of mechanical cushioning and better flexibility on the front part of

the foot. The tread in compact PU was designed to maximise grip, traction and brake performance. Wide, spaced out lugs are typical of outdoor footwear. The external crown and the shank guarantee maximum stability on uneven ground.

COMPONENTS






MASTER



GLOVE MDS MASTER



RUN NET AIRBOX MASTER



DESCRIPTION

Born from the experience of Diadora Utility, the Master range is a selection of shoes chosen by our engineers based on the specific requirements of the end user. These shoes are made by integrating certain features into existing styles, like greater toe protection, comfort fit, ESD and DGUV certification to guarantee maximum performance for workers in one product.

ADVANTAGES



TOE PROTECTION

Ideal for work that involves kneeling.



COMFORT FIT

Width 11, to provide the foot with the space needed to work comfortably.



ESD

Technology that enables the release of electrostatic charge, ideal for settings in which electronic systems are used.



DGUV REGEL 112/191

Standard that allows the use of orthopaedic insoles to help with certain health needs the worker may have.

GLOVE MASTER S3 HRO SRC ESD

cod. 701.178841



col.80013  
black

cod. 701.178842



col.80013  
black

RUN NET AIRBOX MASTER S3 SRC ESD

cod. 701.178838



col.C0200  
black/black

cod. 701.178839



col.C0200  
black/black

cod. 701.178840



col.C0200  
black/black



## OTHER TECHNOLOGIES - ANTI-PERFORATION INSOLE

### K SOLE



Perforation-proof sole created with overlapping layers of special fabrics. The use of these materials ensures high resistance, as well as light weight and flexibility. This sole has the advantage of covering the entire surface of the foot-bed, therefore providing total foot protection. K SOLE is a non-metal sole.

### K SOLE BREATHABLE



Breathable adds breathability to the absolute protection, high resistance, lightness and flexibility of the K SOLE. Breathable, the patented anti-perforation breathable sole, exclusively for Diadora Utility.

### K SOLE ECO



Breathable adds breathability to the absolute protection, high resistance, lightness and flexibility of the K SOLE. Breathable, the patented anti-perforation breathable sole, exclusively for Diadora Utility.

## OTHER TECHNOLOGIES - TOE CAP



Multi-layered carbon fibre toecap that provides maximum safety and exceptional performance, without taking up too much space. Non-magnetic, non-thermal and ultra-light.



Multilayer fiberglass fibre toe cap to guarantee maximum safety also at extreme temperatures. Thin and lightweight, it provides excellent comfort.

## OTHER TECHNOLOGIES - UPPER



Cordura-based fabric with PU yarn for high resistance to abrasion.



Hi-tech fabric designed for resistance to tears, abrasions, scuffs and perforations. It is a lightweight, easy-care fabric.



TPU heel protection technology ensuring stability, comfort and always natural movements.



Water-repellent, scratch-resistant leather, breathing, high durability.



TPU over-injected upper ensuring stability, comfort and natural body movements.



Highly abrasion-resistant thermoplastic polyurethane (TPU) toe cover. Makes the shoe last longer by protecting the toe from direct impacts.

## OTHER TECHNOLOGIES - OUTSOLE



Special patented technology which uses less rubber, thus reducing the weight of the tread by 20%.



Exclusive Diadora shock-absorbing system composed of two different density elastomers placed on the heel and metatarsal area. Created to ensure maximum shock absorbing.



D-SPIDER technology has a geometric design that allows a superior grip on any flat surface. The notches on several levels allow the discharge of a greater quantity of liquids and guarantee high performance throughout the life cycle of the shoe.



This transparent thermoplastic polyurethane film totally wraps the EVA and PU insole, guaranteeing excellent resistance to abrasion and ensuring that the footwear last much longer over time. In compliance with CEI EN 61340-5-1:2016 / CEI EN 61340-4-5:2006 / CEI EN 61340-4-3:2002.



**OTHER TECHNOLOGIES - TRANSVERSAL**

Fast lacing system with rotor for micrometric abrasion, breathable and light adjustment and steel cable, with Diadora customisation.



Ideal for those sectors where it is necessary to control electrostatic charge accumulation thus protecting both users and sensitive electronic devices. The contact resistance of ESD footwear is below the anti-static level normally required in industrial environments. The shoes must be used anytime the formation of an electrostatic charge must be grounded.



Non-metallic footwear, composite toe cap, ideal for use where metal detectors are present.



Utility manufactures working shoes that can be fitted with orthopedic insole pursuant to the German DGUV REGEL 112/191 standard, regulating knee and foot protection. Some of the Diadora models have been certified pursuant to standard EN ISO 20345:2011 . These models are certified as maintaining their safety characteristics even when an orthopaedic insole is used. For any information, please refer to HEMA that will indicate you an orthopaedist in your area. Phone: +49 3634 6836-0 - Fax: +49 3634 6836-20 Mail: [info@hema-online.de](mailto:info@hema-online.de)



FLY

NEW

PROTECTION

S3 SRC HRO ESD - S1P SRC HRO ESD

OUTSOLE

EVA with protective TPU film +  
VIBRAM LITEBASE nitrile rubber

CONSTRUCTION

Assembled

COMPOSITION



- 1 Air Mesh Lining with a non-slip microfibre insert
- 2 Micro-perforated, anti-static and removable PU foam insole with activated carbon
- 3 EVA midsole with protective TPU film
- 4 Matryx 2.0 upper material
- 5 Protective TPU toe piece
- 6 SRC slip-resistant
- 7 HRO nitrile rubber outsole with VIBRAM LITEBASE technology



MATRYX 2.0



TECHNICAL INFORMATION

<b>Fit</b> Comfort 11	<b>Toe width</b> Normal 10	<b>Anti-perforation</b> K-SOLE Eco	<b>Toe cap</b> Carbon fiber 200J	<b>Drop</b> 15 mm	<b>Insole</b> Insole PLUS
cod. 703.178731					

**FLY****NEW****TECHNOLOGIES**

Ultra-light (up to 50% lighter) and super-thin (up to 30% thinner) HRO nitrile rubber outsole that provides the same level of performance.



This transparent thermoplastic polyurethane film totally wraps the EVA and PU insole, guaranteeing excellent resistance to abrasion and ensuring that the footwear last much longer over time.



Midsole in light, flexible material, derived from running shoes.



Anti-perforation textile insole, light and flexible, made of high-density recycled polyethylene.



Abrasion-resistant, breathable and light multi-zone technical fabric.



Multi-layered carbon fibre toecap that provides maximum safety and exceptional performance, without taking up too much space. Non-magnetic, non-thermal and ultra-light.



Highly abrasion-resistant thermoplastic polyurethane (TPU) toe cover. Makes the shoe last longer by protecting the toe from direct impacts.

**REQUIREMENTS**

CE EN ISO 20345:2011



Water-repellent uppers



Breathable uppers



Anti-static shoes



Hydrocarbons resistant sole



200J toe cap



Heel energy absorption



Anti-perforation insert



Sole resistant to heat transmission by contact



Slip resistant

**PLUS**

Lightness



Breathability



Metal free



Non-marking sole



Cushioning



Electrostatic charge dissipation



Flexibility



Toe protection



DGUV REGEL 112-191

**USER CATEGORY**



sizes 38/48

**DESCRIPTION**

HRO nitrile rubber, Vibram Litebase Technology.



**col.C0641**  
black/white

## TECHNOLOGIES



**MATRYX<sup>®</sup> 20**



**TPU**  
film

**K SOLE ECO**



## REQUIREMENTS



CE EN ISO 20345:2011

## PLUS



**FLY LITEBASE MATRYX LOW****NEW****S1P HRO SRC ESD****cod. 701.177680**

sizes 38/48

**DESCRIPTION**

Low water-repellent S1P safety shoe made of breathable and abrasion-resistant Matryx multifibre technical fabric. Vibram Litebase Technology, 200J carbon fibre toe box. Width 11. Air Mesh lining with microfibre anti-slip insert, ultralight eco K SOLE. Contoured, antistatic, removable footbed made of open-cell, breathable PU foam with activated charcoal. ESD.

**MIDSOLE**

Ultralight EVA with TPU protective film.

**OUTSOLE**

HRO nitrile rubber, Vibram Litebase Technology.



col.C2461  
red/white

**TECHNOLOGIES****MATRYX<sup>®</sup> 40****EVA****TPU**  
film**K SOLE** ECO  
↓**TPU**  
PROTECTION**REQUIREMENTS****PLUS**

GLOVE NET

PROTECTION

S3 HRO SRA ESD - S1P HRO SRA ESD

OUTSOLE

EVA with protective TPU film  
+ nitrile rubber

CONSTRUCTION

Assembled

COMPOSITION



1 3D chimney lining in Air Mesh with non-slip microfibre insert

2 TPU heel protection/ergonomic support system

3 EVA midsole with TPU protective film



4 Removable perforated and thermoformed insole with activated carbon

5 S3 in water-repellent Perwanger leather/S1P in Perwanger scratch-resistant leather and mesh fabric



6 PU toe protection, high abrasion resistant toe protection







7 Net Breathing System licensed by GEOX



8 Self-cleaning slip resistance SRA

9 HRO nitrile rubber

TECHNICAL INFORMATION

<p><b>Fit</b> Comfort 11</p> 	<p><b>Toe width</b> Normal 10</p> 	<p><b>Anti-perforation</b> K-SOLE Breathable/ Textile</p> 	<p><b>Toe cap</b> Aluminium 200J</p> 	<p><b>Drop</b> 15 mm</p> 	<p><b>Insole</b> Insole NBS</p> 
cod. 703.174113					



## GLOVE NET

### TECHNOLOGIES



Special membrane made in microporous material, able to absorb sweat in its water vapor state and then expel it via the perforated sole.



Anti-perforation textile sole, breathable, lightweight and flexible.



Water-repellent, scratch-resistant leather, breathing, high durability.



This transparent thermoplastic polyurethane film totally wraps the EVA and PU insole, guaranteeing excellent resistance to abrasion and ensuring that the footwear last much longer over time.



Midsole in light, flexible material, derived from running shoes.

### REQUIREMENTS

CE EN ISO 20345:2011



Water-repellent uppers



Breathable uppers



Anti-static shoes



Hydrocarbons resistant sole



200J toe cap



Heel energy absorption



Anti-perforation insert



Sole resistant to heat transmission by contact



Slip resistant

### PLUS



Electrostatic charge dissipation



Toe protection



Breathability



Flexibility



Lightness




Women's Size



DGUV REGEL 112-191

### USER CATEGORY



sizes 35/49

in HRO nitrile rubber.



col.C8321  
asphalt/orange fluo



col.80013  
black

## TECHNOLOGIES



## REQUIREMENTS



CE EN ISO 20345:2011

## PLUS



sizes 35/49

in HRO nitrile rubber.



col. C8321  
asphalt/orange fluo



col.80013  
black

## TECHNOLOGIES



## REQUIREMENTS



CE EN ISO 20345:2011

## PLUS



**GLOVE NET LOW PRO****S1P HRO SRA ESD****cod. 701.173657**

sizes 35/49

**DESCRIPTION**

S1P low safety shoe in scratch-proof Perwanger leather and water-repellent and breathable mesh fabric with Net Breathing System by Geox. Toe protection. 200J aluminium toe cap. Width 11. 3D "chimney" lining for improved breathability and non-slip insert on back. K SOLE BREATHABLE antiperforation insert. Removable, breathable insole with active carbons. ESD.

**MIDSOLE**

In EVA with protective TPU film.

**OUTSOLE**

in HRO nitrile rubber.

col.80013  
blackcol.C8321  
asphalt/orange fluo**TECHNOLOGIES**
**NET  
BREATHING  
SYSTEM™**  
by **GEOX**

**K SOLE** BREATHABLE  
↓

**EVA**
**TPU**  
film
**REQUIREMENTS****PLUS**

CE EN ISO 20345:2011

**GLOVE NET LOW****S3 HRO SRA ESD****cod. 701.173529**

sizes 35/49

**DESCRIPTION**

S3 low safety shoe in scratch-proof Perwanger leather, water-repellent and breathable with Net Breathing System by Geox. 200J aluminium toe cap. Width 11. 3D "chimney" lining for improved breathability and non-slip insert on back. K SOLE breathable insole with activated carbons. ESD.

**MIDSOLE**

In EVA with protective TPU film.

**OUTSOLE**

in HRO nitrile rubber.

col.60014  
blue cosmoscol.75066  
wind gray**TECHNOLOGIES**
**NET  
BREATHING  
SYSTEM™**  
by **GEOX**

**K SOLE** BREATHABLE  
↓

**EVA**
**TPU**  
film
**REQUIREMENTS****PLUS**

CE EN ISO 20345:2011





GLOVE NET LOW

S1P HRO SRA ESD

cod. 701.173530

sizes 35/49

DESCRIPTION

S1P low safety shoe in scratch-proof Perwanger leather and water-repellent and breathable mesh fabric with Net Breathing System by Geox. 200J aluminium toe cap. Width 11. 3D "chimney" lining for improved breathability and non-slip insert on back. K SOLE BREATHABLE anti-perforation insert. Removable breathable insole with activated carbons.

MIDSOLE

In EVA with protective TPU film.

OUTSOLE

in HRO nitrile rubber.



col.60014  
blue cosmos



col.75066  
wind gray

TECHNOLOGIES

**NET BREATHING SYSTEM™**  
by **GEOX**



**K SOLE** BREATHABLE



REQUIREMENTS



CE EN ISO 20345:2011

PLUS







GLOVE ECO MDS

PROTECTION  
S1P SRC HRO

OUTSOLE  
PU Mass Damper ECO +  
ECO nitrile rubber

CONSTRUCTION  
Assembled

COMPOSITION



12,4% RCS recycled polyester  
5,2% RCS recycled synthetic rubber  
3,5% RCS recycled polyurethane  
2,3% RCS recycled polyethylene  
Certified by ICEA  
RC0173  
Made with 23% recycled material

1 Airmesh ECO lining with non-slip ECO microfibre heel insert

2 TPU ECO heel protection

3 Removable ECO micro-perforated anatomical insole in PU foam with activated carbons

4 ECO recycled Mass Damper PU midsole with protective TPU film



5 S1P Italian suede calf leather, PFAS FREE and ECO mesh



6 Tread in ECO rubber, devulcanised and recycled HRO

7 Slip resistance SRC

8 Weave



TECHNICAL INFORMATION

<b>Fit</b> Comfort 11	<b>Toe width</b> Normal 10	<b>Anti-perforation</b> K-SOLE ECO	<b>Toe cap</b> Aluminium 200J	<b>Drop</b> 15 mm	<b>Insole</b> Insole ECO
					cod. 703.178022



GLOVE ECO MDS

TECHNOLOGIES



The components used to manufacture this model are partly recycled, recyclable, and PFAS-free, in order to embrace a more sustainable production and consumption model.



Sole technology that allows for energy return and long-lasting performances.



Special patented technology which uses less rubber, thus reducing the weight of the tread by 20%.



Anti-perforation textile insole, light and flexible, made of high-density recycled polyethylene.



This trasparent thermoplastic plyurethane film totally wraps the EVA and PU insole, guarateeing excellent resistance to abrasion and ensuring that the footwear last much longer over time.

REQUIREMENTS

CE EN ISO 20345:2011



Breathable uppers



Anti-static shoes



Hydrocarbons resistant sole



200J toe cap



Heel energy absorption



Anti-perforation insert



Sole resistant to heat transmission by contact



Slip resistant

PLUS



Non-marking sole



Breathability



Cushioning



Flexibility



Lightness



Women's Size

USER CATEGORY



**GLOVE ECO MDS****S1P SRC HRO****cod. 701.177661**

sizes 35/48

**DESCRIPTION**

Low S1P safety shoes in Italian suede calf leather, PFAS free and ECO mesh. Mass Damper Technology, 200J aluminium toe cap. Width 11. Air Mesh ECO lining, K SOLE ECO, TPU film. Removable ECO anatomical insole in PU foam with activated carbons. TPU heel protection.

**MIDSOLE**

ECO recycled PU with MASS DAMPER SYSTEM.


**OUTSOLE**

ECO nitrile rubber, HRO.



**col.C9434**  
black/eco green

MADE IN ITALY



12,4% RCS recycled polyester  
5,2% RCS recycled synthetic rubber  
3,5% RCS recycled polyurethane  
2,3% RCS recycled polyethylene  
Certified by ICEA  
RC0173  
Made with 23% recycled material

**TECHNOLOGIES**

#WEAVE

K SOLE ECO

TPU film

**REQUIREMENTS**

CE EN ISO 20345:2011

**PLUS**





GLOVE MDS MATRYX

new

PROTECTION

S3 SRC HRO - S1P SRC HRO

OUTSOLE

PU Mass Damper + nitrile rubber

CONSTRUCTION

Assembled

COMPOSITION



1 Air Mesh Lining with a non-slip microfibre insert

2 TPU heel cup

3 PU Mass Damper midsole with protective TPU film



4 Micro-perforated, anatomic and removable PU foam insole with activated carbon

5 Matryx 2.0 upper material



6 Protective TPU toe piece



7 SRC slip-resistant

8 HRO nitrile rubber outsole

9 Weave



TECHNICAL INFORMATION

<b>Fit</b> Comfort 11	<b>Toe width</b> Normal 10	<b>Anti-perforation</b> K-SOLE	<b>Toe cap</b> Aluminium 200J	<b>Drop</b> 15 mm	<b>Insole</b> Insole PU GLOVE MDS
					cod. 703.176786

**GLOVE MDS MATRYX****NEW****TECHNOLOGIES****MATRYX<sup>®</sup>**

Abrasion-resistant, breathable and light multi-zone technical fabric.



Sole technology that allows for energy return and long-lasting performances.

**#WEAVE**

Special patented technology which uses less rubber, thus reducing the weight of the tread by 20%.



Highly abrasion-resistant thermoplastic polyurethane (TPU) toe cover. Makes the shoe last longer by protecting the toe from direct impacts.



This transparent thermoplastic polyurethane film totally wraps the EVA and PU insole, guaranteeing excellent resistance to abrasion and ensuring that the footwear last much longer over time.



Fast lacing system with rotor for micrometric adjustment and steel cable, with Diadora customisation.



Perforation-proof textile insole, light and flexible.

**REQUIREMENTS****CE** EN ISO 20345:2011

Water-repellent uppers



Breathable uppers



Anti-static shoes



Hydrocarbons resistant sole



200J toe cap



Heel energy absorption



Anti-perforation insert



Sole resistant to heat transmission by contact



Slip resistant

**PLUS**

Non-marking sole



Breathability



DGUV REGEL 112-191



Flexibility



Lightness



Women's Size



Electrostatic charge dissipation



Cushioning



Toe protection

**USER CATEGORY**

GLOVE MDS MATRYX QUICK MID **NEW**

S3 HRO SRC ESD  
cod. 701.178902  
sizes 35/48

DESCRIPTION

Waterproof mid-cut S3 safety shoes in breathable, abrasion-resistant and water-repellent multi-fibre Matryx technical fabric. Quick by Diadora fast lacing system. Cushioning Mass Damper Technology and 200J aluminium toe cap. Width 11. Air Mesh lining with non-slip microfibre insert, K SOLE, and TPU film. Removable ergonomic insole in PU foam and activated carbon. TPU heel cup and toe. ESD.

**MIDSOLE**  
PU with MASS DAMPER SYSYEM.  
**OUTSOLE**  
Nitrile rubber HRO.



col.C0200  
black/black

TECHNOLOGIES



REQUIREMENTS



PLUS







**GLOVE MDS MATRYX LOW****NEW****S3 HRO SRC ESD****cod. 701.178897**

sizes 35/48

**DESCRIPTION**

Waterproof low-cut S3 safety shoes in breathable, abrasion-resistant and water-repellent multi-fibre Matryx technical fabric. Cushioning Mass Damper Technology and 200J aluminium toe cap. Width 11. Air Mesh lining with non-slip microfibre insert, K SOLE, and TPU film. Removable ergonomic insole in PU foam and activated carbon. TPU heel cup, ESD.

**MIDSOLE**

PU with MASS DAMPER SYSEM.

**OUTSOLE**

Nitrile rubber HRO.

col.C0200  
black/black

**TECHNOLOGIES****MATRYX<sup>®</sup> 2.0****#WEAVE****K SOLE****TPU film****REQUIREMENTS****PLUS**

CE EN ISO 20345:2011



GLOVE MDS MATRYX QUICK LOW **NEW**

S3 HRO SRC ESD  
cod. 701.178898  
sizes 35/48

DESCRIPTION

Waterproof low-cut S3 safety shoes in breathable and abrasion-resistant multi-fibre Matryx technical fabric. Quick by Diadora fast lacing system. Cushioning Mass Damper Technology and 200J aluminium toe cap. Width 11. Air Mesh lining with non-slip microfibre insert, K SOLE, and TPU film. Removable ergonomic insole in PU foam and activated carbon. TPU heel cup. ESD.

**MIDSOLE**  
PU with MASS DAMPER SYSSEM.  
**OUTSOLE**  
Nitrile rubber HRO.



col.C0200  
black/black

TECHNOLOGIES



REQUIREMENTS



PLUS







**GLOVE MDS MATRYX LOW****NEW****S1P HRO SRC ESD****cod. 701.178901**

sizes 35/48

**DESCRIPTION**

Low-cut S1P safety shoes in breathable and abrasion-resistant multi-fibre Matryx technical fabric. Cushioning Mass Damper Technology and 200J aluminium toe cap. Width 11. Air Mesh lining with non-slip microfibre insert, K SOLE, and TPU film. Removable ergonomic insole in PU foam and activated carbon. TPU heel cup. ESD.

**MIDSOLE**

PU with MASS DAMPER SYSEM.

**OUTSOLE**

Nitrile rubber HRO.

col.C6213  
poppy red/gray



col.C1463  
black/yellow

**TECHNOLOGIES****MATRYX<sup>2.0</sup>**

#WEAVE

**K SOLE****TPU**  
film**REQUIREMENTS****PLUS**

CE EN ISO 20345:2011





GLOVE MDS

PROTECTION

S3 HRO SRC - S1P HRO SRC

OUTSOLE

PU Mass Damper + nitrile rubber

CONSTRUCTION

Assembled

COMPOSITION



1 Air Mesh lining with non-slip microfibre heel insert

2 TPU heel cup

3 Removable anatomical micro-perforated insole in PU foam with active carbon

4 PU Mass Damper midsole with protective TPU film



TPU  
film

5 S3 nubuck leather/ S1P suede calf leather and mesh

6 HRO nitrile rubber tread

7 Slip resistance SRC


8 Weave

#WEAVE

TECHNICAL INFORMATION

Fit

Comfort 11



Toe width

Normal 10



Anti-perforation

K-SOLE/Textile




Toe cap

Aluminium 200J



Drop

15 mm



Insole

Insole  
PU GLOVE MDS



cod. 703.176786

GLOVE MDS

TECHNOLOGIES



Sole technology that allows for energy return and long-lasting performances.



Special patented technology which uses less rubber, thus reducing the weight of the tread by 20%.



Perforation-proof textile insole, light and flexible.



This transparent thermoplastic plyurethane film totally wraps the EVA and PU insole, guarateeing excellent resistance to abrasion and ensuring that the footwear last much longer over time.

REQUIREMENTS

CE EN ISO 20345:2011



Water-repellent uppers



Breathable uppers



Anti-static shoes



Hydrocarbons resistant sole



200J toe cap



Heel energy absorption



Anti-perforation insert



Sole resistant to heat transmission by contact



Slip resistant

PLUS



Non-marking sole



Cushioning



DGUV REGEL 112-191



Flexibility



Lightness




Women's Size

USER CATEGORY



sizes 35/48

In HRO nitrile rubber.



## TECHNOLOGIES



## REQUIREMENTS



CE EN ISO 20345:2011

## PLUS



sizes 35/48

In HRO nitrile rubber,



## TECHNOLOGIES



## REQUIREMENTS



CE EN ISO 20345:2011

## PLUS





**GLOVE MDS TEXT LOW****S1P HRO SRC****cod. 701.177668**

sizes 35/48

**DESCRIPTION**

Low-cut S1P safety shoes in calfskin suede and mesh. Mass Damper Technology and 200J aluminium toe cap. Width 11. Air Mesh lining with non-slip microfibre insert, K SOLE, and TPU film. Removable ergonomic insole in PU foam and activated carbon. TPU heel cup.

**MIDSOLE**

PU with MASS DAMPER SYSTEM.

**OUTSOLE**

In HRO nitrile rubber.



**col.C9546**  
coal green fluo



**col.80013**  
black



**col.C9545**  
dark navy/orange fluo



**col.75029**  
moon rock grey

**TECHNOLOGIES**

#WEAVE

**K SOLE****TPU**  
film**REQUIREMENTS**

CE EN ISO 20345:2011

**PLUS**

GLOVE MDS MASTER

new

PROTECTION

S3 SRC HRO ESD

OUTSOLE

PU Mass Damper + nitrile rubber

CONSTRUCTION

Assembled

COMPOSITION



1 Air Mesh Lining with a non-slip microfibre insert

2 TPU heel cup

3 Micro-perforated, anatomic and removable PU foam insole with activated carbon

4 PU Mass Damper midsole with protective TPU film



TPU film

5 S3 pelle nubuck idrorepellente

6 TPU PROTECTION TOE



7 HRO nitrile rubber outsole

8 SRC slip-resistant

9 Weave

#WEAVE

TECHNICAL INFORMATION

<b>Fit</b> Comfort 11	<b>Toe width</b> Normal 10	<b>Anti-perforation</b> K-SOLE	<b>Toe cap</b> Aluminium 200J	<b>Drop</b> 15 mm	<b>Insole</b> Insole PU GLOVE MDS
					cod. 703.176786

**GLOVE MDS MASTER****NEW****TECHNOLOGIES**

Sole technology that allows for energy return and long-lasting performances.

**#WEAVE**

Special patented technology which uses less rubber, thus reducing the weight of the tread by 20%.



Perforation-proof textile insole, light and flexible.



This transparent thermoplastic polyurethane film totally wraps the EVA and PU insole, guaranteeing excellent resistance to abrasion and ensuring that the footwear last much longer over time.



Highly abrasion-resistant thermoplastic polyurethane (TPU) toe cover. Makes the shoe last longer by protecting the toe from direct impacts.

**REQUIREMENTS**

CE EN ISO 20345:2011



Water-repellent uppers



Breathable uppers



Anti-static shoes



Hydrocarbons resistant sole



200J toe cap



Heel energy absorption



Anti-perforation insert



Sole resistant to heat transmission by contact



Slip resistant

**PLUS**

Non-marking sole



Breathability



Cushioning



Flexibility



Lightness



Women's Size



Electrostatic charge dissipation



DGV REGEL 112-191



Toe protection

**USER CATEGORY**



GLOVE MDS MASTER MID **new**

S3 HRO SRC ESD  
cod. 701.178841  
sizes 35/48

DESCRIPTION

Mid-cut S3 safety shoes in water-repellent nubuck silk. Mass Damper Technology and 200J aluminium toe cap. Width 11. Air Mesh lining with non-slip microfibre insert, K SOLE, and TPU film. Removable ergonomic insole in PU foam and activated carbon. TPU heel cup. ESD.

**MIDSOLE**  
PU with MASS DAMPER SYSTEM.  
**OUTSOLE**  
In HRO nitrile rubber.

col.80013  
black



TECHNOLOGIES

#WEAVE

K SOLE

TPU film



TPU PROTECTION

REQUIREMENTS



CE EN ISO 20345:2011

PLUS







GLOVE MDS MASTER LOW **new**

S3 HRO SRC ESD  
cod. 701.178842  
sizes 35/48

DESCRIPTION

Low-cut S3 safety shoes in water-repellent nubuck silk. Mass Damper Technology and 200J aluminium toe cap. Width 11. Air Mesh lining with non-slip microfibre insert, K SOLE, and TPU film. Removable ergonomic insole in PU foam and activated carbon. TPU heel cup. ESD.

**MIDSOLE**  
PU with MASS DAMPER SYSTEM.  
**OUTSOLE**  
In HRO nitrile rubber.

col.80013  
black



TECHNOLOGIES

#WEAVE

K SOLE

TPU film



TPU PROTECTION

REQUIREMENTS



CE EN ISO 20345:2011

PLUS









RUN NET AIRBOX MASTER

new

PROTECTION  
S3 SRC ESD

OUTSOLE  
Pu-Pu double density

CONSTRUCTION  
Direct injection

COMPOSITION



- 1 Abrasion-resistant, highly breathable and quick-drying 300g nylon lining
- 2 TPU heel cup
- 3 Micro-perforated, removable PU foam insole with activated carbon
- 4 PU foam midsole with Net Breathing System at the sides. Mass Damper insert. Micro-perforated Memory insole.
- 5 S3 waterproof calf suede/Matryx fabric
- 6 TPU PROTECTION TOE
- 7 SRC slip-resistant
- 8 Compact, abrasion-resistant PU outsole



TECHNICAL INFORMATION

<b>Fit</b> Comfort 11	<b>Toe width</b> Normal 10	<b>Anti-perforation</b> K-SOLE	<b>Toe cap</b> Aluminium 200J	<b>Drop</b> 15 mm	<b>Insole</b> Insole Run PU foam
cod. 703.175941					



**RUN NET AIRBOX MASTER****NEW****TECHNOLOGIES**


Special membrane made from a microporous material which absorbs sweat (in the form of water vapour) and releases it through the ventilation holes on the side of the shoe.



Sole technology that allows for energy return and long-lasting performances.



Abrasion-resistant, breathable and light multi-zone technical fabric.



Light midsole thanks to the new-generation polyurethane compound.



Perforation-proof textile insole, light and flexible.



Fabric with high abrasion-resistance.



Highly abrasion-resistant thermoplastic polyurethane (TPU) toe cover. Makes the shoe last longer by protecting the toe from direct impacts.

**REQUIREMENTS**

CE EN ISO 20345:2011



Breathable uppers



Anti-static shoes



Hydrocarbons resistant sole



200J toe cap



Heel energy absorption



Anti-perforation insert



Water-repellent uppers



Slip resistant

**PLUS**

Breathability



Cushioning



DGUV REGEL 112-191



Flexibility



Electrostatic charge dissipation



Women's Size



Lightness



Toe protection

**USER CATEGORY**



**RUN NET AIRBOX MATRYX MASTER LOW** **NEW****S3 SRC ESD****cod. 701.178840**

sizes 35/48

**DESCRIPTION**

Low-cut S3 safety shoes in breathable, abrasion-resistant and water-repellent multi-fibre Matryx technical fabric with the Net Breathing System by Geox on the sides. 200J aluminium toe cap. Width 11. K SOLE, abrasion-resistant and ultra-breathable nylon lining and a removable breathable insole with activated carbon. ESD.

**MIDSOLE**

D-LIGHT PU foam with MASS DAMPER insert.

**OUTSOLE**

Compact, abrasion-resistant PU.

col.C0200  
black/black

**TECHNOLOGIES****MATRYX****D-LIGHT****K SOLE****REQUIREMENTS****PLUS**

CE EN ISO 20345:2011





GLOVE

PROTECTION

S3 HRO SRA - S1P HRO SRA

OUTSOLE

EVA with protective TPU film  
+ nitrile rubber

CONSTRUCTION

Assembled

COMPOSITION



1 Air mesh lining

2 TPU heel cup

3 Removable perforated and shock absorber EVA insole

4 EVA midsole with TPU protective film



5 S3 nubuck silk/S1P calf suede and Mesh

6 HRO nitrile rubber

7 Self-cleaning slip resistance SRA

TECHNICAL INFORMATION

<b>Fit</b> Regular 10	<b>Toe width</b> 10	<b>Anti-perforation</b> K-SOLE/Textile	<b>Toe cap</b> Aluminium 200J	<b>Drop</b> 15 mm	<b>Insole</b> Insole ACTIVE II
cod. 703.171342					

GLOVE

TECHNOLOGIES



Perforation-proof textile insole, light and flexible.



This transparent thermoplastic plyurethane film totally wraps the EVA and PU insole, guarateeing excellent resistance to abrasion and ensuring that the footwear last much longer over time.



Midsole in light, flexible material, derived from running shoes.

REQUIREMENTS

CE EN ISO 20345:2011



Water-repellent uppers



Breathable uppers



Anti-static shoes



Hydrocarbons resistant sole



200J toe cap



Heel energy absorption



Anti-perforation insert



Sole resistant to heat transmission by contact



Slip resistant

PLUS



Flexibility



Lightness



Women's Size

USER CATEGORY



GLOVE MID

S3 HRO SRA

cod. 701.170234

sizes 35/48

DESCRIPTION

S3 mid-cut safety shoe in water-repellent Silk Nubuck. 200J aluminium toe cap. Width 10. Air Mesh lining. Removable perforated EVA insole, with shock absorber insert. K SOLE anti-perforation insert. TPU heel protection.

MIDSOLE

In EVA with protective TPU film.

OUTSOLE

In HRO nitrile rubber.



col.80013  
black

TECHNOLOGIES



REQUIREMENTS



CE EN ISO 20345:2011

PLUS



GLOVE LOW

S3 HRO SRA

cod. 701.170235

sizes 35/48

DESCRIPTION

S3 low safety shoe in water-repellent Silk Nubuck. 200J aluminium toe cap. Width 10. Air Mesh lining. Removable perforated EVA insole, with shock absorber insert. K SOLE anti-perforation insert. TPU heel protection.

MIDSOLE

In EVA with protective TPU film.

OUTSOLE

In HRO nitrile rubber.



col. 80013  
black

TECHNOLOGIES



REQUIREMENTS



CE EN ISO 20345:2011

PLUS





**GLOVE LOW****S1P HRO SRA****cod. 701.170683**

sizes 38/48

**DESCRIPTION**

S1P low safety shoe in suede calf leather, 200J aluminium toe cap. Width 10. Air Mesh lining. Removable perforated EVA insole, with shock absorber insert. K SOLE anti-perforation insert. TPU heel protection.

**MIDSOLE**

In EVA with protective TPU film.

**OUTSOLE**

In HRO nitrile rubber.



col.80013  
black

**TECHNOLOGIES****REQUIREMENTS**

CE EN ISO 20345:2011

**PLUS****GLOVE TEXT LOW****S1P HRO SRA****cod. 701.170236**

sizes 35/48

**DESCRIPTION**

S1P low safety shoe in mesh fabric and suede calf leather. 200J aluminium toe cap. Width 10. Air Mesh lining. Removable perforated EVA insole, with shock absorber insert. K SOLE anti-perforation insert. TPU heel protection.

**MIDSOLE**

In EVA with protective TPU film.

**OUTSOLE**

In HRO nitrile rubber.



col. 80013  
black

**TECHNOLOGIES****REQUIREMENTS**

CE EN ISO 20345:2011

**PLUS**

BEAT

PROTECTION

S3 HRO SRC - S1P HRO SRC

OUTSOLE

EVA with protective TPU film  
+ nitrile rubber

CONSTRUCTION

Assembled

COMPOSITION



1 Two tone air mesh lining

2 TPU heel cup

3 EVA midsole with TPU protective film



4 Removable latex insole and EVA heel cup

5 S3 italian nubuck silk/S1P polyester Mesh + micro- injected TPU D-Cage



6 HRO nitrile rubber

7 Slip resistance SRC

8 DOUBLE ACTION



TECHNICAL INFORMATION

<b>Fit</b> Comfort 11	<b>Toe width</b> Comfort 11	<b>Anti-perforation</b> K-SOLE/Textile	<b>Toe cap</b> Aluminium 200J	<b>Drop</b> 15 mm	<b>Insole</b> Insole EVERY
					cod. 703.159112

**BEAT****TECHNOLOGIES**

Exclusive Diadora shock-absorbing system.



Perforation-proof textile insole, light and flexible.



This transparent thermoplastic polyurethane film totally wraps the EVA and PU insole, guaranteeing excellent resistance to abrasion and ensuring that the footwear last much longer over time.



Midsole in light, flexible material, derived from running shoes.



TPU over-injected upper ensuring stability, comfort and natural body movements.

**REQUIREMENTS**

CE EN ISO 20345:2011



Water-repellent uppers



Breathable uppers



Anti-static shoes



Hydrocarbons resistant sole



200J toe cap



Heel energy absorption



Anti-perforation insert



Sole resistant to heat transmission by contact



Slip resistant

**PLUS**

Flexibility



Lightness



Women's Size

**USER CATEGORY**



BEAT DA2 MID

S3 HRO SRC

cod. 701.175298

sizes 35/48

DESCRIPTION

S3 mid-cut safety shoe in water-repellent italian nubuck, 200J aluminium toe cap. Widt h 11. Twotone Air Mesh high-resistance lining, K SOLE, TPU film and Double Action insert. Removable insole in latex, EVA heel cup.

MIDSOLE

EVA with protective TPU film and Double Action insert.

OUTSOLE

Two-tone HRO nitrile rubber.



col.80013  
black

TECHNOLOGIES



REQUIREMENTS



CE EN ISO 20345:2011

PLUS



BEAT DA2 LOW

S3 SRC ESD

cod. 701.175302

sizes 35/48

DESCRIPTION

S3 low safety shoe in water-repellent italian nubuck, 200J aluminium toe cap. Width 11. Two-tone Air Mesh high-resistance lining, K SOLE, TPU film and Double Action insert. Removable insole in latex, EVA heel cup.

MIDSOLE

EVA with protective TPU film and Double Action insert.

OUTSOLE

Two-tone HRO nitrile rubber.



col. 80013  
black

TECHNOLOGIES



REQUIREMENTS



CE EN ISO 20345:2011

PLUS



**BEAT DA2 TEXT LOW****S1P HRO SRC****cod. 701.175299**

sizes 35/48

**DESCRIPTION**

S1P low safety shoe in TPU over-injected polyester fabric, 200J aluminium toe cap. Width 11. Two-tone Air Mesh high-resistance lining, K SOLE, TPU film and Double Action insert. Removable insole in latex, EVA heel cup.

**MIDSOLE**

EVA with protective TPU film and Double Action insert.

**OUTSOLE**

Two-tone HRO nitrile rubber.



col.80013  
black

**TECHNOLOGIES****REQUIREMENTS**

CE EN ISO 20345:2011

**PLUS**

RUN NET AIRBOX

PROTECTION

S3 SRC - S1P SRC

OUTSOLE

Pu-Pu double density

CONSTRUCTION

Direct injection

COMPOSITION



- 1 300g Nylon lining - anti-abrasion, quick-drying and extremely breathable
- 2 TPU heel cup
- 3 Removable micro-perforated insole in PU foam with active carbon
- 4 Expanded PU midsole with Net Breathing System on sides. Mass damper insert. Memory micro-perforated mounted insole
- 5 S3 water-repellent italian suede calf leather/Matryx/ S1P italian suede calf leather and mesh/Matryx
- 6 Slip resistance SRC
- 7 Compact abrasion resistant PU



MATRYX | ITALIAN LEATHER

TECHNICAL INFORMATION

<b>Fit</b> Comfort 11	<b>Toe width</b> Normal 10	<b>Anti-perforation</b> K-SOLE/Textile	<b>Toe cap</b> Aluminium 200J	<b>Drop</b> 15 mm	<b>Insole</b> Insole RUN NET PU FOAM
cod. 703.176221					



RUN NET AIRBOX

TECHNOLOGIES




Special membrane made from a microporous material which absorbs sweat (in the form of water vapour) and releases it through the ventilation holes on the side of the shoe.



Sole technology that allows for energy return and long-lasting performances.



Fast lacing system with rotor for micrometric adjustment and steel cable, with Diadora customisation.



Light midsole thanks to the new-generation polyurethane compound.



Perforation-proof textile insole, light and flexible.



Fabric with high abrasion-resistance.

REQUIREMENTS

CE EN ISO 20345:2011



Breathable uppers



Anti-static shoes



Hydrocarbons resistant sole



200J toe cap



Heel energy absorption



Anti-perforation insert



Water-repellent uppers



Slip resistant

PLUS



Breathability



Cushioning



DGUV REGEL 112-191



Flexibility




Lightness



Women's Size

USER CATEGORY



**RUN NET AIRBOX MID****S3 SRC****cod. 701.176223**

sizes 35/48

**DESCRIPTION**

S3 mid-cut safety shoe in suede italian leather, water-repellent and breathable with Net Breathing System by Geox on sides. 200J aluminium toe cap. Width 11. K SOLE, Nylon abrasion-resistant and ultrabreathable lining, removable and breathable insole with activated carbons.

**MIDSOLE**

D-LIGHT expanded PU with MASS DAMPER insert.

**OUTSOLE**

Compact PU, abrasion-resistant.



**col.C8700**  
wind gray/wind gray



**col.C0200**  
black/black

**TECHNOLOGIES**

**NET BREATHING SYSTEM™**  
by GEOX  
**AIRBOX**  
000

**D-LIGHT****K SOLE****REQUIREMENTS**

CE EN ISO 20345:2011

**PLUS****RUN NET AIRBOX MID****S1P SRC****cod. 701.176668**

sizes 35/48

**DESCRIPTION**

S1P mid-cut safety shoe in perforated suede italian leather with Net Breathing System by Geox on sides. 200J aluminium toe cap. Width 11. K SOLE, Nylon abrasion-resistant and ultra-breathable lining, removable and breathable insole with activated carbons.

**MIDSOLE**

D-LIGHT expanded PU with MASS DAMPER insert.

**OUTSOLE**

Compact PU, abrasion-resistant.



**col.C8704**  
moon rock gray/moon rock gray

**TECHNOLOGIES**

**NET BREATHING SYSTEM™**  
by GEOX  
**AIRBOX**  
000

**D-LIGHT****K SOLE****REQUIREMENTS**

CE EN ISO 20345:2011

**PLUS**





**RUN NET AIRBOX QUICK LOW****S3 SRC****cod. 701.176219**

sizes 35/48

**DESCRIPTION**

S3 low safety shoe in suede italian leather, water repellent and breathable with Net Breathing System by Geox on sides and Quick by Diadora fast lacing system. 200J aluminium toe cap. Width 11. K SOLE, Nylon abrasion-resistant and ultra-breathable lining, removable and breathable insole with activated carbons.

**MIDSOLE**

D-LIGHT expanded PU with MASS DAMPER insert.

**OUTSOLE**

Compact PU, abrasion-resistant.

col.C0200  
black/black

**TECHNOLOGIES**

**NET  
BREATHING  
SYSTEM™**  
by **GEOX**  
**AIRBOX**  
000

**QUICK**  
RELEASE SYSTEM

**D-LIGHT**



**CORDURA**  
FABRIC

**K SOLE**

**REQUIREMENTS**

CE EN ISO 20345:2011

**PLUS****RUN NET AIRBOX LOW****S3 SRC****cod. 701.176221**

sizes 35/48



col.C8702  
blue cosmos/blue cosmos



col.C8700  
wind grey/wind grey



col.C8708  
smoke/smoke  
sizes 35/42



col.C0200  
black/black



col.C9034  
asphalt/silver/red



col.C8704  
moon rock gray/moon rock gray

**DESCRIPTION**

S3 low safety shoe in suede italian leather, waterrepellent and breathable with Net Breathing System by Geox on sides. 200J aluminium toe cap. Width 11. K SOLE, Nylon abrasion-resistant and ultrabreathable lining, removable and breathable insole with activated carbons.

**MIDSOLE**

D-LIGHT expanded PU with MASS DAMPER insert.

**OUTSOLE**

Compact PU, abrasion-resistant.

**TECHNOLOGIES**

**NET  
BREATHING  
SYSTEM™**  
by **GEOX**  
**AIRBOX**  
000

**D-LIGHT**



**CORDURA**  
FABRIC

**K SOLE**

**REQUIREMENTS**

CE EN ISO 20345:2011

**PLUS**





## RUN NET AIRBOX LOW

**S1P SRC**

**cod. 701.176217**

sizes 35/48



### DESCRIPTION

S1P low safety shoe in suede italian leather and mesh with Net Breathing System by Geox on sides. 200J aluminium toe cap. Width 11. K SOLE, Nylon abrasion-resistant and ultra-breathable lining, removable and breathable insole with activated carbons.

#### MIDSOLE

D-LIGHT expanded PU with MASS DAMPER insert.

#### OUTSOLE

Compact PU, abrasion-resistant.



**col.C8753**  
blue cosmos/moon rock grey



**col.C8701**  
wind grey/aluminum



**col.C8705**  
tobacco brown/moon rock gray



**col.C8709**  
smoke/black  
sizes 35/42



**col.C4663**  
black/anthracite

### TECHNOLOGIES

**NET BREATHING SYSTEM™**  
by GEOX  
**AIRBOX**  
000

**D-LIGHT**



**K SOLE**



#### REQUIREMENTS



CE EN ISO 20345:2011

#### PLUS



## RUN NET AIRBOX SANDAL

**S1P SRC**

**cod. 701.176210**

sizes 35/48



### DESCRIPTION

S1P sandal in suede italian leather, with Net Breathing System by Geox on sides. 200J aluminium toe cap. Width 11. K SOLE, Nylon abrasion-resistant and ultrabreathable lining, removable and breathable insole with activated carbons.

#### MIDSOLE

D-LIGHT expanded PU with MASS DAMPER insert.

#### OUTSOLE

Compact PU, abrasion-resistant.



**col.C4663**  
black/anthracite

### TECHNOLOGIES

**NET BREATHING SYSTEM™**  
by GEOX  
**AIRBOX**  
000

**D-LIGHT**



**K SOLE**



#### REQUIREMENTS



CE EN ISO 20345:2011

#### PLUS





**RUN NET AIRBOX MATRYX LOW****S3 SRC****cod. 701.176215**

sizes 35/48

**DESCRIPTION**

S3 low safety shoe in Matryx multi-fibre technical fabric, abrasion-resistant and water-repellent with Net Breathing System by Geox on sides. 200J aluminium toe cap. Width 11. K SOLE, Nylon abrasion-resistant and ultra-breathable lining, removable and breathable insole with activated carbons.

**MIDSOLE**

D-LIGHT expanded PU with MASS DAMPER insert.

**OUTSOLE**

Compact PU, abrasion-resistant.



col.C0200  
black/black

**TECHNOLOGIES**

**NET  
BREATHING  
SYSTEM™**  
by GEOX  
**AIRBOX**  
ooo

**MATRYX®****D-LIGHT**

**CORDURA®**  
FABRIC

**K SOLE****REQUIREMENTS**

CE EN ISO 20345:2011

**PLUS****RUN NET AIRBOX MATRYX LOW****S1P SRC****cod. 701.176214**

sizes 35/48

**DESCRIPTION**

S1P low safety shoe in Matryx multi-fibre technical fabric, abrasion-resistant and breathable with Net Breathing System by Geox on sides. 200J aluminium toe cap. Width 11. K SOLE, Nylon abrasion-resistant and ultra-breathable lining, removable and breathable insole with activated carbons.

**MIDSOLE**

D-LIGHT expanded PU with MASS DAMPER insert.

**OUTSOLE**

Compact PU, abrasion-resistant.



col.C4624  
wind gray/black

**TECHNOLOGIES**

**NET  
BREATHING  
SYSTEM™**  
by GEOX  
**AIRBOX**  
ooo

**MATRYX®****D-LIGHT**

**CORDURA®**  
FABRIC

**K SOLE****REQUIREMENTS**

CE EN ISO 20345:2011

**PLUS**

CROSS SPORT

PROTECTION  
S3 WR CI SRC

OUTSOLE  
Pu-Pu double density

CONSTRUCTION  
Direct injection

COMPOSITION



1 Air Mesh lining with DIA-Tex membrane WR



2 Heel reinforced with abrasion-resistant TPU film

3 Removable breathable micro-perforated insole in PU foam with activated carbons

4 PU foam midsole

5 S3 pull-up nubuck and water-repellent suede leather



6 Toe reinforced with abrasion-resistant TPU film

7 Self-cleaning slip resistance SRC

8 Compact abrasion-resistant PU outsole

9 360° grip on uneven and outdoor surfaces

TECHNICAL INFORMATION

<b>Fit</b> Comfort 11	<b>Toe width</b> 10	<b>Anti-perforation</b> K-SOLE/Textile	<b>Toe cap</b> Aluminium 200J	<b>Drop</b> 15 mm	<b>Insole</b> Insole RUN PU FOAM
cod. 703.175941					

CROSS SPORT  
TECHNOLOGIES



Waterproof, breathable membrane that keeps the feet in a dry and comfortable environment.



Perforation-proof textile insole, light and flexible.

REQUIREMENTS

CE EN ISO 20345:2011



Water-repellent uppers



Breathable uppers



Anti-static shoes



Hydrocarbons resistant sole



200J toe cap



Heel energy absorption



Anti-perforation insert



Slip resistant



Waterproof lining



Thermic lining

PLUS



Toe protection



Outer sole for rough ground



Flexibility



Women's Size



DGUV REGEL 112-191

USER CATEGORY





**SPORT DIATEX HIGH****S3 WR CI SRC****cod. 701.177648**

sizes 35/48

**DESCRIPTION**

S3 high safety shoe waterproof and thermo-insulated in pull-up nubuck Italian leather and water-repellent suede leather. Toe and heel reinforced with TPU film. DIA-TEX membrane. 200J aluminium toe cap. Width 11. K-SOLE anti-perforation insert. Removable breathable micro-perforated insole in PU foam with activated carbons.

**MIDSOLE**

Expanded PU.

**OUTSOLE**

Compact PU, abrasion-resistant.



**col.C2815**  
black/steel gray

**TECHNOLOGIES****K SOLE****REQUIREMENTS**

CE EN ISO 20345:2011

**PLUS****SPORT DIATEX MID****S3 WR CI SRC****cod. 701.177650**

sizes 35/48

**DESCRIPTION**

S3 mid-cut safety shoe waterproof and thermoinsulated in pull-up nubuck Italian leather and water repellent suede leather. Toe and heel reinforced with TPU film. DIA-TEX membrane. 200J aluminium toe cap. Width 11. K-SOLE anti-perforation insert. Removable breathable micro-perforated insole in PU foam with activated carbons.

**MIDSOLE**

Expanded PU.

**OUTSOLE**

Compact PU, abrasion-resistant.



**col.C2815**  
black/steel gray



**col.C3548**  
black/green rage



**col.C3701**  
castle rock/blue moon

**TECHNOLOGIES****K SOLE****REQUIREMENTS**

CE EN ISO 20345:2011

**PLUS**

**SPORT DIATEX LOW****S3 WR CI SRC****cod. 701.177652**

sizes 35/48

**DESCRIPTION**

S3 low safety shoe waterproof and thermo-insulated in pull-up nubuck Italian leather and water-repellent suede leather. Toe and heel reinforced with TPU film. DIA-TEX membrane. 200J aluminium toe cap. Width 11. K-SOLE anti-perforation insert. Removable breathable micro-perforated insole in PU foam with activated carbons.

**MIDSOLE**

Expanded PU.

**OUTSOLE**

Compact PU, abrasion-resistant.



**col.C3548**  
black/green rage



**col.C2815**  
black/steel gray

**TECHNOLOGIES****REQUIREMENTS**

CE EN ISO 20345:2011

**PLUS**



CROSS COUNTRY

PROTECTION

S3 SRC - S1P SRC

OUTSOLE

Pu-Pu double density

CONSTRUCTION

Direct injection

COMPOSITION



- 1 3D Mesh lining
- 2 Removable breathable micro-perforated insole in PU foam with activated carbons
- 3 PU foam midsole
- 4 S3 water-repellent pull-up nubuck/S1P suede leather
- 5 360° grip on uneven and outdoor surfaces
- 6 Self-cleaning slip resistance SRC
- 7 Compact abrasion-resistant PU outsole



TECHNICAL INFORMATION

<b>Fit</b> Comfort 11	<b>Toe width</b> 10	<b>Anti-perforation</b> K-SOLE/Textile	<b>Toe cap</b> Steel 200J	<b>Drop</b> 15 mm	<b>Insole</b> Insole RUN PU FOAM
cod. 703.175941					












CROSS COUNTRY  
TECHNOLOGIES






K SOLE

Perforation-proof textile insole, light and flexible.

REQUIREMENTS

-  EN ISO 20345:2011
-  Breathable uppers
-  Anti-static shoes
-  Hydrocarbons resistant sole
-  200J toe cap
-  Heel energy absorption
-  Anti-perforation insert
-  Water-repellent uppers
-  Slip resistant

PLUS

-  Outer sole for rough ground
-  Flexibility
-  Women's Size
- 

USER CATEGORY



COUNTRY MID

S3 SRC  
cod. 701.177654  
sizes 35/48

DESCRIPTION

S3 mid-cut safety shoe in water-repellent pull-up nubuck italian leather. 200J steel toe cap. Width 11. K-SOLE anti-perforation insert. Removable breathable micro-perforated insole in PU foam with activated carbons.

**MIDSOLE**  
Expanded PU.  
**OUTSOLE**  
Compact PU, abrasion-resistant.



col.80013  
black



col.30050  
dark brown (30050)

TECHNOLOGIES

K SOLE



REQUIREMENTS



CE EN ISO 20345:2011

PLUS



COUNTRY LOW

S3 SRC  
cod. 701.177656  
sizes 35/48

DESCRIPTION

S3 low safety shoe in water-repellent pull-up nubuck italian leather. 200J steel toe cap. Width 11. K-SOLE anti-perforation insert. Removable breathable micro-perforated insole in PU foam with activated carbons.

**MIDSOLE**  
Expanded PU.  
**OUTSOLE**  
Compact PU, abrasion-resistant.



col.80013  
black

TECHNOLOGIES

K SOLE



REQUIREMENTS



CE EN ISO 20345:2011

PLUS



**COUNTRY LOW****S1P SRC****cod. 701.177658**

sizes 35/48

**DESCRIPTION**

S1P low safety shoe in perforated suede italian leather. 200J steel toe cap. Width 11. K-SOLE antiperforation insert. Removable breathable microperforated insole in PU foam with activated carbons.

**MIDSOLE**

Expanded PU.

**OUTSOLE**

Compact PU, abrasion-resistant.



**col.30050**  
dark brown (30050)

**TECHNOLOGIES****K SOLE****REQUIREMENTS****PLUS****COUNTRY SANDAL****S1P SRC****cod. 701.177659**

sizes 35/48

**DESCRIPTION**

S1P low safety shoe in suede italian leather. 200J steel toe cap. Width 11. K-SOLE anti-perforation insert. Removable breathable micro-perforated insole in PU foam with activated carbons.

**MIDSOLE**

Expanded PU.

**OUTSOLE**

Compact PU, abrasion-resistant.



**col.80013**  
black

**TECHNOLOGIES****K SOLE****REQUIREMENTS****PLUS**



SHARK STABLE IMPACT

new

PROTECTION

S3 SRC ESD - S1P SRC ESD

OUTSOLE

Pu-Pu double density

CONSTRUCTION

Direct injection

COMPOSITION



- 1

Air Mesh Lining
- 2

TPU heel cup
- 3

Micro-perforated, anatomic and removable PU foam insole with activated carbon
- 4

PU foam midsole with Stable Impact technology

STABLE  
IMPACT  
SYSTEM
- 5

S3 breathable, waterproof polyester/S1P breathable polyester
- 6

TPU TOE PROTECTION

TPU
- 7

SRC slip-resistant
- 8

Compact, abrasion-resistant PU outsole


TECHNICAL INFORMATION

<b>Fit</b> Comfort 11	<b>Toe width</b> Normal 10	<b>Anti-perforation</b> K-SOLE	<b>Toe cap</b> Aluminium 200J	<b>Drop</b> 15 mm	<b>Insole</b> Insole RUN NET PU FOAM
					cod. 703.176221

SHARK STABLE IMPACT

NEW


TECHNOLOGIES

D-LIGHT


Light midsole thanks to the new-generation polyurethane compound.

K SOLE

Perforation-proof textile insole, light and flexible.










TPU PROTECTION

Highly abrasion-resistant thermoplastic polyurethane (TPU) toe cover. Makes the shoe last longer by protecting the toe from direct impacts.








STABLE IMPACT SYSTEM

The Stable Impact System is a cushioning system created by shaping the design of the sole in a special way, which guarantees maximum reactivity and comfort regardless of force exerted

REQUIREMENTS

-  EN ISO 20345:2011
-  Breathable uppers
-  Anti-static shoes
-  Hydrocarbons resistant sole
-  200J toe cap
-  Heel energy absorption
-  Anti-perforation insert
-  Water-repellent uppers
-  Slip resistant

PLUS


-  Breathability
-  Cushioning
-  DGUV REGEL 112-191
-  Flexibility
-  Electrostatic charge dissipation
-  Women's Size
-  Lightness
-  Toe protection

USER CATEGORY



**SHARK STABLE IMPACT MID** *new***S3 SRC ESD****cod. 701.177669**

sizes 35/48

**DESCRIPTION**

Mid-cut S3 safety shoes in water-repellent 350-g/m<sup>2</sup> polyester technical fabric with cushioning Stable Impact System technology. 200J aluminium toe cap. Width 11. Air Mesh lining with non-slip microfibre insert, K SOLE and removable, breathable PU foam insole with activated carbon. ESD.

**MIDSOLE**

PU foam with STABLE IMPACT SYSTEM technology.

**OUTSOLE**

Compact PU, abrasion-resistant.


col.C2541  
black/gray (C2541)

**TECHNOLOGIES****3D-LIGHT****STABLE  
IMPACT  
SYSTEM****K SOLE****TPU** PROTECTION**REQUIREMENTS**

CE EN ISO 20345:2011

**PLUS****SHARK STABLE IMPACT LOW** *new***S3 SRC ESD****cod. 701.177671**

sizes 35/48



col.C2541  
black/gray (C2541)

**DESCRIPTION**

Low-cut S3 safety shoes in water-repellent 350-g/m<sup>2</sup> polyester technical fabric with cushioning Stable Impact System technology. 200J aluminium toe cap. Width 11. Air Mesh lining with non-slip microfibre insert, K SOLE and removable, breathable PU foam insole with activated carbon. ESD.

**MIDSOLE**

PU foam with STABLE IMPACT SYSTEM technology.

**OUTSOLE**

Compact PU, abrasion-resistant.

col.C1153  
black/moon rock



**TECHNOLOGIES****3D-LIGHT****STABLE  
IMPACT  
SYSTEM****K SOLE****TPU** PROTECTION**REQUIREMENTS**

CE EN ISO 20345:2011

**PLUS**



NEW



**K SOLE**



CE EN ISO 20345:2011



**WOMEN  
—SIZE**



RUN

PROTECTION

S3 SRC ESD - S1P SRC ESD

OUTSOLE

Pu-Pu double density

CONSTRUCTION

Direct injection

COMPOSITION



1 Air mesh lining

2 TPU heel cup

3 Midsole in PU foam with D-LIGHT technology

D-LIGHT

4 Removable thermoformed insole in PU foam with activated carbons

5 S3 Water-repellent pull-up nubuck/S1P Calf suede and mesh.  
Cordura-based fabric with PU yarn for high resistance to abrasion.



6 Compact abrasion resistant PU

7 Slip resistance SRC

TECHNICAL INFORMATION

<b>Fit</b> Regular 10	<b>Toe width</b> 10	<b>Anti-perforation</b> K-SOLE/Textile	<b>Toe cap</b> Steel 200J	<b>Drop</b> 15 mm	<b>Insole</b> Insole RUN PU FOAM
					cod. 703.175941

RUN

TECHNOLOGIES



Cordura-based fabric with PU yarn for high resistance to abrasion.



Light midsole thanks to the new-generation polyurethane compound.



Perforation-proof textile insole, light and flexible.



Fabric with high abrasion-resistance.

REQUIREMENTS

CE EN ISO 20345:2011



Breathable uppers



Anti-static shoes



Hydrocarbons resistant sole



200J toe cap



Heel energy absorption



Anti-perforation insert



Water-repellent uppers



Slip resistant

PLUS



Breathability



Lightness



DGUV REGEL 112-191



Flexibility



Electrostatic charge dissipation



Women's Size

USER CATEGORY





RUN MID

S3 SRC ESD  
cod. 701.175304  
sizes 35/49

DESCRIPTION

S3 mid-cut safety shoe in water-repellent Pull Up Nubuck. 200J steel toe cap. Width 10. K SOLE, Air Mesh mesh, removable and breathable insole with active carbons. ESD.

**MIDSOLE**  
Expanded PU with D-LIGHT technology.

**OUTSOLE**  
Compact PU, abrasion-resistant.



col.80013  
black



col.C4906  
castle rock/insignia blue



col.75068  
castle rock

TECHNOLOGIES

D-LIGHT

**CORDURA**  
FABRIC  
CORDURA® is a registered trademark of INVISTA for durable fabrics

**K SOLE**

REQUIREMENTS

CE EN ISO 20345:2011

PLUS

RUN LOW

S3 SRC ESD  
cod. 701.175303  
sizes 35/49

DESCRIPTION

S3 low safety shoe in water-repellent Nubuck Pull Up. 200J steel toe cap. Width 10. K SOLE, Air Mesh mesh, removable and breathable insole with active carbons. ESD.

**MIDSOLE**  
Expanded PU with D-LIGHT technology.

**OUTSOLE**  
Compact PU, abrasion-resistant.



col.60055  
dark navy



col.C4906  
castle rock/insignia blue



col.80013  
black



col.75068  
castle rock



col.C2017  
black/fuchsia red  
sizes 35/42

TECHNOLOGIES

D-LIGHT

**CORDURA**  
FABRIC  
CORDURA® is a registered trademark of INVISTA for durable fabrics

**K SOLE**

REQUIREMENTS

CE EN ISO 20345:2011

PLUS

**RUN ATOM LOW****S3 SRC ESD****cod. 701.176666**

sizes 35/49

**DESCRIPTION**

S3 low safety shoe in water-repellent ATOM. 200J steel toe cap. Width 10. K SOLE, Air Mesh mesh, removable and breathable insole with active carbons. ESD.

**MIDSOLE**

Expanded PU with D-LIGHT technology.

**OUTSOLE**

Compact PU, abrasion-resistant.



**col.C0401**  
black /yellow crows

**TECHNOLOGIES****ATOM****D-LIGHT**

CORDURA® is a registered trademark of INVISTA for durable fabrics.

**K SOLE****REQUIREMENTS**

CE EN ISO 20345:2011

**PLUS****RUN TEXT LOW****S1P SRC ESD****cod. 701.175305**

sizes 35/49

**DESCRIPTION**

S1P low safety shoe in leather and mesh fabric. 200J steel toe cap. Width 10. K SOLE, Air Mesh mesh, removable and breathable insole with active carbons. ESD.

**MIDSOLE**

Expanded PU with D-LIGHT technology.

**OUTSOLE**

Compact PU, abrasion-resistant.



**col.C8311**  
castlerock/scuba blue



**col.C4906**  
castle rock/insignia blue



**col.C1246**  
dark navy/dark navy



**col.C8149**  
sand/sand



**col.C0493**  
castle rock /alluminium

**TECHNOLOGIES****D-LIGHT****K SOLE****REQUIREMENTS**

CE EN ISO 20345:2011

**PLUS**

RUN MICRO

PROTECTION  
S2 SRC ESD

OUTSOLE  
Pu-Pu double density

CONSTRUCTION  
Direct injection

COMPOSITION



1 Breathable 3D polyester lining abrasion-resistant

2 Midsole in PU foam with D-LIGHT technology

3D-LIGHT

3 Removable antibacterial thermoformed insole in PU foam, with activated carbons

4 S2 in water-repellent microfibre

U-MICRO

5 Compact abrasion resistant PU

6 Slip resistance SRC

TECHNICAL INFORMATION


<p><b>Fit</b> Regular 10</p>	<p><b>Toe width</b> Normal 10</p>	<p><b>Toe cap</b> Steel 200J</p>	<p><b>Drop</b> 15 mm</p>	<p><b>Insole</b> Insole RUN PU FOAM</p>
----------------------------------	---------------------------------------	--------------------------------------	------------------------------	---------------------------------------------



**RUN MICRO**  
TECHNOLOGIES



The special microfibre is water-repellent yet breathable. The fabric is easy to wash and offers maximum resistance to light.



Light midsole thanks to the new-generation polyurethane compound.

**REQUIREMENTS**

CE EN ISO 20345:2011



Breathable uppers



Anti-static shoes



Hydrocarbons resistant sole



200J toe cap



Heel energy absorption



Water-repellent uppers



Slip resistant

**PLUS**



Lightness



Flexibility



Electrostatic charge dissipation



Women's Size

**USER CATEGORY**



**RUN MICRO LOW****S2 SRC ESD****cod. 701.175310**

sizes 35/48

**DESCRIPTION**

S2 low safety shoe in microfibre. 200J steel toe cap. Width 10. Polyester lining, removable, breathable and antibacterial insole with activated carbons. ESD.

**MIDSOLE**

Expanded PU with D-LIGHT technology.

**OUTSOLE**

Compact PU, abrasion-resistant.



col.20006  
white



col.80013  
black

**TECHNOLOGIES**

**D-LIGHT** **U-MICRO**

**REQUIREMENTS**

CE EN ISO 20345:2011

**PLUS**







FORMULA

PROTECTION

S3 SRC ESD - S1P SRC ESD

OUTSOLE

Pu-Pu double density

CONSTRUCTION







Direct injection

COMPOSITION



- 1 Air mesh lining
- 2 Removable perforated insole in EVA
- 3 Midsole in expanded PU foam
- 4 S3 Water-repellent pull-up nubuck/S1P Calf suede + nylon/mesh
- 5 Compact abrasion resistant PU
- 6 Slip resistance SRC

TECHNICAL INFORMATION

<b>Fit</b> Comfort 11	<b>Toe width</b> 11	<b>Anti-perforation</b> K-SOLE/Textile	<b>Toe cap</b> Fiberglass 200J	<b>Drop</b> 15 mm	<b>Insole</b> Insole EVA FORMULA
					
cod. 703.175942					

FORMULA

TECHNOLOGIES



Light, non-magnetic and non metallic.



Perforation-proof textile insole, light and flexible.

REQUIREMENTS

- EN ISO 20345:2011
- Breathable uppers
- Anti-static shoes
- Hydrocarbons resistant sole
- 200J toe cap
- Heel energy absorption
- Anti-perforation insert
- Water-repellent uppers
- Slip resistant

PLUS

- Metal free
- Flexibility
- Electrostatic charge dissipation
- Women's Size

USER CATEGORY



FORMULA MID

S3 SRC ESD  
cod. 701.175523  
sizes 35/48

DESCRIPTION

S3 mid-cut safety shoe in water-repellent Pull Up Nubuck. 200J multilayer toe cap. Width 11. Air Mesh lining, K-SOLE, removable EVA insole. ESD and metal free.

**MIDSOLE**  
Expanded PU.  
**OUTSOLE**  
Compact PU, abrasion-resistant.



col.80013  
black

TECHNOLOGIES



REQUIREMENTS



PLUS



FORMULA LOW

S3 SRC ESD  
cod. 701.175524  
sizes 35/48

DESCRIPTION

S3 low safety shoe in water-repellent Pull Up Nubuck. 200J multilayer toe cap. Width 11. Air Mesh lining, K-SOLE, removable EVA insole. ESD and metal free.

**MIDSOLE**  
Expanded PU.  
**OUTSOLE**  
Compact PU, abrasion-resistant.



col.75068  
castle rock



col.80013  
black

TECHNOLOGIES



REQUIREMENTS



PLUS





**FORMULA LOW****S1P SRC ESD****cod. 701.175525**

sizes 35/48

**DESCRIPTION**

S1P low safety shoe in suede calf leather and nylon. 200J multilayer toe cap. Width 11. K-SOLE, EVA removable insole. ESD and metal free.

**MIDSOLE**

Expanded PU.

**OUTSOLE**

Compact PU, abrasion-resistant.



**col.75068**  
castle rock



**col.80013**  
black



**col.60078**  
blue atlantic

**TECHNOLOGIES****K SOLE****REQUIREMENTS**

CE EN ISO 20345:2011

**PLUS**

BLITZ

PROTECTION

S3 SRC - S1P SRC

OUTSOLE

Pu-Pu double density

CONSTRUCTION

Direct injection

COMPOSITION



- 1 High abrasion resistant lining
- 2 Inner anti-slip back tab
- 3 Removable perforated and shock absorber PU insole
- 4 Midsole in expanded PU foam
- 5 S3 action nubuck and PU/S1P calf suede, nylon and PU
- 6 Compact abrasion resistant PU
- 7 Slip resistance SRC

TECHNICAL INFORMATION

<b>Fit</b> Comfort 11	<b>Toe width</b> 11	<b>Anti-perforation</b> K-SOLE/Textile	<b>Toe cap</b> Fiberglass 200J	<b>Drop</b> 15 mm	<b>Insole</b> Insole CUSHION
cod. 703.172595					

**BLITZ**

**TECHNOLOGIES**





Light, non-magnetic and non metallic.





Perforation-proof textile insole, light and flexible.


**REQUIREMENTS**


- 


EN ISO 20345:2011
- 


Breathable uppers
- 


Anti-static shoes
- 

Hydrocarbons resistant sole
- 

200J toe cap
- 

Heel energy absorption
- 

Anti-perforation insert
- 

Water-repellent uppers
- 

Slip resistant

**PLUS**


- 

Metal free
- 

Flexibility
- 

Women's Size

**USER CATEGORY**





**BLITZ MID****S3 SRC****cod. 701.172030**

sizes 35/48

**DESCRIPTION**

S3 mid-cut safety shoe in water-repellent Action nubuck, nylon and PU. 200J multilayer toe cap. Width 11. K-SOLE, removable insole in shockabsorbing polyurethane. Metal free.

**MIDSOLE**

Expanded PU.

**OUTSOLE**

Compact PU, abrasion-resistant.



**col.80013**  
black



**col.75068**  
castle rock

**TECHNOLOGIES****K SOLE****REQUIREMENTS**

CE EN ISO 20345:2011

**PLUS****BLITZ LOW****S3 SRC****cod. 701.172031**

sizes 35/48

**DESCRIPTION**

S3 low safety shoe in water-repellent Action nubuck, nylon and PU. 200J multilayer toe cap. Width 11. K-SOLE, removable insole in shock-absorbing polyurethane. Metal free.

**MIDSOLE**

Expanded PU.

**OUTSOLE**

Compact PU, abrasion-resistant.



**col.80013**  
black



**col.75068**  
castle rock

**TECHNOLOGIES****K SOLE****REQUIREMENTS**

CE EN ISO 20345:2011

**PLUS**

**BLITZ LOW****S1P SRC****cod. 701.172032**

sizes 35/48

**DESCRIPTION**

S1P low safety shoe in suede calf leather, nylon and PU. 200J multilayer toe cap. Width 11. K-SOLE, removable insole in shock-absorbing polyurethane. Metal free.

**MIDSOLE**

Expanded PU.

**OUTSOLE**

Compact PU, abrasion-resistant.



**col.60078**  
blue atlantic



**col.25059**  
beige



**col.75068**  
castle rock

**TECHNOLOGIES****K SOLE****REQUIREMENTS**

CE EN ISO 20345:2011

**PLUS**

CREW

PROTECTION  
OB SRC

OUTSOLE  
EVA + rubber

CONSTRUCTION  
Assembled

COMPOSITION



1 Air Mesh lining

2 TPU heel cup

3 PU memory foam insole, removable and washable

4 EVA midsole



5 U-Micro leather/U-Micro suede-Mesh



6 Slip-resistant rubber with D-spider technology



7 Slip resistance SRC

TECHNICAL INFORMATION

**Fit**  
Regular 10

**Drop**  
15 mm

**Insole**  
Insole MEMORY CREW

cod. 703.176787



CREW

TECHNOLOGIES



The special microfibre is water-repellent yet breathable. The fabric is easy to wash and offers maximum resistance to light.



Midsole in light, flexible material, derived from running shoes.



Outer sole with high grip coefficient.

REQUIREMENTS

CE EN ISO 20347:2012



Breathable uppers



Slip resistant

PLUS



Metal free



Flexibility



Lightness



Women's Size

USER CATEGORY



CREW MICRO

OB SRC  
cod. 701.176228  
sizes 35/48

DESCRIPTION

OB low work shoe in microfibre. Width 10. Removable PU memory foam insole.  
**MIDSOLE**  
EVA  
**OUTSOLE**  
In rubber, SLIP RESISTANT.



col.80013  
black



col.20006  
white

TECHNOLOGIES



REQUIREMENTS



PLUS



CREW MICROMESH

OB SRC  
cod. 701.176230  
sizes 35/48

DESCRIPTION

OB low work shoe in microfibre and mesh. Width 10. Removable PU memory foam insole.  
**MIDSOLE**  
EVA  
**OUTSOLE**  
In rubber, SLIP RESISTANT.



col.75066  
wind gray



col.80013  
black



col.60065  
blue denim

TECHNOLOGIES



REQUIREMENTS



PLUS










CLOTHINGS

TECHNOLOGIES CLOTHINGS - ACCESSORIES	110
ATHENA LINE	114
PANTS	119
Performance	119
Cargo	126
Denim	133
Bermuda	136
OUTERWEAR	141
Shell Jackets	141
Padded Jackets	151
TOPS	153
Sweatshirts	153
Shirts	160
Polo Shirts	161
T-shirts	161
HIGH VISIBILITY	166
UNDERWEAR	172

BREATHING SYSTEM BY GEOX

BREATHING  
SYSTEM  
by GEOX



DESCRIPTION

THE ONLY WORKWEAR THAT LETS YOUR BODY BREATHE WHILE KEEPING THE WATER OUT.

The innovative and exclusive breathing systems developed by Geox Labs ensure **maximum breathability** and **comfort**.  
Based on the principle of heat transfer, hot air evaporates upwards. Thanks to the special

Breathing System structure, sweat goes through the 3D Spacer, coming out of the breathing tape made of a special breathing and waterproof membrane that works in two ways – to expel humidity and to keep water from entering.

Lab tests show that the Geox patent greatly increases the garment breathability level. Benefits are glaring: with the Geox system, clothes stay dry, perceived humidity drops, cold caused by excessive sweating and sudden cold drafts are cut down to zero.

ADVANTAGES

- Garment breathability greatly increased
- Clothes stay dry
- Decrease in perceived humidity
- Less risk of sweating and sudden cold







## TECHNOLOGIES CLOTHINGS - ACCESSORIES



GOTS products are processed according to strict environmental and social standards applied to all production levels, from harvesting of the raw materials to the production of natural fibres and all subsequent manufacturing stages, up to the labelling of finished products.



Hi-tech fabric designed for resistance to tears, abrasions, scuffs and perforations. It is a lightweight, easy-care fabric.



Freedom of movement: the elastomer yarns make the Utility garments made of B-fit materials elastic and ergonomic, guaranteeing maximum freedom of movement.



RIPSTOP is a lightweight fabric borrowed from the world of military clothing. Its structure consists of warp and weft reinforcement threads interwoven at regular intervals that create the typical crosshatch pattern and make this fabric extremely resistant to tearing. This structure prevents tears from enlarging, as they are "enclosed" within the reinforcement threads.



A special windproof membrane guarantees a breathable fabric suitable for outdoor use in every weather conditions.



Products labelled with the "PRO" symbol are also suitable for industrial washing, in line with the ISO 15797 international standard on industrial washing of workwear. The products are tested in all relevant washing and drying processes and the label on each product provides information on which of these processes are suitable for the item in question.

- The numbers 1-8 indicate the fabrics used and the washing instructions
- The icon indicates the type of drying process



Diadora R&D brings D-BRIGHT: photoluminescence technology that absorbs energy from any light source and releases it in low-light situations. Diadora Utility: innovation, comfort and protection.



The special washing process makes every "Washed" garment unique with a deliberately uneven colour and a fabric that is soft and smooth to the touch.



Hidden Power

Diadora Utility underwear garments provide comfort by keeping the skin dry thanks to the polypropylene fibre that does not retain moisture. The polyamide fibre provides thermal insulation keeping the body at an optimum temperature. Polypropylene also guarantees bacteriostatic properties providing anti-odour and non- allergenic garments.



Kevlar®, an innovative technology invented by DuPont, combines resistance and lightness. Kevlar® has been developed for over 40 years for use in a wide range of fields.



Coolmax® fibres wick moisture away from skin to the garment surface where it evaporates rapidly. At the same time they guarantee maximum breathability even when wet, keeping the wearer comfortable and dry, and increasing their energy and endurance.









**PANT CARGO ATHENA****new****cod. 702.177675**

sizes 38/50

**COMPOSITION AND DESCRIPTION**

Twill 63% Polyester 34% Cotton, 3% Elastane, 260 g/m².

Women's slim-fit cargo work trousers. Two side pockets, a hip pocket, reflective details, a stretch waistband and triple-stitched seams. Contoured waistband that is higher on the back, designed to mould perfectly to the anatomy of the female body. Darted knees for a more ergonomic fit.



**col.60062**  
Classic Navy



**col.80013**  
Black

- 1 Contoured waistband
- 2 Reflective details
- 3 Double side pockets

**TECHNOLOGIES****REFLEX DETAILS****b-Fit  
STRETCH****PLUS****PANT STONE ATHENA****new****cod. 702.177676**

sizes 38/50

**COMPOSITION AND DESCRIPTION**

Denim 81% Cotton 17% Polyester 2% Elastane 12 ounce (oz).

Women's slim-fit stonewashed stretch denim work trousers with 6 pockets. Treatments and attention to detail typical of Italian jeans making tradition. Contoured waistband that is higher on the back, designed to mould perfectly to the anatomy of the female body. Ergonomic leg and darted knee for increased comfort.



**col.60123**  
vintage Indigo

- 1 Contoured waistband
- 2 Ergonomic knees

**TECHNOLOGIES****b-Fit  
STRETCH****PLUS**

**LIGHT PADDED VEST ATHENA** *NEW*

**cod. 702.177672**

sizes XS/XXL

**COMPOSITION AND DESCRIPTION**

Outer fabric: 100% Polyamide; padding: 100% Wadding, 100 g/m²; stretch fabric: 88% Polyester 12% Elastane, 260 g/m².

Vest with ultra-light padding and stretch material inserts. Women's comfortable slim-fit work trousers. 2 side pockets with button and a front pocket. Central reflective zip. Darts on the chest designed to mould perfectly to the anatomy of the female body.



**col.80013**  
black

- 1** Reflective details
- 2** Stretch material inserts
- 3** Darts on the chest designed to mould perfectly to the anatomy of the female body

**TECHNOLOGIES**

**REFLEX DETAILS**

**b-fit**  
STRETCH

**PLUS**



**SWEATSHIRT FZ ATHENA** *NEW*

**cod. 702.177677**

sizes XS/XXL

**COMPOSITION AND DESCRIPTION**

Brushed fleece 80% Cotton 20% Polyester, 280 g/m².

Women's comfortable slim-fit work sweatshirt in brushed fabric with a full zip. Two open side pockets and a front pocket with zip. Stretch rib-knit neck, cuffs and hem.



**col 60062**  
Classic Navy



**col.80013**  
black

**PLUS**





**T-SHIRT MC ATHENA****new****cod. 702.177670**

sizes XS/XXL

**COMPOSITION AND DESCRIPTION**100% Organic Cotton Jersey, 150 g/m<sup>2</sup>.

Women's organic cotton jersey T-shirt. Women's comfortable slim-fit work trousers.

**col.45013**  
Red Hibiscus**col.60062**  
Classic Navy**col.80013**  
black**TECHNOLOGIES**Organic  
Certified by ICEA  
GOTS 2019-057**PLUS****POLO MC ATHENA****new****cod. 702.177674**

sizes XS/XXL

**COMPOSITION AND DESCRIPTION**Pique 95% Organic Cotton 5% Elastane, 220 g/m<sup>2</sup>.

Women's short-sleeved polo-shirt in stretch organic cotton pique. Women's comfortable slim-fit work trousers.

**col.45013**  
Red Hibiscus**col.60062**  
Classic Navy**col.80013**  
black**TECHNOLOGIES**Made with  
organic cotton  
Certified by ICEA  
GOTS 2019-057**PLUS**



## PANT MULTI POCKET PERFORMANCE ~~NEW~~

cod. 702.178757

sizes S/4XL

### COMPOSITION AND DESCRIPTION

Polyamide 54% Polyester 39% Elastane 7%, 230 g/ m². Inserts: 100% Water-repellent Polyester. Contrasting details: Canvas, 65% Polyester 35% Cotton.

Stretch polyester performance trousers. Contoured waistband with stretch details on the sides for increased comfort. Crotch insert for greater range of movement. Open front pockets. Three cargo pockets on the side. Ruler pocket on the side with hammer loop. Detachable multi-functional outer pockets with press-stud button and zip. Two back pockets. Abrasion-resistant fabric knee pad inserts that open from the top. Rear zips with mesh netting for increased breathability. Concealed button. Ergonomic leg and adjustable length with press-stud buttons; reinforced heel area with abrasion-resistant fabric. Reflective details for a better fit.



col.75135  
Asphalt

- 1 Detachable multi-functional outer pockets
- 2 Hammer holder
- 3 Ruler holder

- 4 Press studs on the bottom for triple length adjustment
- 5 Rear zips with mesh netting for increased breathability

### TECHNOLOGIES

REFLEX DETAILS

b-Fit  
STRETCH

### PLUS



## PANT TECH PERFORMANCE

cod. 702.176200

sizes XS/4XL

### COMPOSITION AND DESCRIPTION

Nylon 91% Elastane 9%, 160 g/m². Knee-pad holder insert: 92% water-repellent polyester, 8% elastane.

Stretch nylon performance trousers. Contoured belt with elastic at the sides for greater comfort. Gusset on the crotch to enable greater mobility. Open front pockets and phone holder pocket. Side pocket ruler holder. Cargo pockets on both sides. Knee-pad holder in contrasting abrasion-resistant fabric with top opening, zip and mesh side gusset for greater breathability. Reflective details. Concealed button. Ergonomic leg and adjustable length with press studs; reinforced heel area in abrasion-resistant material. Wicking treatment for quick drying. Tripleneedle stitching.



col.75070  
Steel Gray



col.75012  
Grey Hemp



col.80013  
Black

- 1 Gusseted knee pad pockets with zip
- 2 Hammer holder
- 3 Ruler holder

- 4 Double cargo pocket
- 5 Press studs on the bottom for triple length adjustment

### TECHNOLOGIES

REFLEX DETAILS

b-Fit  
STRETCH

### PLUS





PANT TOP PERFORMANCE

cod. 702.175551

sizes XS/4XL

COMPOSITION AND DESCRIPTION

Canvas 65% Polyester 35% Cotton, 270 g/m². Kneepad holder insert, hammer/ ruler holder: 100% water-repellent polyester; crotch inserts: elasticated fabric 94% Polyester 6% Elastane.

Polyester cotton trousers with water-resistant knee pad with opening on the upper side, side tool pocket, hammer and ruler holder in abrasionresistant material. Contoured belt and elasticated crotch insert for greater mobility. Triple stitching, reflective details. Ergonomic leg and adjustable length with press studs.



col.60065  
Blue Denim

col.80014  
Black Coal

- 1 Knee pads pockets
- 2 Hammer holder
- 3 Ruler holder

TECHNOLOGIES



PLUS



PANT CARBON PERFORMANCE

cod. 702.175554

sizes XS/4XL

COMPOSITION AND DESCRIPTION

Nylon 54% Polyester 39% Elastane 7%, 230 g/m². Knee-pad holder insert, hammer/ ruler holder: 100% water-repellent polyester.

Performance trousers in stretch water-repellent fabric. Contoured belt with elastic at the sides for greater comfort. Gusset on the crotch to enable greater mobility. Open front pockets. Double side pocket with ruler holder. Knee-pad holder in abrasion-resistant fabric with top opening. Reflective details. Concealed button. Ergonomic leg and adjustable length with press studs.



col.75070  
Steel Gray

col.75135  
Asphalt

- 1 Retractable button
- 2 Contoured belt
- 3 Hammer holder
- 4 Ruler holder

- 5 Laser-cut details on the waist and on the back of the knee, for maximum breathability
- 6 Press studs on the bottom for triple length adjustment

TECHNOLOGIES



PLUS



**PANT CROSS PERFORMANCE****cod. 702.177665**

sizes S/3XL

**COMPOSITION AND DESCRIPTION**

Ripstop 64% Polyester 34% Cotton 2% Elastane, 250 gr/m².

Performance trousers made from ultra durable stretch ripstop fabric. Front pockets with top opening, three large side pockets and two back pockets with Velcro. Ruler and hammer holder pocket. Two zips on the back with mesh for ventilation. Knees with pleats for improved ergonomics and knee-pad pockets. Triple stitching. Adjustable bottom length with press studs.



**col.75012**  
Grey Hemp

**col.70167**  
Forest Night

- 1 Side ventilation zip
- 2 Knee pads pockets
- 3 Adjustable bottom

**TECHNOLOGIES****PLUS****PANT EASYWORK PERFORMANCE****cod. 702.175552**

sizes XS/4XL

**COMPOSITION AND DESCRIPTION**

Twill 65% Cotton 35% Polyester, 310 g/m². Knee-pad holder insert, hammer/ruler holder: 100% water-repellent polyester; crotch inserts: elasticated fabric 94% Polyester 6% Elastane.

Cotton polyester trousers with water-resistant knee pad with opening on the upper side, side tool pocket, hammer and ruler holder in abrasionresistant material. Contoured belt and elasticated crotch insert for greater mobility. Triple stitching, reflective details. Ergonomic leg and adjustable length with press studs.



**col.80014**  
Black Coal

- 1 Press studs on the bottom for triple length adjustment
- 2 Knee pads pockets
- 3 Hammer holder
- 4 Ruler holder
- 5 Reflective details
- 6 Left-hand side tool pocket
- 7 Trousers lower leg reinforced with abrasion-resistant material

**TECHNOLOGIES****PLUS**

## PANT EASYWORK LIGHT PERFORMANCE

cod. 702.175553

sizes XS/4XL

### COMPOSITION AND DESCRIPTION

Twill 65% Cotton 35% Polyester, 230 g/m².

Knee-pad holder insert, hammer/ruler holder: 100% water-repellent polyester; crotch inserts: elasticated fabric 94% Polyester 6% Elastane.

Cotton polyester trousers with water-resistant knee pad with opening on the upper side, side tool pocket, hammer and ruler holder in abrasion-resistant material. Contoured belt and elastic crotch insert for greater mobility. Triple stitching, reflective details. Ergonomic leg and adjustable length with press studs.



col.20002  
Optical White

col.75070  
Steel Gray

- 1 Press studs on the bottom for triple length adjustment
- 2 Knee pads pockets
- 3 Hammer holder
- 4 Ruler holder
- 5 Reflective details
- 6 Left-hand side tool pocket
- 7 Trousers lower leg reinforced with abrasion-resistant material

### TECHNOLOGIES

REFLEX DETAILS

b-Fit  
STRETCH

### PLUS



## PANT STRETCH PERFORMANCE

cod. 702.170058

sizes S/3XL

### COMPOSITION AND DESCRIPTION

Canvas 97% Cotton 3% Elastane, 250 g/m². Contrasts: Oxford 100% Polyester.

Trousers with knee pads in stretch cotton canvas and contrasting abrasion-resistant polyester Oxford fabric, zip pocket on side with red heat-taped detailing and zip hand pockets. Elastic waist, ruler and hammer holder, triple stitching.



col.25070  
Beige Natural

col.70167  
Forest Night

col.75047  
Rain Gray

- 1 Knee pads pockets
- 2 Zippered pockets
- 3 Hammer holder
- 4 Ruler holder

### TECHNOLOGIES

b-Fit  
STRETCH

### PLUS





**PANT ROCK PERFORMANCE****cod. 702.160303**

sizes S/3XL

**COMPOSITION AND DESCRIPTION**

Twill 65% Polyester 35% Cotton, 250 g/m<sup>2</sup>.  
 Contrasts: Canvas 100% Polyester.

Trousers in polyester and cotton twill with knee pads, side pocket, reflective details, ruler pocket, hammer holder and contrast details in abrasion-resistant material, elastic waist, triple stitching.



**col.25070**  
Beige Natural

**col.80013**  
Black

**col.60062**  
Classic Navy

**col.75070**  
Steel Gray

- 1 Knee pads pockets
- 2 Contoured belt
- 3 Reflective details

- 4 Hammer holder
- 5 Ruler holder

**TECHNOLOGIES****REFLEX DETAILS****PLUS****PANT ROCK CAMO PERFORMANCE****cod. 702.176197**

sizes S/3XL

**COMPOSITION AND DESCRIPTION**

Twill 65% Polyester 35% Cotton, 250 g/m<sup>2</sup>.  
 Contrasts: Canvas 100% Polyester.

Camouflage-print trousers, side pocket, reflective details, ruler pocket, hammer holder and knee pads in abrasion-resistant polyester canvas, elastic waist, triple stitching. Contoured belt for greater comfort.



**col.75012**  
Grey Hemp

- 1 Knee pads pockets
- 2 Contoured belt
- 3 Hammer holder

- 4 Ruler holder

**TECHNOLOGIES****REFLEX DETAILS****PLUS**

PANT ROCK WINTER PERFORMANCE

cod. 702.171658

sizes S/3XL

COMPOSITION AND DESCRIPTION

Twill 65% Polyester 35% Cotton, 300 g/m².  
Contrasts: Canvas 100% Polyester.

Winter trousers in polyester and cotton twill with knee pads, side pocket, reflective details, ruler pocket, hammer holder and contrast details in abrasion-resistant material, elastic waist, triple stitching.



col.80013  
Black



col.75070  
Steel Gray



col.60062  
Classic Navy

- 1 Knee pads pockets
- 2 Contoured belt
- 3 Reflective details

- 4 Hammer holder
- 5 Ruler holder

TECHNOLOGIES

REFLEX DETAILS

PLUS



PANT ROCK LIGHT PERFORMANCE COTTON

cod. 702.175342

sizes S/3XL

COMPOSITION AND DESCRIPTION

Twill 100% Cotton, 180 g/m².

Trousers in cotton twill with knee pads, side pocket, reflective details, ruler pocket, hammer holder, elastic waist, triple stitching.



col.25070  
Beige Natural



col.60062  
Classic Navy



col.75070  
Steel Gray

- 1 Knee pads pockets
- 2 Contoured belt
- 3 Reflective details

- 4 Hammer holder
- 5 Ruler holder
- 6 Fabric 100% cotton

TECHNOLOGIES

REFLEX DETAILS

PLUS



## PANT ROCK STRETCH PERFORMANCE

cod. 702.177663

sizes S/4XL

### COMPOSITION AND DESCRIPTION

Twill 63% Polyester 34% Cotton, 3% Elastane, 260 gr/ m².

Contrasts: Canvas 100% Polyester.

Trousers in stretch polyester, cotton and elastane twill with knee pad pockets, side pocket, reflective details, tape measure pocket, hammer holder, elasticated waistband, triple stitching. Contrasts in abrasion-resistant canvas.



col.60062  
Classic Navy



col.75070  
Steel Gray



col.75012  
Grey Hemp

- 1 Knee pads pockets
- 2 Contoured belt
- 3 Reflective details

- 4 Hammer holder
- 5 Ruler holder

### TECHNOLOGIES



### PLUS



## COVERALL POLY

cod. 702.161756

sizes S/3XL

### COMPOSITION AND DESCRIPTION

Twill 65% Polyester 35% Cotton, 250 g/m².

Contrasts: Canvas 100% Polyester.

Overalls with contrast canvas details in abrasion-resistant polyester on shoulders, elbows and knees, two-way zip. Hammer holder and ruler pocket, side pockets, elasticated detail on back to facilitate movement, elasticated waist, reflective details, badge holder, triple stitching.



col.60062  
Classic Navy



col.75070  
Steel Grey

- 1 Knee pads pockets
- 2 Badge holder
- 3 Rear bellows

- 4 Hammer holder
- 5 Ruler holder

### TECHNOLOGIES



### PLUS





BIB OVERALL POLY

cod. 702.161755

sizes S/3XL

COMPOSITION AND DESCRIPTION

Twill 65% Polyester 35% Cotton, 250 g/m².  
Contrasts: Canvas 100% Polyester.

Bib overall with contrast canvas details in abrasion-resistant polyester on the knees. Tool pockets, hammer holder and ruler pocket, large tool-holder pocket, badge holder. Adjustable shoulder straps, reflective details, triple stitching.



col.60062  
Classic Navy

col.75070  
Steel Gray

- 1 Knee pads pockets
- 2 Hammer holder
- 3 Ruler holder

TECHNOLOGIES

REFLEX DETAILS

PLUS



PANT RIPSTOP CARGO CAMO

cod. 702.173172

sizes S/3XL

COMPOSITION AND DESCRIPTION

Ripstop 65% Polyester 35% Cotton, 270 g/m².  
Kneepad holder insert: 94% Polyester 6% abrasion-resistant elastane; crotch inserts: elasticated fabric 94% Polyester 6% Elastane.

Cargo trousers made of durable ripstop fabric with camouflage pattern. Two large side pockets, insert in strong stretch fabric, insert in stretch fabric on crotch and rear yoke for greater freedom of movement. Triple stitching.



col.C7267  
Gray Camouflage

- 1 Resistant material on the knee
- 2 Elastic insert at the crotch
- 3 Roomy side pockets

TECHNOLOGIES



PLUS



**PANT RIPSTOP CARGO****cod. 702.173964**

sizes S/3XL

**COMPOSITION AND DESCRIPTION**

Ripstop 65% Polyester 35% Cotton, 250 g/m².  
 Kneepad holder insert: 97% Polyester 3% abrasion-resistant elastane; crotch inserts: elasticated fabric 94% Polyester 6% Elastane.

Cargo trousers made of durable ripstop fabric. Two large side pockets, insert in strong stretch fabric, insert in stretch fabric on crotch and rear yoke for greater freedom of movement. Triple stitching.



**col.80013**  
Black

**col.70437**  
Climbing Ivy

- 1 Resistant material on the knee
- 2 Elastic insert at the crotch
- 3 Roomy side pockets

**TECHNOLOGIES****PLUS****PANT STRETCH NEW YORK CARGO****cod. 702.177263**

sizes S/3XL

**COMPOSITION AND DESCRIPTION**

Stretch Micro Twill 97% Cotton 3% Elastane, 360 g/m².

Cargo pants with six pockets: two front open pockets, two large side pockets and two rear pockets with snap button. Modern slim fit and ergonomic knees. Garment-washed, made from cosy fabric.



**col.75135**  
Asphalt

**col.60063**  
Blue Corsair

- 1 Ergonomic knees
- 2 Side pockets

**TECHNOLOGIES****PLUS**

PANT MOSCOW CARGO

cod. 702.177268

sizes S/3XL

COMPOSITION AND DESCRIPTION

Stretch Twill 98% Cotton 2% Elastane, 330 g/m².

Cargo pants with seven pockets: two front open pockets, large side pockets, two rear open pockets with snap buttons and ruler pocket. Slim fit, ergonomic knees. Garment-washed, made from cosy fabric. Reinforced back crotch.



col.70408 Mermaid      col.80013 Black      col.70437 Climbing Ivy

- 1 Ergonomic knees
- 2 Reinforced back crotch
- 3 Ruler holder
- 4 Side pockets

TECHNOLOGIES



PLUS



PANT CROSS CARGO

cod. 702.177647

sizes S/3XL

COMPOSITION AND DESCRIPTION

Ripstop 64% Polyester 34% Cotton 2% Elastane, 250 gr/m².

Cargo trousers made from ultra durable stretch ripstop fabric. Front pockets with top opening, three large side pockets and two back pockets with velcro. Two zips on the back with mesh for ventilation. Pleats on knees for improved ergonomics. Triple stitching. Adjustable bottom length with press studs.



col.70167 Forest Night      col.75148 Periscope

- 1 Side pockets
- 2 Side ventilation zip
- 3 Adjustable bottom

TECHNOLOGIES



PLUS





## PANT STRETCH CARGO

cod. 702.172114

sizes S/3XL

### COMPOSITION AND DESCRIPTION

Canvas 97% Cotton 3% Elastane, 250 g/m².  
Contrasts: Oxford 100% Polyester.

Cargo trousers in stretch cotton canvas, zip pocket on side with red heat-taped detailing and zip hand pockets in abrasion-resistant polyester Oxford fabric. Elastic waist, spacious side pockets, triple stitching.



col.80013  
Black



col.75047  
Rain Gray



col.60062  
Classic Navy

1 Side pockets

### TECHNOLOGIES

b-Fit  
STRETCH

### PLUS



## PANT WAYET CARGO

cod. 702.160298

sizes S/3XL

### COMPOSITION AND DESCRIPTION

Stretch gabardine 97% Cotton 3% Elastane, 250 g/m².

Stretch cargo trousers with pockets, enzyme wash, 4 side tool pockets, triple stitching.



col.80013  
Black



col.75093  
Grey U.K.



col.60052  
Navy Tuareg



col.25070  
Beige Natural

1 Multipockets

### TECHNOLOGIES

b-Fit  
STRETCH

### PLUS



PANT WIN CARGO

cod. 702.160305

sizes XS/3XL

COMPOSITION AND DESCRIPTION

Poplin 100% Cotton, 180 g/m².  
Summer cargo trousers, side tool pockets, adjustable drawstring waist, ergonomic knee construction, triple stitching.



col.25064  
Beige Classic

col.75138  
Grey Quiet Shade

col.80006  
Black Fir Green

col.60052  
Navy Tuareg

- 1 Ergonomic knees
- 2 Drawcord
- 3 Side pockets

PLUS



PANT STAFF CARGO

cod. 702.160301

sizes XS/3XL

COMPOSITION AND DESCRIPTION

Twill 65% Polyester 35% Cotton, 250 g/m².  
Contrasts: Canvas 100% Polyester.  
Cargo trousers, side pocket, reflective details and contrast details in abrasion-resistant fabric, elastic waist, triple stitching.



col.75070  
Steel Gray

col.80013  
Black

col.60062  
Classic Navy

- 1 Contoured belt
- 2 Reflective details
- 3 Side pockets

TECHNOLOGIES

PLUS

REFLEX DETAILS



**PANT STAFF WINTER CARGO****cod. 702.171659**

sizes S/3XL

**COMPOSITION AND DESCRIPTION**

Twill 65% Polyester 35% Cotton, 300 g/m<sup>2</sup>.  
 Contrasts: Canvas 100% Polyester.

Winter cargo trousers, side pocket, reflective details, large side pockets and contrast details in abrasion-resistant fabric, elastic waist, triple stitching.



**col.80013**  
Black



**col.75070**  
Steel Gray



**col.60062**  
Classic Navy

- 1** Contoured belt
- 2** Reflective details
- 3** Side pockets

**TECHNOLOGIES****REFLEX DETAILS****PLUS****PANT STAFF LIGHT COTTON CARGO****cod. 702.176213**

sizes XS/3XL

**COMPOSITION AND DESCRIPTION**

Twill 100% Cotton, 180 g/m<sup>2</sup>.

Cargo trousers, side pockets, reflective details, elastic waist, triple stitching. Contoured belt for greater comfort.



**col.75012**  
Grey Hemp



**col.75070**  
Steel Gray



**col.60062**  
Classic Navy

- 1** Contoured belt
- 2** Reflective details
- 3** Side pockets

**TECHNOLOGIES****REFLEX DETAILS****PLUS**



PANT STAFF STRETCH CARGO

cod. 702.177649

sizes S/4XL

COMPOSITION AND DESCRIPTION

Twill 63% Polyester 34% Cotton, 3% Elastane, 260 gr/m².

Cargo trousers, two side pockets and two back pockets, reflective details, elastic waist, triple stitching. Pleats on knees for improved ergonomics.



col.75070  
Steel Gray

col.20002  
Optical White

col.60062  
Classic Navy

- 1 Contoured belt
- 2 Reflective details
- 3 Side pockets

TECHNOLOGIES

REFLEX DETAILS

B-FIT  
STRETCH

PLUS



PANT LEVEL CARGO

cod. 702.173550.C06\*

sizes XS/3XL

COMPOSITION AND DESCRIPTION

Twill 65% Polyester 35% Cotton, 250 g/m².

Utility trousers, pockets on both sides, ruler holder, elasticated waist, double stitching.

\* Product available in a 6-item packaging.



col.75070  
Steel Gray

col.60062  
Classic Navy

- 1 Elasticated waist
- 2 Ruler holder
- 3 Side pockets

PLUS



**PANT STONE PLUS****cod. 702.170752**

sizes 28/38

**COMPOSITION AND DESCRIPTION**

Denim 98% Cotton 2% Elastane, 14 ounces (OZ).  
Contrasts in stretch canvas.

Stonewashed stretch denim trousers. Fabric treatments and attention to detail typical of Italian jeans design. Ergonomic knee pads and cuts, ruler and hammer holder, contrast canvas details.



**col. C6207**  
Dirty Washing

- 1 Ergonomic knees
- 2 Hammer holder
- 3 Ruler holder

**TECHNOLOGIES****PLUS****PANT STONE****cod. 702.159590**

sizes XS/3XL

**COMPOSITION AND DESCRIPTION**

Denim 98% Cotton 2% Elastane, 14 ounces (OZ).

Stonewashed stretch denim trousers. Fabric treatments and attention to detail typical of Italian jeans design. Hammer holder, ruler pocket.



**col. 60002**  
Blue Bleached Denim

- 1 Hammer holder
- 2 Ruler holder



**col. 75003**  
Denim Gray

**TECHNOLOGIES****PLUS**

PANT STONE CARGO

cod. 702.172115

sizes 28/38

COMPOSITION AND DESCRIPTION

Denim 98% Cotton 2% Elastane, 14 ounces (OZ).  
Stonewashed stretch denim trousers. Fabric treatments and attention to detail typical of Italian jeans design. Large, spacious side pockets with pen holder.



col.C6208  
New Black Washing



col.C6207  
Dirty Washing

1 Large slide pocket with pen holder

TECHNOLOGIES



PLUS



PANT STONE 5PKT

cod. 702.170750

sizes 28/38

COMPOSITION AND DESCRIPTION

Denim 98% Cotton 2% Elastane, 14 ounces (OZ).  
5 pocket stonewashed stretch denim trousers, with treatments and attention to detail typical of Italian jeans design. Available in three washes: Bleach, Dirty and New Black.



col.C6206  
Bleach Washing



col.C6207  
Dirty Washing



col.C6208  
New Black Washing

TECHNOLOGIES



PLUS





**PANT STONE CARGO LIGHT****cod. 702.177651**

sizes 28/38

**COMPOSITION AND DESCRIPTION**

Denim 79% Cotton 20% Polyester 1% Elastane, 11 ounce (OZ).

Lightweight stonewashed cargo denim, stretch. Fabric treatments and attention to detail typical of Italian jeans design. Three large side pockets and two back pockets with Velcro fastening. Slim fit with a modern cut. Pleats on knees for improved ergonomics.



**col.C9513**  
Blue Atlantic/Teal Green

- 1 Ergonomic knees
- 2 Side pockets

**TECHNOLOGIES****PLUS****PANT STONE 6PKT LIGHT****cod. 702.177653**

sizes 28/38

**COMPOSITION AND DESCRIPTION**

Denim 81% Cotton 17% Polyester 2% Elastane, 12 ounce (OZ).

Denim trousers with 6 pockets, including one zipped side pocket. Stonewashed, stretch, fabric treatments and attention to detail typical of Italian jeans design. Gusset on the crotch to enable greater comfort. Pleats on knees for improved ergonomics.



**col.C9562**  
Colonel Blue/Blue Shadow

- 1 Ergonomic knees
- 2 Side pocket with zip

**TECHNOLOGIES****PLUS**

BERMUDA STONE

cod. 702.173549

sizes 28/38

COMPOSITION AND DESCRIPTION

Denim 98% Cotton 2% Elastane, 14 ounces (OZ).  
Stretch denim Bermuda shorts, hammer holder, ruler pocket, stonewashed finish.



col.75147  
Denim Light Gray

col.C6207  
Dirty Washing

- 1 Hammer holder
- 2 Ruler holder



TECHNOLOGIES



PLUS



BERMUDA STONE CARGO LIGHT

cod. 702.177655

sizes 28/38

COMPOSITION AND DESCRIPTION

Denim 79% Cotton 20% Polyester 1% Elastane, 11 ounce (OZ).  
Lightweight stonewashed stretch cargo denim Bermuda shorts. Fabric treatments and attention to detail typical of Italian jeans design. Three large side pockets and hammer holder and two back pockets with Velcro fastening. Relaxed fit with a modern cut.



col.C9513  
Blue Atlantic/Teal Green

- 1 Hammer holder
- 2 Side pockets



TECHNOLOGIES



PLUS



**BERMUDA EASYWORK LIGHT****cod. 702.176206**

sizes XS/4XL

**COMPOSITION AND DESCRIPTION**

Twill 65% Cotton 35% Polyester, 230 g/m².

Polyester cotton Bermuda shorts with side tool pocket, hammer and ruler holder in abrasion-resistant material. Contoured belt and elasticated crotch insert for greater mobility. Triple stitching, reflective details. Ergonomic fit.



**col.20002**  
Optical White

**col.75070**  
Steel Gray

- 1 Ruler holder
- 2 Hammer holder
- 3 Reflective details

- 4 Left-hand side tool pocket

**TECHNOLOGIES****PLUS****BERMUDA TECH****new****cod. 702.178533**

sizes XS/4XL

**COMPOSITION AND DESCRIPTION**

Nylon 91% Elastane 9%, 160 g/m².

Stretch nylon shorts. Contoured waistband with stretch details on the sides for increased comfort. Crotch insert for greater range of movement. Open front pockets and two back pockets. Ruler pocket on the side with hammer loop. Two cargo pockets on the side. Reflective details. Concealed button. Wicking treatment for quick drying.



**col.80013**  
Black

- 1 Ruler holder
- 2 Hammer holder
- 3 Reflective details

- 4 Two cargo pockets

**TECHNOLOGIES****PLUS**



BERMUDA WONDER

cod. 702.160308

sizes S/3XL

COMPOSITION AND DESCRIPTION

Poplin 100% Cotton, 180 g/m².  
Bermuda summer cargo shorts, side tool pockets, adjustable drawstring waist, triple stitching.



col.75138  
Grey Quiet Shade



col.80006  
Black Fir Green



col.60052  
Navy Tuareg

col.25064  
Beige Classic

- 1 Drawcord
- 2 Side pockets

PLUS



BERMUDA STRETCH

cod. 702.170018

sizes S/3XL

COMPOSITION AND DESCRIPTION

Canvas 97% Cotton 3% Elastane, 250 g/m².  
Contrasts: Oxford 100% Polyester.

Stretch cotton canvas Bermuda shorts with zip side pocket in abrasion-resistant polyester Oxford fabric and red heat-taped detailing and zip hand pockets. Elasticated waist, ruler and hammer holder, triple stitching.



col.70167  
Forest Night



col.75047  
Rain Gray

col.25070  
Beige Natural

- 1 Zipped hand pocket
- 2 Hammer holder
- 3 Ruler holder
- 4 Zipped pockets

TECHNOLOGIES



PLUS



**BERMUDA POLY****cod. 702.161758**

sizes S/3XL

**COMPOSITION AND DESCRIPTION**

Twill 65% Polyester 35% Cotton, 250 g/m<sup>2</sup>.  
 Contrasts: Canvas 100% Polyester.

Bermuda shorts with side pockets, reflective details, ruler pocket, hammer holder and details in abrasion-resistant polyester canvas, elasticated waistband, triple stitching.



**col.60062**  
Classic Navy



**col.75070**  
Steel Gray

**col.25070**  
Beige Natural

- 1 Contoured belt
- 2 Hammer holder
- 3 Ruler holder

- 4 Reflective details

**TECHNOLOGIES****REFLEX DETAILS****PLUS****BERMUDA POLY CAMO****cod. 702.176209**

sizes S/3XL

**COMPOSITION AND DESCRIPTION**

Twill 65% Polyester 35% Cotton, 250 g/m<sup>2</sup>.  
 Contrasts: Canvas 100% Polyester.

Bermuda shorts with camouflage print, side pocket, reflective details, ruler and hammer holder pocket in abrasion-resistant polyester canvas, elasticated waistband, triple stitching. Contoured belt for greater comfort.



**col.75012**  
Grey Hemp

- 1 Contoured belt
- 2 Hammer holder
- 3 Ruler holder

- 4 Reflective details

**TECHNOLOGIES****REFLEX DETAILS****PLUS**





**LIGHT PADDED JACKET TECH****cod. 702.175987**

sizes XS/4XL

**COMPOSITION AND DESCRIPTION**

Outer fabric: 100% Polyamide; padding: 100% wadding, 120 g/m<sup>2</sup>; elasticated fabric: 95% Polyester 5% Elastane.

Lightweight padded jacket with Breathing System technology by Geox, 2 side pockets, 1 zip front pocket and an inner pocket with Velcro closure. Longer at the back for a better fit. Stretch Lycra hem and cuffs; adjustable drawstring waist with contrasting inner stitching.



**col.80013**  
Black

**col.75135**  
Asphalt

- 1 Front pocket with reflective details
- 2 BREATHING SYSTEM BY GEOX
- 3 Longer at the back for a better fit

**TECHNOLOGIES**

**BREATHING  
SYSTEM**  
by GEOX

**WINDLESS**

**REFLEX DETAILS**

**b-Fit  
STRETCH**

**PLUS****SOFTSHELL CARBON TECH****cod. 702.175946**

sizes XS/4XL

**COMPOSITION AND DESCRIPTION**

Softshell 94% Polyester 6% Elastane, 310 g/m<sup>2</sup> + PU membrane.

Softshell jacket with Breathing System technology by Geox. Detachable hood with triple adjustment, 2 side pockets, 1 front pocket with zip and an inner pocket with Velcro closure. Longer at the back for a better fit. Drawstring to adjust the waist. Ergonomic sleeve with adjustable cuffs.



**col.75135**  
Asphalt

**col.70437**  
Climbing Ivy

- 1 Front pocket with reflective details
- 2 BREATHING SYSTEM BY GEOX
- 3 Detachable hood
- 4 Longer at the back for a better fit

**TECHNOLOGIES**

**BREATHING  
SYSTEM**  
by GEOX

**WINDLESS**

**REFLEX DETAILS**

**b-Fit  
STRETCH**

**PLUS**

**WATER RESISTANT FABRIC**  
WATER COLUMN: 5000MM

## VEST CARBON TECH

cod. 702.175343

sizes XS/4XL

### COMPOSITION AND DESCRIPTION

Nylon 54% Polyester 39% Elastane 7%, 230 g/m².

Vest in water-repellent stretch fabric with Breathing System technology licenced by Geox. Chest pocket with contrast zip and reflective details. Side pockets with press stud. Internal pocket for storing items. Makes up a full uniform when combined with the Carbon 702.175554 trousers.



col.75135  
Asphalt

col.80013  
Black

- 1 Front pocket with reflective details
- 2 BREATHING SYSTEM BY GEOX
- 3 Longer at the back for a better fit

### TECHNOLOGIES

**BREATHING  
SYSTEM**  
by GEOX

REFLEX DETAILS

### PLUS



## PADDED JACKET TECH

cod. 702.173551

sizes XS/4XL

### COMPOSITION AND DESCRIPTION

3-layers ripstop Polyester 100%, 160 g/m²; body padding 150 g/m², sleeves + hood 120 g/m².

Cold-proof padded jacket certified according to EN342, with Breathing System technology licenced by Geox. Hood with triple adjustment, 6 large front pockets with soft-touch lining, inside pocket and adjustable waist. Adjustable cuffs and longer back.



col.60065  
Blue Denim

col.80014  
Black Coal

- 1 Waterproof zip
- 2 Detachable hood
- 3 BREATHING SYSTEM BY GEOX

- 4 Multipockets

### REQUIREMENTS

CE

EN 342:2017  
EN ISO 13688:2013



I<sub>cler</sub> 0,290m²K/W(R)  
AP class1

### TECHNOLOGIES

**BREATHING  
SYSTEM**  
by GEOX

**WINDLESS**

REFLEX DETAILS

**RIPSTOP**

### PLUS



**WORKWEAR JACKET TECH****cod. 702.173553**

sizes XS/4XL

**COMPOSITION AND DESCRIPTION**

Canvas 65% Polyester 35% Cotton, 270 g/m².

Multi-pockets jacket in canvas with Breathing System technology licenced by Geox, adjustable waist and cuffs, badge holder, reflective details, zip hand pockets, inside pocket, triple stitching, sleeves with ergonomic cut. Makes up a full uniform when combined with the 701.175551 trousers.



**col.60065**  
Blue Denim

**col.80014**  
Black Coal

- 1 Adjustable waist with press studs
- 2 Chest pocket
- 3 BREATHING SYSTEM BY GEOX

**TECHNOLOGIES**

**BREATHING  
SYSTEM**  
by GEOX

**REFLEX DETAILS****PLUS****RAIN JACKET LITEWORK****cod. 702.176216**

sizes S/3XL

**COMPOSITION AND DESCRIPTION**

Outer fabric: Oxford 100% Polyester, 200 g/m².

Rainproof jacket certified according to EN343. Adjustable hood, waterproof zip, 2 large side pockets with top opening. Adjustable Velcro cuffs and drawstring hem. Longer at the back for a better fit. Heat-taped seams and reflective details.



**col.80014**  
Black Coal

- 1 Waterproof zip

**REQUIREMENTS****CE**

EN 343:2019  
EN ISO 13688:2013

**TECHNOLOGIES**

**WINDLESS**

**REFLEX DETAILS****PLUS**



BONDED JACKET CROSS

cod. 702.178366

sizes S/3XL

COMPOSITION AND DESCRIPTION

Softshell 100% Polyester, 245 g/m².

Lightweight technical fabric softshell jacket. Stand-up collar and ergonomic sleeves. 2 side pockets and one front pocket with zip. Reflective details. Elasticated hem and cuffs.



col.C9776  
Moroccan Blue Melange

col.C9777  
Steel Gray Melange

- 1 Reflective details
- 2 Zipped pockets

TECHNOLOGIES

REFLEX DETAILS

b-Fit  
STRETCH

PLUS

WATER RESISTANT FABRIC  
WATER COLUMN: 3000MM

SOFTSHELL SAIL

cod. 702.159632

sizes XS/3XL

COMPOSITION AND DESCRIPTION

Softshell 94% Polyester 6% Elastane, 300 g/m² + TPU membrane.

Softshell jacket, 3 zip front pockets with one chest pocket, reflective details, adjustable hood. Adjustable cuffs.



col.45090  
Samba Red



col.60064  
Powder



col.70226  
Green Military



col.75069  
Storm Gray

- 1 Reflective details
- 2 Zipped pockets

TECHNOLOGIES

REFLEX DETAILS

b-Fit  
STRETCH

D-BRIGHT

PLUS

WATER RESISTANT FABRIC  
WATER COLUMN: 3000MM

**SOFTSHELL LEVEL LITEWORK****cod. 702.177264**

sizes XS/3XL

**COMPOSITION AND DESCRIPTION**

Softshell 94% Polyester 6% Elastane, 280 g/m².

Softshell jacket, front zip pockets and standing collar.

**col.60062**  
Classic Navy**col.75070**  
Steel Gray**TECHNOLOGIES****b-Fit**  
STRETCH**PLUS****SHELL VEST LEVEL****cod. 702.174586**

sizes XS/3XL

**COMPOSITION AND DESCRIPTION**

Softshell 94% Polyester 6% Elastane, 280 g/m².

Softshell vest, zip hand pockets on front.

**col.60062**  
Classic Navy**col.75070**  
Steel Gray**TECHNOLOGIES****b-Fit**  
STRETCH**PLUS**

WORKWEAR JACKET EASYWORK

cod. 702.173561

sizes XS/4XL

COMPOSITION AND DESCRIPTION

Twill 65% Cotton 35% Polyester, 310 g/m².

Multi-pocket twill jacket, adjustable waist and cuffs, badge holder, reflective details, zip hand pockets, inside pockets, triple stitching, sleeves with ergonomic cut and gusset on the back for greater mobility. Makes up a full uniform when combined with the 702.175552 trousers.



col.80014  
Black Coal

- 1 Adjustable waist with velcro
- 2 Chest pocket
- 3 Reflective back

TECHNOLOGIES

REFLEX DETAILS

PLUS



WORKWEAR JACKET EASYWORK LIGHT

cod. 702.175344

sizes XS/4XL

COMPOSITION AND DESCRIPTION

Twill 65% Cotton 35% Polyester, 230 g/m².

Multi-pocket twill jacket, adjustable waist and cuffs, badge holder, reflective details, zip hand pockets, inside pockets, sleeves with ergonomic cut and gusset on the back for greater mobility. Makes up a full uniform when combined with the 702.175553 trousers.



col.20002  
Optical White

- 1 Adjustable waist with velcro
- 2 Chest pocket
- 3 Reflective back



col.75070  
Steel Gray

TECHNOLOGIES

REFLEX DETAILS

PLUS





**VEST EASYWORK LIGHT****cod. 702.175345**

sizes XS/4XL

**COMPOSITION AND DESCRIPTION**

Twill 65% Cotton 35% Polyester, 230 g/m².

Multi-pocket twill vest, adjustable waist, badge holder, reflective details, zip hand pockets, inside pockets, gusset on the back for greater mobility. Makes up a full uniform when combined with the 702.175553 trousers.



**col.75070**  
Steel Gray



**col.20002**  
Optical White

- 1** Adjustable waist with velcro
- 2** Chest pocket
- 3** Reflective back

**TECHNOLOGIES****REFLEX DETAILS****PLUS****WORKWEAR JACKET POLY****cod. 702.172117**

sizes S/3XL

**COMPOSITION AND DESCRIPTION**

Twill 65% Polyester 35% Cotton, 250 g/m².

Multi-pocket jacket with Mandarin collar, adjustable waist and cuffs, badge holder, reflective details, zip hand pockets, inside pocket, triple stitching, sleeves with ergonomic cut.



**col.60062**  
Classic Navy



**col.75070**  
Steel Gray



**col.80013**  
Black

- 1** Zippered pockets
- 2** Badge holder

**TECHNOLOGIES****REFLEX DETAILS****PLUS**

VEST STRETCH

cod. 702.170017

sizes S/3XL

COMPOSITION AND DESCRIPTION

Canvas 97% Cotton 3% Elastane, 250 g/m².  
Contrasts: Oxford 100% Polyester.

Multi-pocket vest in stretch cotton canvas, PVC badge holder on chest, left side left free for customisation, handy zip pocket on back with red heat taping.



col.75047  
Rain Gray

col.60062  
Classic Navy

- 1 Badge holder
- 2 Back pocket

TECHNOLOGIES



PLUS



VEST MOVER

cod. 702.160302

sizes S/3XL

COMPOSITION AND DESCRIPTION

Twill 65% Polyester 35% Cotton, 250 g/m².  
Contrast details in 100% Polyester canvas.

Vest with 3 front pockets, patch tool pockets, reflective details. Double stitching.



col.75070  
Steel Gray

col.80013  
Black



col.60062  
Classic Navy

col.25070  
Beige Natural

TECHNOLOGIES

REFLEX DETAILS

PLUS



**PADDED JACKET CROSS****cod. 702.177660**

sizes S/4XL

**COMPOSITION AND DESCRIPTION**

100% Polyester, 160 g/m<sup>2</sup>; body padding 200 g/m<sup>2</sup>, sleeves and hood 150 g/m<sup>2</sup>.

EN343-certified padded rainproof jacket with 3M thermal insulation. Detachable hood with three fit options and curved peak. 2 side pockets and one front pocket with waterproof zip. Two inside pockets and adjustable drawstring base. Ergonomic sleeves and Velcro cuff fastenings. Longer at the back for a better fit. Heat-taped seams and reflective details.

**REQUIREMENTS**

EN 343:2019

EN ISO 13688:2013



**col.70166**  
Green Thyme

**col.80013**  
Black

- 1 Detachable hood with three fit options
- 2 Reflective details
- 3 Waterproof zip

- 4 Velcro cuff fastenings

**TECHNOLOGIES****REFLEX DETAILS****PLUS****PADDED SOFTSHELL SAIL****cod. 702.178365**

sizes S/3XL

**COMPOSITION AND DESCRIPTION**

Softshell 100% Polyester, 300 g/m<sup>2</sup>; inner body padding 120 g/m<sup>2</sup>, sleeves and hood 60 g/m<sup>2</sup>.

Padded softshell jacket. Detachable hood with two fit options and curved peak. 2 side pockets and one front pocket with zip. Two inside pockets and adjustable drawstring base. Sleeves with insulating inner cuffs. Longer at the back for a better fit. Reflective details. Internal zip at the base to customise fit if desired.



**col.60100**  
Blue Morrocan

**col.75135**  
Asphalt

- 1 Detachable hood with two fit options
- 2 Zipped pockets
- 3 Reflective details

**TECHNOLOGIES****REFLEX DETAILS****PLUS**

**WATER RESISTANT FABRIC**  
**WATER COLUMN: 3000MM**



PADDED JACKET OSLO

cod. 702.177267

sizes XS/4XL

COMPOSITION AND DESCRIPTION

Outer fabric: 100% 40D Cordura Polyamide; padding: 100% wadding, 180 g/m²; elasticated fabric: 95% Polyester 5% Elastane; 380T nylon lining.

Lightweight padded jacket, boasting a detachable hood with peak and dual adjustment system. Ergonomic sleeves and stretch inserts for a comfortable fit. Longer back for optimal wearability. One side pocket with inside safety pocket, one standard side pocket and one chest pocket, all with zip closures. Three inside pockets. Adjustable drawstring hem. Reflective details.



col.80013  
Black



col.60031  
Insignia Blue

- 1 Detachable hood
- 2 Reflective details
- 3 Stretch material inserts

- 4 Longer at the back for a better fit

TECHNOLOGIES

REFLEX DETAILS

b-Fit  
STRETCH

PLUS



PADDED VEST OSLO

cod. 702.177266

sizes XS/4XL

COMPOSITION AND DESCRIPTION

Outer fabric: 100% 40D Cordura Polyamide; padding: 100% wadding, 180 g/m²; elasticated fabric: 95% Polyester 5% Elastane; 380T nylon lining.

Lightweight padded vest with comfort fit and stretch inserts. Longer back for optimal wearability. One side pocket with inside safety pocket, one standard side pocket and one chest pocket, all with zip closures. Three inside pockets. Adjustable drawstring hem. Reflective details.



col.45090  
Samba Red



col.60031  
Insignia Blue

- 1 Reflective details
- 2 Stretch material inserts
- 3 Longer at the back for a better fit

TECHNOLOGIES

REFLEX DETAILS

b-Fit  
STRETCH

PLUS



**BOMBER D-SWAT****cod. 702.172756**

sizes XS/3XL

**COMPOSITION AND DESCRIPTION**

Outer fabric: Ottoman 100% Polyester, 145 g/m<sup>2</sup>; padding: 100% Polyester, 180 g/m<sup>2</sup>; lining: 100% Polyester; Hood: 100% Polyamide.

Padded bomber jacket with removable sleeves in abrasion-resistant and water-repellent Ottoman polyester fabric, nylon service hood, soft lining for a warm feel, removable badge holder in chest pocket, reflective details on the back and pocket trim for improved visibility, left side left ree for customisation, ribbed hem and cuffs for greater comfort, cartridge pocket on left sleeve, inside pocket.



**col.80013**  
Black

- 1 Badge holder
- 2 Detachable sleeves
- 3 Cartridge pocket



**col.60063**  
Blue Corsair



**col.70408**  
Mermaid

**TECHNOLOGIES****REFLEX DETAILS****PLUS**

**WATER RESISTANT FABRIC**  
WATER COLUMN: 5000MM

**VEST D-SWAT****cod. 702.174585**

sizes XS/3XL

**COMPOSITION AND DESCRIPTION**

Ottoman 100% Polyester, 145 g/m<sup>2</sup>, padding 180 g/m<sup>2</sup>.

Multi-pocket padded vest in abrasion-resistant and water-repellent Ottoman polyester fabric, soft fleece lining for a warm feel, removable badge holder, reflective details, ribbed hem, inside pocket.



**col.60063**  
Blue Corsair



**col.80013**  
Black

**TECHNOLOGIES****REFLEX DETAILS****PLUS**

**WATER RESISTANT FABRIC**  
WATER COLUMN: 5000MM





**SHERPA JACKET****cod. 702.175948**

sizes XS/4XL

**COMPOSITION AND DESCRIPTION**

100% Polyester, 360 g/m².

Sherpa jacket with contrasting lining and technical material inserts on the elbows and pockets. 2 open side pockets and 1 zip front pocket. Stretch Lycra hem and cuffs.



**col.75135**  
Asphalt

**TECHNOLOGIES****REFLEX DETAILS****PLUS****KNITTED JACKET CHICAGO****cod. 702.177265**

sizes XS/4XL

**COMPOSITION AND DESCRIPTION**

Knit 100% Polyester, 300 g/m²; Softshell Inserts 94% Polyester 6% Elastane 300 g/m².

Sweat jacket with jersey exterior and brushed interior, featuring a standing collar and ergonomic sleeves. Longer at the back for a better fit. Two side pockets and one front pocket with zip closure and reflective details. Adjustable drawstring hem.



**col.75135**  
Asphalt



**col.60031**  
Insignia Blue

**TECHNOLOGIES****REFLEX DETAILS****PLUS**

MEMBRANE HOODIE FZ

cod. 702.173555

sizes XS/4XL

COMPOSITION AND DESCRIPTION

Fabric with three external layers: Jersey 100% Cotton and TPU membrane; internal fabric: Microfleece 100% Polyester 350 g/m².

Full zip hooded jacket with water-repellent membrane-lined brushed fabric. Adjustable hood, large pocket with double opening and soft-touch lining. Stretch ribbing on hem and cuffs. Concealed badge holder on left sleeve.



col.80013  
Black



col.70437  
Climbing Ivy

- 1 Roomy pocket with double entrance
- 2 Adjustable hood with runner
- 3 Badge holder

TECHNOLOGIES



PLUS



WATER RESISTANT FABRIC  
WATER COLUMN: 5000MM

SWEAT PILE FZ

cod. 702.172118

sizes S/3XL

COMPOSITION AND DESCRIPTION

Double-sided brushed fleece 100% Polyester, 280 g/ m².

Full-zip double-sided brushed fleece. Chest pocket with Utility wording, hand pockets, hem and cuffs in elastic material.



col.75070  
Steel Gray



col.60033  
Blue Dark Denim



col.80013  
Black

PLUS



**MICROPILE POCKET LITEWORK****cod. 702.175947**

sizes S/3XL

**COMPOSITION AND DESCRIPTION**Microfleece 100% Polyester 170 g/m<sup>2</sup>.

Half-zip sweater in micro fleece with zip front chest pocket. Stretch Lycra hem and cuffs.

**col.60062**  
Classic Navy**col.45045**  
True Red**col.75070**  
Steel Gray

PLUS

**MICROPILE GRIPEN****cod. 702.158540**

sizes S/3XL

**COMPOSITION AND DESCRIPTION**Microfleece 100% Polyester 170 g/m<sup>2</sup>.

Half-zip microfleece sweater with Utility print on sleeve.

**col.60030**  
Ensign Blue**col.75070**  
Steel Gray**col.80013**  
Black

PLUS





SWEATSHIRT LITEWORK FZ

cod. 702.175943

sizes S/3XL

COMPOSITION AND DESCRIPTION

Brushed fleece 80% Cotton 20% Polyester, 280 g/m².

Brushed fleece sweatshirt with full zip closure and black inserts on the sleeves and sides. Two open side pockets and one zip front pocket. Stretch rib collar, cuffs and hem.



col.70166  
Green Thyme



col.60062  
Classic Navy



col.75070  
Steel Gray



col.80013  
Black

PLUS



SWEATSHIRT LITEWORK HZ

cod. 702.175944

sizes S/3XL

COMPOSITION AND DESCRIPTION

Brushed fleece 80% Cotton 20% Polyester, 280 g/m²;

Zippered sweatshirt in brushed fleece with black inserts on the sleeves and sides. Two open side pockets and one zip front pocket. Stretch rib collar, cuffs and hem.



col.70166  
Green Thyme



col.60062  
Classic Navy



col.75070  
Steel Gray



col.80013  
Black

PLUS



**SWEATSHIRT INDUSTRY FZ****cod. 702.176222**

sizes XS/4XL

**COMPOSITION AND DESCRIPTION**

Brushed fleece 65% Polyester 35% Cotton, 330g/m².

Full-zip brushed cotton and polyester sweatshirt. Two open side pockets. Stretch rib collar, cuffs and hem. Fabric tested for industrial washing in accordance with ISO 15797.



**col.60062**  
Classic Navy



**col.80013**  
Black



**col.75070**  
Steel Gray

PLUS

**SWEATSHIRT INDUSTRY HZ****cod. 702.176220**

sizes XS/4XL

**COMPOSITION AND DESCRIPTION**

Brushed fleece 65% Polyester 35% Cotton, 330g/m².

Half-zip brushed cotton and polyester sweatshirt. Two open side pockets. Stretch rib collar, cuffs and hem. Fabric tested for industrial washing in accordance with ISO 15797.



**col.80013**  
Black



**col.60062**  
Classic Navy



**col.75070**  
Steel Gray

PLUS



SWEATSHIRT ZIP LITEWORK **NEW**

cod. 702.178755

sizes S/3XL

COMPOSITION AND DESCRIPTION

Interlock 85% Cotton 15% Polyester, 280 g/m².  
Light interlock full-zip sweatshirt with black side inserts on the sleeves. Ergonomic sleeves. Two open side pockets and a front pocket with zip. Stretch rib-knit neck, cuffs and hem.



col.60062  
Classic Navy



col.75070  
Steel Gray

PLUS



SWEATSHIRT CREW LITEWORK **NEW**

cod. 702.178756

sizes S/3XL

COMPOSITION AND DESCRIPTION

Interlock 85% Cotton 15% Polyester, 280 g/m².  
Light interlock crew-neck sweatshirt with black side inserts on the sleeves. Ergonomic sleeves. Two open side pockets and a front pocket with zip. Stretch rib-knit neck, cuffs and hem.



col.60062  
Classic Navy



col.75070  
Steel Gray

PLUS





**SWEATSHIRT CROSS FZ****cod. 702.177657**

sizes S/3XL

**COMPOSITION AND DESCRIPTION**

Interlock 55% Cotton, 37% Polyester, 8% Elastane, 350 gr/m².

Full zip unbrushed sweatshirt with fixed hood and mesh lining. Chest pocket with zip and two side pockets with concealed zip. Partially-ribbed cuffs and hem. Ergonomic sleeve with pleated elbow. Reflective details and self-locking cam lock puller.



**col.70167**  
Forest Night



**col.75148**  
Periscope

PLUS

**SWEATSHIRT HOODIE URBAN****new****cod. 702.178759**

sizes S/3XL

**COMPOSITION AND DESCRIPTION**

100% Cotton Unbrushed Fleece, 280 g/m².

Unbrushed hoody with two open side pockets. Distressed-look, faded garment-dyed treatment for a vintage aesthetic.



**col.60027**  
Infinity



**col.75138**  
Grey Quiet Shade

PLUS



SHIRT DENIM

cod. 702.171663

sizes S/3XL

COMPOSITION AND DESCRIPTION

Light denim 100% Cotton, 5.70 ounces (OZ).  
Stonewashed denim shirt, chest pockets, snap buttons.




col.C6208  
New Black Washing

col.C6535  
New Blue Washing

- 1 Chest pocket
- 2 Stone washed



PLUS



SHIRT CHECK

cod. 702.171662

sizes S/3XL

COMPOSITION AND DESCRIPTION

Check flannel 100% Cotton, 150 g/m².  
Check-pattern flannel shirt, chest pocket, mesh gusset for extra breathability, back tool pocket and snap buttons.



col.C6533  
Blue Corsair/Star White/Red

col.C7266  
Black/Off White

- 1 Rear bellows



PLUS



**POLO ML ATLANTIS ORGANIC****cod. 702.177954**

sizes S/3XL

**COMPOSITION AND DESCRIPTION**Pique 100% Organic cotton, 180 gr/m<sup>2</sup>.

Long-sleeved polo shirt in organic cotton pique.

**col.60062**  
Classic Navy**col.80013**  
Black**col.75070**  
Steel Gray**TECHNOLOGIES****Organic**  
Certified by ICEA  
GOTS 2019-057**PLUS****POLO MC ATLAR ORGANIC****cod. 702.177955**

sizes S/3XL

**COMPOSITION AND DESCRIPTION**● Pique 100% Organic cotton, 180 gr/m<sup>2</sup>.● Pique 90% Organic cotton, 10% viscose 180 gr/m<sup>2</sup>.

Short-sleeved polo shirt in organic cotton pique.

● **col.45019**  
Red Medlar● **col.20002**  
Optical White● **col.60062**  
Classic Navy● **col.C5493**  
Light Middle  
Grey Melange● **col.75070**  
Steel Gray● **col.45045**  
True Red● **col.60089**  
Celestial Blue● **col.80013**  
Black**TECHNOLOGIES****Organic**  
Certified by ICEA  
GOTS 2019-057● **Made with  
organic cotton**  
Certified by ICEA  
GOTS 2019-057**PLUS**



POLO MC INDUSTRY

cod. 702.176227

sizes XS/4XL

COMPOSITION AND DESCRIPTION

Pique 65% Polyester 35% Cotton, 220 g/m².  
Short-sleeved polo shirt in polyester and cotton pique fabric. Chest pocket. Fabric tested for industrial washing in accordance with ISO 15797.



col.80013  
Black



col.60062  
Classic Navy



col.75070  
Steel Gray



col.C5493  
Light Middle Grey Melange

PLUS



T-SHIRT ML MONO ORGANIC

cod. 702.177667

sizes S/3XL

COMPOSITION AND DESCRIPTION

Jersey 100% Organic cotton, 150 gr/m².  
Organic cotton jersey long-sleeved T-shirt.



col.80013  
Black



col.60062  
Classic Navy



col.75070  
Steel Gray

TECHNOLOGIES

PLUS



**T-SHIRT MC ATONY ORGANIC****cod. 702.176913**

sizes S/3XL

**COMPOSITION AND DESCRIPTION**

● Jersey 100% Organic cotton, 150 g/m².  
 ● Jersey 90% Organic cotton, 10% viscose 150 g/m².  
 Organic cotton jersey T-shirt.



● **col.45019**  
Red Medlar



● **col.20002**  
Optical White



● **col.60062**  
Classic Navy



● **col.C5493**  
Light Middle  
Grey Melange



● **col.75070**  
Steel Gray



● **col.45045**  
True Red



● **col.60089**  
Celestial Blue



● **col.80013**  
Black

**TECHNOLOGIES**

● **Organic**  
Certified by ICEA  
GOTS 2019-057



● **Made with  
organic cotton**  
Certified by ICEA  
GOTS 2019-057

**PLUS****T-SHIRT INDUSTRY****cod. 702.176225**

sizes XS/4XL

**COMPOSITION AND DESCRIPTION**

Jersey 65% Polyester 35% Cotton, 220 g/m².  
 T-shirt in polyester and cotton fabric. Chest pocket.  
 Fabric tested for industrial washing in accordance  
 with ISO 15797.



● **col.80013**  
Black



● **col.60062**  
Classic Navy



● **col.75070**  
Steel Gray



● **col.C5493**  
Light Middle Grey Melange

**PLUS**

T-SHIRT CROSS ORGANIC

cod. 702.177678

sizes S/3XL

COMPOSITION AND DESCRIPTION

Jersey 100% Organic cotton, 150 g/m².  
Organic cotton jersey T-shirt. Chest pocket with zip and reflective details. Contrast graphic on shoulder.



col.60089  
Celestial Blue



col.45019  
Red Medlar

1 s

TECHNOLOGIES



REFLEX DETAILS

PLUS



T-SHIRT GRAPHIC ORGANIC

NEW

cod. 702.176914

sizes S/3XL

COMPOSITION AND DESCRIPTION

Jersey 100% Organic cotton, 150 g/m².  
Organic cotton T-shirt with photographic print.



col.60139  
Sailor Blue



col.70166  
Green Thyme



col.75151  
Oyster Mushroom



col.C9977  
Tap Shoe/Black



col.C9978  
Blue Corsair/Blue Ebony



col.D0045  
True Red/Barbados Cherry

TECHNOLOGIES



PLUS





**T-SHIRT URBAN****new****cod. 702.178758**

sizes S/3XL

**COMPOSITION AND DESCRIPTION**Jersey 100% Cotton, 150 g/m<sup>2</sup>.

100% Cotton T-shirt with breast pocket. Distressed-look, faded garment-dyed treatment for a vintage aesthetic.

**col.55100**  
Violet Damson**col.60027**  
Infinity**col.75138**  
Grey Quiet Shade**PLUS**





**HV PANT CARGO****cod. 702.176235**

sizes S/3XL

**COMPOSITION AND DESCRIPTION**

Twill 65% Polyester 35% Cotton, 250 g/m<sup>2</sup>.  
Contrasts: Canvas 100% Polyester.

High-visibility trousers in polyester cotton twill. Open front pockets, elasticated waist, concealed buttons and triple stitching. Contoured belt for greater comfort, ergonomic leg. Triple reflective bands and contrast details. Heel area in contrast abrasionresistant material. EN 20471: class 2.



**col.97034**  
Fluorescent Yellow ISO 20471



**col.97035**  
Fluorescent Orange ISO 20471

**1** Contrast details

**REQUIREMENTS****CE**

ISO 20471:2013 CAT 2  
EN ISO 13688:2013

**PLUS****HV JACKET****cod. 702.176231**

sizes S/3XL

**COMPOSITION AND DESCRIPTION**

Outer fabric: Oxford 100% Polyester 300 D, breathable PU membrane, 200 g/m<sup>2</sup>; internal jacket: Oxford 100% Polyester 210 D, 105 g/m<sup>2</sup>; padding, 140 g/m<sup>2</sup> body, 120 g/m<sup>2</sup> sleeves.

2 in 1 jacket: outer Oxford polyester 300D with breathable PU membrane, waterproof. Reflective bands on body, sleeves and shoulders, detachable hood with triple adjustment, side zip pockets, front zip pocket and concealed badge holder on sleeve. Adjustable hem and longer back for a better fit, adjustable sleeves with reinforced Velcro. Rear with gussets in back area for greater freedom of movement. Inner jacket in 140 g Oxford fabric, removable, with open pockets and adjustable drawstring hem. Certified according to EN 20471 class 3 and EN 343 3/1.



**col.97034**  
Fluorescent Yellow ISO 20471



**col.97035**  
Fluorescent Orange ISO 20471

**1** Badge holder

**2** Detachable internal jacket

**REQUIREMENTS****CE**

ISO 20471:2013 CAT 3  
EN ISO 13688:2013

UNI EN 343:2019

**PLUS**



**HV JACKET EXTERNAL SHELL****cod. 702.177424**

sizes S/3XL

**COMPOSITION AND DESCRIPTION**

Oxford 100% Polyester 300 D, breathable PU membrane, 200 g/m².

HV jacket in oxford polyester 300D with breathable PU membrane, waterproof. Reflective bands on body, sleeves and shoulders, detachable hood with triple adjustment, side zip pockets, front zip pocket and concealed badge holder on sleeve. Adjustable hem and longer back for a better fit, adjustable sleeves with reinforced Velcro. Rear with gussets in back area for greater freedom of movement. Certified according to EN 20471 class 3 and EN 343 3/3.



**col.97034**  
Fluorescent Yellow ISO 20471



**col.97035**  
Fluorescent Orange ISO 20471

**1** Badge holder

**REQUIREMENTS****CE**

ISO 20471:2013 CAT 3  
EN ISO 13688:2013

UNI EN 343:2019

**PLUS****SOFTSHELL HV****cod. 702.170687**

sizes M/3XL

**COMPOSITION AND DESCRIPTION**

Hv softshell 100% Polyester, 370 g/m².

High-visibility softshell jacket (class 3), breathable windproof fabric. Hood with zip-off lining in D-Bright fabric and retro-reflective print for use in low light environments.



**col.97034**  
Fluorescent Yellow ISO 20471



**col.97035**  
Fluorescent Orange ISO 20471

**1** D-BRIGHT zip

**2** D-BRIGHT hood

**REQUIREMENTS****CE**

ISO 20471:2013 CAT 3  
EN ISO 13688:2013

**TECHNOLOGIES****D-BRIGHT****PLUS**

**SWEAT PILE HV****cod. 702.172119**

sizes S/3XL

**COMPOSITION AND DESCRIPTION**

Double-weave brushed fleece 100% Polyester, 280 g/m².

Full zip high-visibility double-weave brushed fleece. Hand pockets and chest pocket with Utility customised zip, hand pockets, hem and cuffs in elastic material. Certified according to EN ISO 20471:2013/A1:2016.



**col.97034**  
Fluorescent Yellow ISO 20471



**col.97035**  
Fluorescent Orange ISO 20471

1 Chest pocket

**REQUIREMENTS**

ISO 20471:2013 CAT 3  
EN ISO 13688:2013

**PLUS****HV VEST****cod. 702.176229**

sizes S/3XL

**COMPOSITION AND DESCRIPTION**

Twill 65% Polyester 35% Cotton, 250 g/m².

High-visibility vest in polyester cotton, badge holder and chest zip, two open side pockets. Two-way front zip. Adjustable hem with Velcro. Reflective bands on front and shoulders. Certified according to EN 20471: class 2.



**col.97035**  
Fluorescent Orange ISO 20471



**col.97034**  
Fluorescent Yellow ISO 20471

1 Badge holder

**REQUIREMENTS**

ISO 20471:2013 CAT 2  
EN ISO 13688:2013

**PLUS**

**HOODIE FZ HV****cod. 702.176232**

sizes S/3XL

**COMPOSITION AND DESCRIPTION**

Unbrushed fleece 50% Cotton 50% Polyester, 320 g/m².

High-visibility sweatshirt in dual-construction breathable Unbrushed fabric: polyester outer and cotton jersey inner. Adjustable hood with drawstring, chest pocket with zip and two open side pockets. Reflective bands on body, sleeves and shoulders. EN 20471: class 2.



**col.97034**  
Fluorescent Yellow ISO 20471



**col.97035**  
Fluorescent Orange ISO 20471

**REQUIREMENTS****CE**

ISO 20471:2013 CAT 2  
EN ISO 13688:2013

**PLUS****POLO MC HV****cod. 702.176234**

sizes S/3XL

**COMPOSITION AND DESCRIPTION**

Pique/Jersey 50% Polyester 50% Cotton, 150 g/m².

High-visibility polo shirt in dual-construction fabric: mesh outer and cotton jersey inner. Short-sleeved. Chest pocket. Reflective bands on the body and shoulders but not on the hips for greater comfort. EN 20471: class 2.



**col.97034**  
Fluorescent Yellow ISO 20471



**col.97035**  
Fluorescent Orange ISO 20471

**REQUIREMENTS****CE**

ISO 20471:2013 CAT 2  
EN ISO 13688:2013

**PLUS**



**T-SHIRT HV****cod. 702.176233**

sizes S/3XL

**COMPOSITION AND DESCRIPTION**

Pique/Jersey 50% Polyester 50% Cotton, 150 g/m².

High-visibility T-shirt in dual-construction fabric: mesh outer and cotton jersey inner. Short-sleeved. Chest pocket. Reflective bands on the body and shoulders but not on the hips for greater comfort. EN 20471: class 2.



**col.97034**  
Fluorescent Yellow ISO 20471



**col.97035**  
Fluorescent Orange ISO 20471

**REQUIREMENTS****CE**ISO 20471:2013 CAT 2  
EN ISO 13688:2013**PLUS**

PANT SOUL

cod. 702.159681

sizes XS/XXL

COMPOSITION AND DESCRIPTION

55% Polyamide 40% Polypropylene 5% Elastane.

Seamless unisex long trousers. Keeps body temperature constant and promotes thermal insulation and breathability.



col.80013  
Black

TECHNOLOGIES



PLUS



TOP SOUL

cod. 702.159682

sizes XS/XXL

COMPOSITION AND DESCRIPTION

55% Polyamide 40% Polypropylene 5% Elastane.

Seamless unisex long-sleeved sweater. Keeps body temperature constant and promotes thermal insulation and breathability.



col.80013  
Black

TECHNOLOGIES



PLUS



**TOP SOUL SS****cod. 702.173556**

sizes XS/XXL

**COMPOSITION AND DESCRIPTION**

55% Polyamide 40% Polypropylene 5% Elastane.

Seamless unisex short-sleeved undergarment.  
Keeps body temperature constant and promotes  
thermal insulation and breathability.



**col.80013**  
Black

**TECHNOLOGIES****PLUS**





ACCESSORIES

	CAPS	176
	SOCKS	177
	KNEE PADS	179
	NATURAL WAX	179
	INSOLES	180
	LACES	185

BASEBALL CAP

cod. 703.176621

one size



col.60063  
blue corsair



col.45045  
true red



col.80013  
black

COMPOSITION AND DESCRIPTION

Mini Ottoman 100% polyester.  
Baseball cap in mini Ottoman polyester fabric.

WOOL CAP GRAPHIC

cod. 703.176622

one size



col.80013  
black



col.60063  
blue corsair

COMPOSITION AND DESCRIPTION

100% acrylic.  
Acrylic beanie with Utility graphic, double sided.

POLAR BEANIE

cod. 703.176620

one size



col.80013  
black



col.60063  
blue corsair

COMPOSITION AND DESCRIPTION

Outer fabric: 100% acrylic; inner: micro-fleece 100% polyester.  
Acrylic beanie with micro-fleece inner.



**WORK SOCKS BREATH****cod. 703.176208**

sizes S/M/XL

**col.80013**  
black**SIZES**

**S** 35/38  
**M** 39/42  
**XL** 43/47

**PACKAGING**703.176208  
1xpack**COMPOSITION AND DESCRIPTION**

52% polyamide, 43% polypropylene, 5% elastane.

Breathable and antibacterial stretch sock in nylon and polypropylene.

**COTTON SUMMER SOCKS****cod. 703.160485**

sizes S/M/XL

**cod. 703.176922.C03**

sizes S/M/XL

**col.C4699**  
black/dark gull grey**SIZES**

**S** 35/38  
**M** 39/42  
**XL** 43/47

**PACKAGING**703.160485  
1xpack703.176922.C03  
3xpack**COMPOSITION AND DESCRIPTION**

80% Cotton, 15% Polyamid, 5% Elastane.

Cotton summer socks.

**COTTON WINTER SOCKS****cod. 703.159683**

sizes S/M/XL

**cod. 703.176921.C03**

sizes S/M/XL

**col.C4699**  
black/dark gull grey**SIZES**

**S** 35/38  
**M** 39/42  
**XL** 43/47

**PACKAGING**703.159683  
1x pack703.176921.C03  
3xpack**COMPOSITION AND DESCRIPTION**

77% Cotton, 18% Polyamid, 5% Elastane.

Cotton winter socks.

GHOST SOCKS

cod. 703.160484  
sizes S/M/XL

COOLMAX®  
DuPont™  
KEVLAR®



col.C4699  
black/dark gull grey

SIZES

- S 35/38
- M 39/42
- XL 43/47

PACKAGING



703.160484  
1xpack

COMPOSITION AND DESCRIPTION

45% Coolmax, 32% Cotton, 15% Polyamid, 7% Aramid, 1% Elastane.  
Summer socks.

TECH SUMMER SOCKS

cod. 703.160486  
sizes M/XL

COOLMAX®  
DuPont™  
KEVLAR®



col.C4699  
black/dark gull grey

SIZES

- M 39/42
- XL 43/47

PACKAGING



703.160486  
1xpack

COMPOSITION AND DESCRIPTION

45% Coolmax, 25% Cotton, 20% Polyamid, 6% Aramid, 4% Elastane.  
Technical summer socks.

TECHNICAL WINTER SOCKS

cod. 703.159684  
sizes M/XL

DuPont™  
KEVLAR®



col.C4699  
black/dark gull grey

SIZES

- M 39/42
- XL 43/47

PACKAGING



703.159684  
1xpack

COMPOSITION AND DESCRIPTION

70% Cotton, 21% Polyamid, 5% Aramid, 4% Elastane.  
Technical winter socks.

**MERINOS WINTER SOCKS****cod. 703.159685**

sizes M/XL



**col.C4699**  
black/dark gull grey

**SIZES****M** 39/42**XL** 43/47**PACKAGING**

703.159685  
1xpack

**COMPOSITION AND DESCRIPTION**

32% Merino wool, 28% Polypropylene, 20% Polyamide, 10% Acrylic, 8% Elastane, 2% Other fibers.

Merino wool winter socks.

**KNEE-PADS UTILITY****cod. 703.146417**

one size



**col.96014**  
anthracite

**PACKAGING**

703.146417  
1xpack

**COMPOSITION AND DESCRIPTION**

100% PVC.

Knee Pad.

**NATURAL WAX 20 PCS****cod. 703.161339.C20**

-

**COMPOSITION AND DESCRIPTION**

20 50ml jars of natural wax for leather footwear.

Natural wax for shoes with protective, nourishing and conditioning properties.



## INSOLE FOAM COMFORT

**cod. 703.176202**

sizes 38/48

FOAM



**col.C8292**  
yellow Utility/yellow Utility

### PACKAGING



### COMPOSITION AND DESCRIPTION

PU foam and polyester fabric.

Extra Comfort PU foam insole reduces lateral stress. Breathable and antibacterial. Certified for use with the following product lines: Glove, Glove Net, Run and Run Net Airbox.

## INSOLE GEL RELAX

**cod. 703.176205**

sizes 38/48

GEL



**col.C8929**  
classic green/yellow Utility

### PACKAGING



### COMPOSITION AND DESCRIPTION

PU foam + gel insert and polyester fabric.

Extra Comfort PU foam insole with gel insert for absorbing shocks from heel impacts; reduces lateral stress. Breathable and antibacterial. Certified for use with the following product lines: Glove, Glove Net, Run and Run Net Airbox.

## INSOLE GEL PERFORMANCE

**cod. 703.176199**

sizes 38/48

GEL+



**col.C8930**  
sky blue/yellow Utility

### PACKAGING



### COMPOSITION AND DESCRIPTION

PU foam + gel insert + memory foam and polyester fabric.

Extra Comfort PU foam insole with extended gel insert for absorbing shocks from heel impacts and for reducing vibrations. Memory foam layer for maximum comfort. Breathable and antibacterial. Certified for use with the following product lines: Glove, Glove Net, Run and Run Net Airbox.

**INSOLE PU GLOVE MDS****cod. 703.176786**

sizes 35/48



**col.C4133**  
yellow Utility/black

**PACKAGING****COMPOSITION AND DESCRIPTION**

PU foam + activated carbons and polyester fabric.

Removable micro-perforated insole in open-cell expanded PU, breathable with activated carbons. For product lines Glove MDS, Glove MDS Matryx and Glove MDS Master.

**INSOLE PU RUN NET****cod. 703.176788**

sizes 35/48



**col.C4133**  
yellow Utility/black



**col.C8766**  
shocking pink/black

**PACKAGING****COMPOSITION AND DESCRIPTION**

U foam + activated carbons and polyester fabric.

Removable micro-perforated insole in open-cell expanded PU, breathable with activated carbons. For product line Run Net Airbox.

**INSOLE RUN PU FOAM****cod. 703.175941**

sizes 35/48



**col.C8292**  
yellow Utility/yellow Utility



**col.C8291**  
yellow Utility/navy

**PACKAGING****COMPOSITION AND DESCRIPTION**

PU foam + activated carbons and polyester fabric.

Removable micro-perforated insole in open-cell expanded PU, breathable with activated carbons. For product lines Run and Cross.

**INSOLE EVERY****cod. 703.159112**

sizes 35/48



**col.C0471**  
leather/yellow

**PACKAGING****COMPOSITION AND DESCRIPTION**

Latex + EVA + polyester fabric.

Latex insole and EVA heel cup for Beat line.

**INSOLE CUSHION****cod. 703.172595**

sizes 35/48



**col.35015**  
butterflower yellow

**PACKAGING****COMPOSITION AND DESCRIPTION**

PU foam and polyester fabric.

Removable polyurethane foam insole with shock absorber for Blitz line.

**INSOLE PLUS****cod. 703.178731**

sizes 38/48



**col.C0401**  
black /yellow Crows

**PACKAGING****COMPOSITION AND DESCRIPTION**

Expanded PU foam + activated carbons and polyester fabric.

Contoured, antistatic, removable footbed made of open-cell, breathable PU foam with activated charcoal for the Fly line.



**INSOLE ACTIVE II****cod. 703.171342**

sizes 35/48



**col.02270**  
straw/black

**PACKAGING****COMPOSITION AND DESCRIPTION**

Thermoformed EVA + shock absorber + Cambrelle fabric.

Insole in thermoformed EVA + shock absorber for the Glove line.

**INSOLE NBS****cod. 703.174113**

sizes 35/48



**col.80013**  
black

**PACKAGING****COMPOSITION AND DESCRIPTION**

EVA + polyester fabric.

Removable breathable antistatic insole with activated carbons for Glove Net line.

**INSOLE EVA FORMULA****cod. 703.175942**

sizes 35/48



**col.C9012**  
black/yellow

**PACKAGING****COMPOSITION AND DESCRIPTION**

EVA + polyester fabric.

Removable latex insole with activated carbons, EVA heel cup. For product line Formula.

## INSOLE MEMORY CREW

**cod. 703.176787**

sizes 35/48



**col.C4133**  
yellow Utility/black

### COMPOSITION AND DESCRIPTION

Expanded PU memory foam + polyester fabric.

Micro-perforated PU memory foam insole, removable and washable. For product line Crew.

### PACKAGING



## INSOLE ECO

**cod. 703.178022**

sizes 35/48



**col.C9604**  
eco green/black

### COMPOSITION AND DESCRIPTION

Recycled PU foam + activated carbons and 100% recycled polyester fabric (R-PET).

Removable micro-perforated insole in recycled PU foam, breathable with activated carbons. For product line Glove ECO MDS.

### PACKAGING



**LACES****cod. 703.153273.C10**

120 cm

**cod. 703.153274.C10**

150 cm

**cod. 703.153275.C10**

100 cm

**cod. 703.153276.C10**

120 cm

**cod. 703.153277.C10**

140 cm



**col.45032**  
Ferrari red Italy  
cod. 703.153275.C10  
cod. 703.153276.C10  
cod. 703.153277.C10



**col.50150**  
geranium pink  
cod. 703.153275.C10  
cod. 703.153276.C10  
cod. 703.153277.C10



**col.80013**  
black  
cod. 703.153275.C10  
cod. 703.153277.C10



**col.C1463**  
black/yellow  
cod. 703.153273.C10  
cod. 703.153274.C10



**col.60055**  
dark navy  
cod. 703.153275.C10



**col.35014**  
yellow Utility  
cod. 703.153275.C10  
cod. 703.153276.C10  
cod. 703.153277.C10



**col.75040**  
aluminium  
cod. 703.153275.C10  
cod. 703.153277.C10



**col.45041**  
dark red  
cod. 703.153275.C10

**PACKAGING****COMPOSITION AND DESCRIPTION**

Pack of 10 pairs in single packages.

Laces for lines Beat, Glove, Glove MDS Matryx, Glove Net, Run and Run Net Airbox. (pack of 10 pairs of flat laces).

**LACES****cod. 703.160585.C10**

110 cm

**cod. 703.160586.C10**

130 cm



**col.C0401**  
black/yellow  
cod.703.160585.C10  
cod.703.160586.C10



**col.80013**  
black  
cod.703.160585.C10  
cod.703.160586.C10

**PACKAGING****COMPOSITION AND DESCRIPTION**

Pack of 10 pairs in single packages.

Laces for Blitz line (pack of 10 pairs of round laces).



## ROUND DOTTED LACE THERMO

**cod. 703.178023**

170 cm

**cod. 703.178024**

110 cm

**cod. 703.178025**

140 cm



**col.C9427**  
cyber yellow/black  
cod.703.178023  
cod.703.178024  
cod.703.178025



**col.C9428**  
dark orange tiger/black  
cod.703.178024  
cod.703.178025

### PACKAGING



### COMPOSITION AND DESCRIPTION

1 pair, individually packaged.

Laces with thermo-welded ends for the Sport Cross line. Phthalate free - Pack: 1 pair.

## ROUND STRIPED LACE THERMO

**cod. 703.178031**

140 cm

**cod. 703.178032**

110 cm



**col.C0401**  
black/yellow crows  
cod.703.178031  
cod.703.178032

### PACKAGING



### COMPOSITION AND DESCRIPTION

1 pair, individually packaged.

Laces with thermo-welded ends for the Country Cross line. Phthalate free - Pack: 1 pair.

## FLAT LACE THERMO

**cod. 703.178026**

100 cm

**cod. 703.178027**

120 cm

**cod. 703.178028**

140 cm



**col.97041**  
orange fluo  
cod. 703.178026  
cod. 703.178027  
cod. 703.178028



**col.75014**  
bung gray  
cod. 703.178026  
cod. 703.178027  
cod. 703.178028



**col.97047**  
yellow fluo 809 c  
cod. 703.178026  
cod. 703.178027

### PACKAGING



### COMPOSITION AND DESCRIPTION

1 pair, individually packaged.

Laces with thermo-welded ends for the Glove, Glove MDS, Glove MDS Matryx, Glove Net, Run and Run Net Airbox lines. Phthalate free - Pack: 1 pair.



**col.97048**  
green fluo 909 c  
cod. 703.178026  
cod. 703.178027  
cod. 703.178028



**col.35014**  
yellow Utility  
cod. 703.178026  
cod. 703.178027  
cod. 703.178028



INDEX

189	CERTIFICATION: ISO 9001:2005; ECOVADIS
190	TABLE OF SIZES
192	INFORMATIVE NOTES
195	CONTENTS



**CERTIFICATION: ISO 9001:2005**

# MANAGEMENT SYSTEM CERTIFICATE



Certificate No:  
**80930-2010-AQ-ITA-SINCERT**  
**09/07/2019 - 08/07/2022**

This is to certify that the management system of:

**Diadora S.p.A.**  
Via Montello, 80 - 31031  
Caerano di San Marco (TV) - Italy

Has been found to conform to the Quality Management System standard:

**ISO 9001:2015**

This certificate is valid for the following scope:

**Design, manufacture and sale of safety, protective, occupational footwear and dress with accessories for professional use – Brand Line Utility (EA: 05, 04)**

**CERTIFICATION: ECOVADIS**

## DIADORA PLATINUM MEDAL




In 2021 diadora has achieved the ecovadis platinum medal, positioning itself amongst 1% sustainability top performers, between 75.000 companies evaluated by ecovadis in more than 160 countries and 200 industries, and improved its previous performance.

This achievement represents the greatest amongst the ones released by ecovadis, the world's most trusted provider of business sustainability ratings, intelligence, and collaborative performance improvement tools for global supply chains.

PANTS MEN

INTERNATIONAL	XS	S	M	L	XL	XXL	XXXL	4XL
IT*	42-44	44-46	46-48	50-52	52-54	56-58	58-60	62-64
DE	40-42	42-44	44-46	48-50	50-52	54-56	56-58	60-62
FR*	36-38	38-40	40-42	44-46	46-48	48-50	50-52	52-54
UK	28-30	30-32	32-34	34-36	36-38	40-42	42-44	46-48
US	28-30	30-32	32-34	34-36	36-38	40-42	42-44	46-48
HEIGHT ©	163-166	167-171	172-177	178-183	184-188	189-192	193-196	197-200
WAIST CM ②	70-74	74-80	80-86	86-92	92-99	99-106	106-112	112-118



DENIM SIZE IN INCHES MEN

INTERNATIONAL	S	M	M/L	L	L/XL	XL	XXL/XXXL
INCHES	28	30	32	33	34	36	38
HEIGHT ©	163-166	167-171	172-177	178-183	184-188	189-192	193-196
WAIST CM ②	72-78	79-83	84-87	88-90	91-93	94-98	99-107

COD: 702.173549/702.177655/ 702.170752/702.172115/702.170750/702.177651/702.177653


TOPS MEN

INTERNATIONAL	XS	S	M	L	XL	XXL	XXXL	4XL
IT*	XS	S	M	L	XL	XXL	XXXL	4XL
DE	XXS	XS	S	M	L	XL	XXL	XXXL
FR*	XXS	XS	S	M	L	XL	XXL	XXXL
UK	12	14	16	18	20	22	24	26
US	XXS	XS	S	M	L	XL	XXL	XXXL
HEIGHT ©	163-166	167-171	172-177	178-183	184-188	189-192	193-196	197-200
CHEST CM ①	86-90	90-94	94-98	98-104	104-110	110-116	116-122	122-128

SOCKS


SIZES	S	M	XL
	35/38	39/42	43/47

PANTS WOMEN



INTERNATIONAL	XXS	XS	S	M	L	XL	XXL
IT	38	40	42	44	46	48	50
DE	32	34	36	38	40	42	44
FR / ES	34	36	38	40	42	44	46
UK	6	8	10	12	14	16	18
US	2	4	6	8	10	12	14
HIP CM <b>(A)</b>	88	92	96	100	104	108	112
WAIST BAND CM <b>(B)</b>	64	68	72	76	80	84	90
HEIGHT CM <b>(C)</b>	160-162	164-166	168-170	172-174	176-178	180-182	184-186

TOPS WOMEN



SIZE	XS	S	M	L	XL	2XL
IT	XS	S	M	L	XL	2XL
DE	XXS	XS	S	M	L	XL
FR / ES / UK	XS	S	M	L	XL	2XL
US	XXS	XS	S	M	L	XL
CHEST CM <b>(A)</b>	80-82	84-88	90-94	96-100	102-108	108-112
HEIGHT CM <b>(C)</b>	164-166	168-170	172-174	176-178	180-182	184-186

SHOES

JAPANESE SIZE	9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32
FRENCH SIZE*	15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49
BRITISH SIZE	0 0,5 1 1,5 2 3 4 5 5,5 6 6,5 7 7,5 8 8,5 9 10 11 12 13 13,5 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49
AMERICAN SIZE	0,5 1 1,5 2 2,5 3 3,5 4 4,5 5 5,5 6 6,5 7 7,5 8 8,5 9 9,5 10 10,5 11 11,5 12 12,5 13 13,5 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49
WOMAN AMERICAN SIZE	2 3 4 5 5,5 6 6,5 7 7,5 8 8,5 9 9,5 10 10,5 11

\*FRENCH AND ITALIAN SIZE



SHOES

Keep this information for the entire life of the Personal Protective Equipment (PPE), carefully abide by its requirements. Should you, after reading, have any doubts about the degree of protection offered by the footwear and about the way it is used and maintained, please contact the safety officer before use. For further details, please contact the manufacturer directly. This Personal Protective Equipment has been designed and manufactured to protect against risk/s that could harm health and safety conditions; it is personal and must not be subject to alteration in its intended use. For further details and for the relevant Declarations of Conformity (where applicable), please visit [www.diadora.com/declarations-utility/](http://www.diadora.com/declarations-utility/).  
Footwear for professional use are to be considered as Personal Protective Equipment (PPE). They are therefore subject to 89/686/EEC Directive or EU Regulation UE 2016/425 requiring the EC marking for their marketing. **A.N.C.I. Servizi srl – Sez. CIMAC** c/so G. Brodolini, 19 27029 Vigevano (PV) Italy – n° 0465.

**WARNINGS:**  
The law considers the employer responsible for all that concerns the suitability of the PPE for the type of risk present (characteristics of the PPE and category to which it belongs). Before use check that the characteristics of the model chosen correspond to your using requirements. The safety footwear manufactured by **Diadora S.p.A.** is designed and made to suit the risk against which they offer protection and in conformity with the following European standards:

**EN ISO 20344:2011 Personal protective equipment. Test methods for footwear**  
**EN ISO 20345:2011 Requirements for safety footwear:** Footwear with characteristics suitable for protecting the wearer against injuries that may occur in the professional sectors for which the footwear has been designed, with toe caps for providing protection against impact, when tested at an energy level of 200 J.  
**EN ISO 20347:2012 Specification for occupational footwear:** Footwear with characteristics suitable for protecting the wearer against injuries that may occur in the professional sectors for which the footwear has been designed. (No special protection is provided for the toes).

**MATERIALS AND WORKINGS:** All the materials used, be them natural or synthetic, as well as applied working techniques, have been selected to satisfy the requirements of above mentioned European technical standards in terms of safety, ergonomics, comfort, solidity and harmlessness. **INTERPRETATION OF THE REQUIREMENTS:** On the marking space, reference may be made to a symbol, a combination of symbols, or to the respective category, the meanings of which are listed below.

Symbol	Requirements/Features	Required performance
P	Perforation resistance of shoe underside	≥ 1100 N
E	Energy absorption in the heel area	≥ 20 J
A	Antistatic footwear	between 0,1 and 1000 MΩ
C	Conductive footwear	< 0,1 MΩ
EN 50321	Electrically insulating footwear	Class 0 o 00
WRU	Penetration and absorption of water into the upper	≥ 60 min
CI	Insulation from cold	Test at -17 °C
HI	Insulation from heat	Test at 150 °C
HRO	Heat resistance by outsole contact	Test at 300 °C
FO	Outsole resistance to hydrocarbons	≤ 12%
WR	Water resistant footwear	≤ 3 sq. cm
M	Metatarsal protection (only for EN ISO 20345)	≥ 40 mm (size 41/42)
AN	Malleolus protection	≤ 10 kN
CR	Upper cutting resistance	≥ 2,5 (index)

	Slip resistance*	
SRA	ceramic+detergent	heel ≥ 0.28 flat ≥ 0.32
SRB	steel+glycerin	heel ≥ 0.13 flat ≥ 0.18
SRC	SRA + SRB	

\*For new footwear (as with car tyres), maximum sole adhesion is achieved after a certain “break-in” period neces sary to remove silicone and release agent residues and other physical and/or chemical unevenness on the surface.

**COMPLETE FOOTWEAR:** heigt of the upper; heel area; performance of the sole (con-struction and resistance to detachment of the supper/sole); protection of the toes and the features of the toe piece (excepting EN ISO 20347), anti – slipping properties.

**UPPER:** features of the materials of the upper, lining, tongue, insole (resistance to tearingt, abrasion, traction features, permeabilità to moisture, pH, and for the isole, also absorbing and de – absorbing.

**SOLE:** construction and resistance to tearing, abrasion, flexing, hydrolysis, to the detach-ment of sole/insole, to hydrocarbons (EN ISO 20345 S1-S2-S3).

**CLASSIFICATION OF FOOTWEAR**


- I. Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear.  
II. All-rubber or all-polymeric footwear.

**MARKINGS:**

Please find inside the shoes and on the sole the following marks:

Category	Class	Basic requirement	Additional requirement	Symbols
SB	OB	I or II	all	
S1	O1	I	all	A E FO**
S2	O2	I	all	A/E/FO** WRU
S3	O3	I	all	A/E/FO**/WRU P
S4	O4	II	all	A E FO**
S5	O5	II	all	A/E/FO** P

\*\*FO outsole resistance to hydrocarbons S1 - S2 - S3 - S4 - S5  
Example: S3 = SB+FO+A+E+WRU+P / S1P = SB+FO+A+E+P



YEAR AND MONTH OF PRODUCTION  
Indicated on sole or tongue label  
(products subject to effects of ageing)  
  
SHOE SIZE  
Indicated on sole or tongue label

IN COMPLIANCE WITH THE  
EN ISO ORDERING RULE

CATEGORY OF RISK

ARTICLE NUMBER

IDENTIFICAZIONE DEL  
FABBRICANTE

CE

European Standard  
EN ISO 20345:2011  
CLASS: 1 S3-SRC  
CATEGORY: II

Code: 701.175523

42 EUR

Factory Code: 1011916

UTILITY  
DIADORA

Diadora S.p.A. - via Montello 80  
31031- Caerano di San Marco (TV) Italy  
www.diadora.com/utility

SYMBOLS OF THE  
PROVIDED PROTECTION

SHOE SIZE IF NOT INDICATED  
ON SOLE OR TONGUE LABEL

**INSOCKS:**If the footwear is supplied with a removable insock it should be made clear in the leaflet that testing was carried out with the insock in place. A warning shall be given that the footwear shall only be used with the insock in place and that the insock shall only be replaced by a comparable insock supplied by the original footwear manufacturer. If the footwear is supplied without an insock it should be made clear in the leaflet that testing was carried out with no insock present. A warning shall be given that fitting an insock can affect the protective properties of the footwear.

## CLOTHINGS

### EN ISO 13688:2013 PROTECTIVE CLOTHES GENERAL REQUIREMENTS Carefully read the following instructions for use.

This garment has been designed and created in such a way as to satisfy the essential safety and health requisites of EEC Directive 89/686, acknowledged by Legislative Decree No. 475/92 and subsequent modifications, and in conformity with UNI EN 340/2004 or EN ISO 13688/2013 regulations concerning the general requirements for protection garments. The garment has in fact been designed in such a way that, in predictable conditions of use, it is able to offer the user adequate protection and can be classified in conformity with Directive 89/686/EEC as second category, and in conformity with the product regulations in consequence of the performance resulting from the tests to which the materials were subjected. Such performance results are indicated on the pictogram and relative references found alongside it, which are determined on the basis of the instructions contained in the product regulations to which the garment conforms.

#### WARNING:

- the user must identify, by evaluating any possible risks, the necessity of combining the garment with other protection devices for the remaining parts of the body;
- the performance of the garment is guaranteed when it is worn and fastened correctly and is of adequate size;
- if the garment should result faulty or if some defects can be seen on it, stop using the garment and replace it with an adequate one;
- this information must be kept for the entire time the PPE (personal protective equipment) is used;
- any changes to the DPI are prohibited.

#### LIMITS OF USE


The garment offers no protection against the following risks:

- getting caught in machines or parts in movement;
- chemical aggression (acids, solvents, etc.);
- mechanical aggression (cuts, perforations, etc.);
- thermal risk;
- flame and fire;
- poor visibility;
- all other risks for which the garment has not been certified.

#### MARKING:

The label having the CE marking will be applied inside the garment. The writing, the ideograms and pictograms are black on white background and resistant to the recommended care cycles. The character dimensions are more than 2mm high and the dimensions of the CE writing are more than 5mm high. The specific size of the garment will be applied on a separate label, stitched on the garment along with the CE marking label (far down). The following features are indicated:

- line and product code (example);
- CE marking and PPE category;
- Pictogram and size chart in cm, with indication of the regulations to which the garment conforms;
- address of the manufacturer;



#### MAINTENANCE INSTRUCTIONS:

Check the label stitched on the garment and strictly follow the instructions it contains. The maintenance instructions found on the garment indicate what cleaning procedures are suitable for the garment. The box crossed out means that the procedure is not suitable for the garment. Check the UNI EN 23758/94 regulations in order to understand the symbols better.

	(example) Can be hand washed or machine-washed in water with detergent. The number inside indicates the maximum temperature allowed
	(example) Do not bleach with chlorine-based products
	(example) Iron at: • = 110° •• = 150° ••• = 200°
	(example) Do not dry clean. If the letters P, F or A appear in place of X, this means that dry cleaning is allowed with the following solvents: P = trichloroethylene, tetrachloroethylene, monofluorotrichloromethane F = trifluorotrichloroethylene A = like P and F plus trichloroethylene and 1,1,1 trichloroethane
	(example) Do not tumble dry

After having used the garment place it in a dry area away from the light and excessive heat. Pack the garment as normal. No special measures are required for transporting the garment. Should the garments become even slightly stained with inflammable or toxic substances, we recommend you stop using them and then to proceed to clean them when possible or to destroy and eliminate them in all other cases.

### PROTECTION AGAINST RAIN EN 343:2019 performance level

#### Classification of water penetration resistance:

Water penetration resistance $W_p$	Classes			
	1	2	3	4
samples that must be tested:				
- material before pre-treatment	$W_p \geq 8\,000\text{ Pa}$	-	-	-
- material after each pre-treatment	-	$W_p \geq 8\,000\text{ Pa}$	$W_p \geq 13\,000\text{ Pa}$	$W_p \geq 20\,000\text{ Pa}$
- seams before pre-treatment	$W_p \geq 8\,000\text{ Pa}$	$W_p \geq 8\,000\text{ Pa}$	$W_p \geq 13\,000\text{ Pa}$	-
- seams after cleaning	-	-	-	$W_p \geq 20\,000\text{ Pa}$

#### Classification of water vapour resistance

Water vapour resistance $R_{et}$	Classes			
	1 <sup>a</sup>	2	3	4
$\frac{m^2 \cdot Pa}{W}$	$R_{et}$ more than 40	$25 < R_{et} \leq 40$	$15 < R_{et} \leq 25$	$R_{et} \leq 15$

<sup>a</sup> CAUTION: class 1 has a limited usage time, please refer to the table "Recommendations regarding usage time"

#### Recommendations regarding usage time

Temperature of the working environment in °C	Classes			
	1 $R_{et}$ more than 40 $m^2Pa/W$	2 $25 < R_{et} \leq 40$ $m^2Pa/W$	3 $15 < R_{et} \leq 25$ $m^2Pa/W$	4 $R_{et} \leq 15$ $m^2Pa/W$
25	60	105	180	- <sup>a</sup>
20	75	250	-	-
15	100	-	-	-
10	240	-	-	-
5	-	-	-	-

<sup>a</sup> "-" means: no limit on usage time

#### Recommendations for wearing time

Temperature of working environment °C	Class		
	1 $R_{et}$ above 40 min	2 $20 < R_{et} \leq 40$ min	3 $R_{et} \leq 20$ min
25	60	105	205
20	75	250	-
15	100	-	-
10	240	-	-
5	-	-	-

<sup>a</sup> "-" means: no limit for wearing time.

#### Legend:

$R_{et} \frac{m^2 \cdot Pa}{W}$  : water vapour resistance

$W_p$  (Pa): resistance to water penetration



x = class referring to the penetration of water  
y = class referring to resistance to evaporation.

**Diadora S.p.A.** declines any responsibility due to improper use, as well as wrong maintenance and storing of the garment. These instructions were approved by the Certification Institute 'Centro Tessile Cotoniero e Abbigliamento N 624', Piazza Sant'Anna 2, Busto Arsizio (VA) at the time of issuance of the CE certificate of conformity in compliance with EEC Directive 89/686 concerning category II individual protection devices.

HIGH VISIBILITY

High visibility clothing must be considered as Personal Protective Equipment (PPE). Therefore, it must comply with the requirements, which requires it to carry the compulsory CE mark for marketing of the EU Regulation UE 2016/425. It belongs to category II of PPE and underwent CE testing and certification at the Notified Body RICO-TEST No. 0498, Via Tione 9 - 37010 Pastrengo, Verona - Italy. For further details and for the relevant Declarations of Conformity (where applicable), please visit [www.diadora.com/declarations-utility/](http://www.diadora.com/declarations-utility/).

EN ISO 13688 – 2013: PROTECTIVE CLOTHING – GENERAL REQUIREMENTS  
EN ISO 20471:2013/A1:2016 : HIGH VISIBILITY CLOTHING. TEST METHODS AND REQUIREMENTS

VISIBLE MATERIAL MINIMUM AREAS REQUIRED IN SQUARE METERS

MATERIALS	CLASS 3 CLOTHING	CLASS 2 CLOTHING	CLASS 1 CLOTHING
FLUORESCENT BACKGROUND MATERIALS	0,80	0,50	0,14
RETROREFLECTIVE MATERIAL	0,20	0,13	0,10
COMBINED-PERFORMANCE MATERIALS	-	-	0,20

N.B.: the clothing class is determined by the smallest area of visible material

LABELLING:

Collection: UTILITY  
Model: SWEAT PILE HV  
Article: 702.172119

CE

EN ISO 20471:2013/A1:2016 class 3

MADE IN CHINA  
O.J.A.L.

EN ISO 20471:2013/A1:2016

	A	C
XS	150-155	155-160
S	155-160	160-165
M	160-165	165-170
L	165-170	170-175
XL	170-175	175-180
XXL	175-180	180-185
XXXL	180-185	185-190

DIADORA S.p.A.  
VIA MONTELO, 80  
31021 CAERANO DI SAN MARCO  
TN

Product code and details

European standard  
Reference standard

Reference standard pictogram

EN ISO 20471:2013/A1:2016

Manufacturer details

GARMEN FOR PROTECTION AGAINST COLD

Garments for protection against cold are Personal Protective Equipment (PPE) and they are subject to the requirements of Regulation No. 2016/425. The CE marking is mandatory for marketing. They are Category II Personal Protective Equipment and have been submitted for CE certification to Notified Body No. 0498 Ricotest S.r.l Via Tione,9 – 37010 Pastrengo (Verona).  
For further information and for the Conformity Declarations, visit the following website:  
[www.utilitydiadora.com/declarations](http://www.utilitydiadora.com/declarations).

EN ISO 13688: 2013 : PROTECTIVE CLOTHING - GENERAL REQUIREMENTS.  
EN 342:2017: GARMENTS FOR PROTECTION AGAINST COLD.

The air permeability of a fabric is the speed at which a specific air stream passes perpendicularly through a specimen, under specific conditions of area, pressure drop and time as specified by standard **UNI EN ISO 9237:97**

AP mm/s	Class
100>AP	1
5<AP≤100	2
AP≤5	3

**Class1:** garments suitable for low air flow speeds, less than 1m/s, such as in cool environments.  
**Class2:** suitable for air flow speeds lower than 5 m/s  
**Class3:** suitable for high air speed rates ≥5m/s

LABELLING:

Collection: UTILITY  
Model: SWEAT PILE HV  
Article: 702.173551

CE

en 342:2017

I<sub>cl</sub> 0,220m<sup>2</sup>/K/W (R)  
AP class 3

MADE IN CHINA  
O.J.A.L.

EN ISO 13688:2013

	A	C
XS	150-155	155-160
S	155-160	160-165
M	160-165	165-170
L	165-170	170-175
XL	170-175	175-180
XXL	175-180	180-185
XXXL	180-185	185-190

DIADORA S.p.A.  
VIA MONTELO, 80  
31021 CAERANO DI SAN MARCO  
TN

Product code and information

CE marking

Reference regulation

Thermal insulation value  
Pictogram  
Air permeability class

Reference regulation

Size range

Manufacturer's details



**SHOES**

CATEGORY	CODE	DESCRIPTION	PAGE
GLOVE	701.170234	GLOVE MID S3 HRO SRA	62
GLOVE	701.170235	GLOVE LOW S3 HRO SRA	62
GLOVE	701.170236	GLOVE TEXT LOW S1P HRO SRA	63
GLOVE	701.170683	GLOVE LOW S1P HRO SRA	63
BLITZ	701.172030	BLITZ MID S3 SRC	102
BLITZ	701.172031	BLITZ LOW S3 SRC	102
BLITZ	701.172032	BLITZ LOW S1P SRC	103
GLOVE NET	701.173527	GLOVE NET MID PRO S3 HRO SRA ESD	34
GLOVE NET	701.173528	GLOVE NET LOW PRO S3 HRO SRA ESD	34
GLOVE NET	701.173529	GLOVE NET LOW S3 HRO SRA ESD	35
GLOVE NET	701.173530	GLOVE NET LOW S1P HRO SRA ESD	36
GLOVE NET	701.173657	GLOVE NET LOW PRO S1P HRO SRA ESD	35
BEAT	701.175298	BEAT DA2 MID S3 HRO SRC	66
BEAT	701.175299	BEAT DA2 TEXT LOW S1P HRO SRC	67
BEAT	701.175302	BEAT DA2 LOW S3 HRO SRC	66
RUN	701.175303	RUN LOW S3 SRC ESD	90
RUN	701.175304	RUN MID S3 SRC ESD	90
RUN	701.175305	RUN TEXT LOW S1P SRC ESD	91
RUN	701.175310	RUN MICRO LOW S2 SRC ESD	94
FORMULA	701.175523	FORMULA MID S3 SRC ESD	98
FORMULA	701.175524	FORMULA LOW S3 SRC ESD	98
FORMULA	701.175525	FORMULA LOW S1P SRC ESD	99
RUN NET AIRBOX	701.176210	RUN NET AIRBOX SANDAL S1P SRC	74
RUN NET AIRBOX	701.176214	RUN NET AIRBOX MATRYX LOW S1P SRC	75
RUN NET AIRBOX	701.176215	RUN NET AIRBOX MATRYX LOW S3 SRC	75
RUN NET AIRBOX	701.176217	RUN NET AIRBOX LOW S1P SRC	74
RUN NET AIRBOX	701.176219	RUN NET AIRBOX QUICK LOW S3 SRC	72
RUN NET AIRBOX	701.176221	RUN NET AIRBOX LOW S3 SRC	72
RUN NET AIRBOX	701.176223	RUN NET AIRBOX MID S3 SRC	70
CREW	701.176228	CREW MICRO OB SRC	106
CREW	701.176230	CREW MICROMESH OB SRC	106
RUN	701.176666	RUN ATOM LOW S3 SRC ESD	91
RUN NET AIRBOX	701.176668	RUN NET AIRBOX MID S1P SRC	70
CROSS SPORT	701.177648	SPORT DIATEX HIGH S3 WR CI SRC	78
CROSS SPORT	701.177650	SPORT DIATEX MID S3 WR CI SRC	78
CROSS SPORT	701.177652	SPORT DIATEX LOW S3 WR CI SRC	79
CROSS COUNTRY	701.177654	COUNTRY MID S3 SRC	82
CROSS COUNTRY	701.177656	COUNTRY LOW S3 SRC	82
CROSS COUNTRY	701.177658	COUNTRY LOW S1P SRC	83
CROSS COUNTRY	701.177659	COUNTRY SANDAL S1P SRC	83
GLOVE ECO MDS	701.177661	GLOVE ECO MDS S1P SRC HRO	40
GLOVE MDS	701.177662	GLOVE MDS MID S3 HRO SRC	50
GLOVE MDS	701.177664	GLOVE MDS LOW S3 HRO SRC	50
GLOVE MDS	701.177668	GLOVE MDS TEXT LOW S1P HRO SRC	51
SHARK	701.177669	SHARK STABLE IMPACT MID S3 SRC ESD	86
SHARK	701.177671	SHARK STABLE IMPACT LOW S3 SRC ESD	86

**SHOES**

CATEGORY	CODE	DESCRIPTION	PAGE
SHARK	701.177673	SHARK STABLE IMPACT LOW S1P SRC ESD	87
FLY	701.177679	FLY LITEBASE MATRYX LOW S3 HRO SRC ESD	30
FLY	701.177680	FLY LITEBASE MATRYX LOW S1P HRO SRC	31
RUN NET AIRBOX MASTER	701.178838	RUN NET AIRBOX MASTER MID S3 SRC ESD	58
RUN NET AIRBOX MASTER	701.178839	RUN NET AIRBOX MASTER LOW S3 SRC ESD	58
RUN NET AIRBOX MASTER	701.178840	RUN NET AIRBOX MTX MASTER LOW S3 SRC ESD	59
GLOVE MDS MASTER	701.178841	GLOVE MDS MASTER MID S3 HRO SRC ESD	54
GLOVE MDS MASTER	701.178842	GLOVE MDS MASTER LOW S3 HRO SRC ESD	54
GLOVE MDS MATRYX	701.178897	GLOVE MDS MTX LOW S3 HRO SRC ESD	45
GLOVE MDS MATRYX	701.178898	GLOVE MDS MTX QUICK LOW S3 HRO SRC ESD	46
GLOVE MDS MATRYX	701.178901	GLOVE MDS MTX LOW S1P HRO SRC ESD	47
GLOVE MDS MATRYX	701.178902	GLOVE MDS MTX QUICK MID S3 HRO SRC ESD	44

**CLOTHINGS**

CATEGORY	CODE	DESCRIPTION	PAGE
SWEAT&SHIRT	702.158540	MICROPILE GRIPEN	155
DENIM PANTS	702.159590	PANT STONE	133
SHELLS	702.159632	SOFTSHELL SAIL	144
TECH UNDERWEAR	702.159681	PANT SOUL	172
TECH UNDERWEAR	702.159682	TOP SOUL	172
CARGO PANTS	702.160298	PANT WAYET CARGO	129
CARGO PANTS	702.160301	PANT STAFF CARGO	130
SHELLS	702.160302	VEST MOVER	148
PERFORMANCE PANTS	702.160303	PANT ROCK PERFORMANCE	123
CARGO PANTS	702.160305	PANT WIN CARGO	130
BERMUDA	702.160308	BERMUDA WONDER	138
PERFORMANCE PANTS	702.161755	BIB OVERALL POLY	126
PERFORMANCE PANTS	702.161756	COVERALL POLY	125
BERMUDA	702.161758	BERMUDA POLY	139
SHELLS	702.170017	VEST STRETCH	148
BERMUDA	702.170018	BERMUDA STRETCH	138
PERFORMANCE PANTS	702.170058	PANT STRETCH PERFORMANCE	123
HIGH VISIBILITY	702.170687	SOFTSHELL HV 20471:2013 3	168
DENIM PANTS	702.170750	PANT STONE 5 PKT	134
DENIM PANTS	702.170752	PANT STONE PLUS	133
PERFORMANCE PANTS	702.171658	PANT ROCK WINTER PERFORMANCE	124
CARGO PANTS	702.171659	PANT STAFF WINTER CARGO	131
SWEAT&SHIRT	702.171662	SHIRT CHECK	160
SWEAT&SHIRT	702.171663	SHIRT DENIM	160
CARGO PANTS	702.172114	PANT STRETCH CARGO	129
DENIM PANTS	702.172115	PANT STONE CARGO	115
SHELLS	702.172117	WW JACKET POLY	147
SWEAT&SHIRT	702.172118	SWEAT PILE FZ	154
HIGH VISIBILITY	702.172119	SWEAT PILE HV 20471:2013 3	169
PADDED JACKETS	702.172756	BOMBER D-SWAT	151

**CLOTHINGS**

CATEGORY	CODE	DESCRIPTION	PAGE
CARGO PANTS	702.173172	PANT RIPSTOP CARGO CAMO	126
DENIM PANTS	702.173549	BERMUDA STONE	136
CARGO PANTS	702.173550.C06	PANT LEVEL CARGO	132
PADDED JACKETS	702.173551	PADDED JACKET TECH	142
SHELLS	702.173553	WORKWEAR JKT TECH	143
SWEAT&SHIRT	702.173555	MEMBRANE HOODIE FZ	154
TECH UNDERWEAR	702.173556	TOP SOUL SS	173
SHELLS	702.173561	WW JKT EASYWORK	146
CARGO PANTS	702.173964	PANT RIPSTOP CARGO	127
PADDED JACKETS	702.174585	VEST D-SWAT	151
SHELLS	702.174586	SHELL VEST LEVEL	145
PERFORMANCE PANTS	702.175342	PANT ROCK LIGHT PERF COTTON	124
SHELLS	702.175343	VEST CARBON TECH	142
SHELLS	702.175344	WW JKT EASYWORK LIGHT	146
SHELLS	702.175345	VEST EASYWORK LIGHT	147
PERFORMANCE PANTS	702.175551	PANT TOP PERFORMANCE	120
PERFORMANCE PANTS	702.175552	PANT EASYWORK PERFORMANCE	121
PERFORMANCE PANTS	702.175553	PANT EASYWORK LIGHT PERF	122
PERFORMANCE PANTS	702.175554	PANT CARBON PERFORMANCE	120
SWEAT&SHIRT	702.175943	SWEATSHIRT FZ LITEWORK	156
SWEAT&SHIRT	702.175944	SWEATSHIRT HZ LITEWORK	156
SHELLS	702.175946	SOFTSHELL CARBON TECH	141
SWEAT&SHIRT	702.175947	MICROPILE POKET LITEWORK	155
SWEAT&SHIRT	702.175948	SHERPA JACKET	153
PADDED JACKETS	702.175987	LIGHT PADDED JACKET TECH	141
PERFORMANCE PANTS	702.176197	PANT ROCK CAMO PERFORMANCE	123
PERFORMANCE PANTS	702.176200	PANT TECH PERFORMANCE	119
BERMUDA	702.176206	BERMUDA EASYWORK LIGHT	137
BERMUDA	702.176209	BERMUDA POLY CAMO	139
CARGO PANTS	702.176213	PANT STAFF LIGHT CARGO COTTON	131
SHELLS	702.176216	RAIN JKT LITEWORK EN 343	143
SWEAT&SHIRT	702.176220	SWEATSHIRT INDUSTRY HZ	157
POLO&TEES	702.176225	T-SHIRT INDUSTRY	163
POLO&TEES	702.176227	POLO MC INDUSTRY	162
HIGH VISIBILITY	702.176229	HV VEST ISO 20471	169
HIGH VISIBILITY	702.176231	HV JACKET ISO 20471	167
HIGH VISIBILITY	702.176232	HOODIE FZ HV 20471:2013 2	170
HIGH VISIBILITY	702.176233	T-SHIRT HV ISO 20471	171
HIGH VISIBILITY	702.176234	POLO MC HV ISO 20471	170
HIGH VISIBILITY	702.176235	PANT HV EN 20471:2013 2	167
POLO&TEES	702.176913	T-SHIRT MC ATONY ORGANIC	163
POLO&TEES	702.176914	T-SHIRT GRAPHIC ORGANIC	164
CARGO PANTS	702.177263	CARGO PANT NEW YORK	127
SHELLS	702.177264	SOFTSHELL LEVEL LITEWORK	145
SHELLS	702.177265	KNITTED JACKET CHICAGO	153
PADDED JACKETS	702.177266	PADDED VEST OSLO	151

**CLOTHINGS**

CATEGORY	CODE	DESCRIPTION	PAGE
PADDED JACKETS	702.177267	PADDED JACKET OSLO	150
CARGO PANTS	702.177268	CARGO PANT MOSCOW	128
HIGH VISIBILITY	702.177424	HV JACKET ISO 20471 EXTERNAL SHELL	168
CARGO PANTS	702.177647	PANT CROSS CARGO	128
CARGO PANTS	702.177649	PANT STAFF STRETCH CARGO	132
DENIM PANTS	702.177651	PANT STONE CARGO LIGHT	135
DENIM PANTS	702.177653	PANT STONE 6 PKT LIGHT	135
DENIM PANTS	702.177655	BERMUDA STONE CARGO LIGHT	136
SWEAT&SHIRT	702.177657	SWEATSHIRT CROSS FZ	159
PADDED JACKETS	702.177660	PADDED JACKET CROSS	149
PERFORMANCE PANTS	702.177663	PANT ROCK STRETCH PERFORMANCE	125
PERFORMANCE PANTS	702.177665	PANT CROSS PERFORMANCE	121
POLO&TEES	702.177667	T-SHIRT ML MONO ORGANIC	162
ATHENA	702.177670	T-SHIRT MC ATHENA	117
ATHENA	702.177672	LIGHT PADDED VEST ATHENA	116
ATHENA	702.177674	POLO MC ATHENA	117
ATHENA	702.177675	PANT CARGO ATHENA	115
ATHENA	702.177676	PANT STONE ATHENA	115
ATHENA	702.177677	SWEATSHIRT FZ ATENA	116
POLO&TEES	702.177678	T-SHIRT CROSS ORGANIC	164
POLO&TEES	702.177954	POLO ML ATLANTIS ORGANIC	161
POLO&TEES	702.177955	POLO MC ATLAR ORGANIC	161
PADDED JACKETS	702.178365	PADDED SOFTSHELL SAIL	149
SHELLS	702.178366	BONDED JACKET CROSS	145
BERMUDA	702.178533	BERMUDA TECH	137
SWEAT&SHIRT	702.178755	SWEATSHIRT ZIP LITEWORK	158
SWEAT&SHIRT	702.178756	SWEATSHIRT CREW LITEWORK	158
PERFORMANCE PANTS	702.178757	PANT MULTI POCKET PERFORMANCE	119
POLO&TEES	702.178758	T-SHIRT URBAN	165
SWEAT&SHIRT	702.178759	SWEATSHIRT HOODIE URBAN	159

**ACCESSORIES**

CATEGORY	CODE	DESCRIPTION	PAGE
ACCESSORIES	703.146417	KNEE-PADS UTILITY	179
ACCESSORIES	703.153273.C10	LACES 10 P. 120 CM	185
ACCESSORIES	703.153274.C10	LACES 10 P. 150 CM	185
ACCESSORIES	703.153275.C10	LACES 10 P. 100 CM	185
ACCESSORIES	703.153276.C10	LACES 10 P. 120 CM	185
ACCESSORIES	703.153277.C10	LACES 10 P. 140 CM	185
ACCESSORIES	703.159112	INSOLE EVERY	182
ACCESSORIES	703.159683	COTTON WINTER SOCKS	177
ACCESSORIES	703.159684	TECHNICAL WIN. SOCKS	178
ACCESSORIES	703.159685	MERINOS WIN. SOCKS	179
ACCESSORIES	703.160484	GHOST SOCKS	178
ACCESSORIES	703.160485	COTTON SUMMER SOCKS	177



**ACCESSORIES**


<b>CATEGORY</b>	<b>CODE</b>	<b>DESCRIPTION</b>	<b>PAGE</b>
ACCESSORIES	703.160486	TECH SUMMER SOCKS	178
ACCESSORIES	703.160585.C10	LACES 10 P. 110 CM	185
ACCESSORIES	703.160586.C10	LACES 10 P. 130 CM	185
ACCESSORIES	703.161339.C20	NATURAL WAX 20 PCS	179
ACCESSORIES	703.171342	INSOLE ACTIVE II	183
ACCESSORIES	703.172595	INSOLE CUSHION	182
ACCESSORIES	703.174113	INSOLE NBS	183
ACCESSORIES	703.175941	INSOLE RUN PU FOAM	181
ACCESSORIES	703.175942	INSOLE EVA FORMULA	183
ACCESSORIES	703.176199	INSOLE GEL PERFORMANCE	180
ACCESSORIES	703.176202	INSOLE FOAM COMFORT	180
ACCESSORIES	703.176205	INSOLE GEL RELAX	180
ACCESSORIES	703.176208	WORK SOCKS BREATH	177
ACCESSORIES	703.176620	POLAR BEANIE	176
ACCESSORIES	703.176621	BASEBALL CAP	176
ACCESSORIES	703.176622	WOOL CAP GRAPHIC	176
ACCESSORIES	703.176786	INSOLE PU GLOVE MDS	181
ACCESSORIES	703.176787	INSOLE MEMORY CREW	184
ACCESSORIES	703.176788	INSOLE PU RUN NET	181
ACCESSORIES	703.176921.C03	COTTON WINTER SOCKS 3PACK	177
ACCESSORIES	703.176922.C03	COTTON SUMMER SOCKS 3PACK	177
ACCESSORIES	703.178022	INSOLE ECO	184
ACCESSORIES	703.178023	ROUND DOTTED LACE THERMO 170 CM	186
ACCESSORIES	703.178024	ROUND DOTTED LACE THERMO 110 CM	186
ACCESSORIES	703.178025	ROUND DOTTED LACE THERMO 140 CM	186
ACCESSORIES	703.178026	FLAT LACE THERMO 100 CM	186
ACCESSORIES	703.178027	FLAT LACE THERMO 120 CM	186
ACCESSORIES	703.178028	FLAT LACE THERMO 140 CM	186
ACCESSORIES	703.178031	ROUND STRIPED LACE THERMO 140 CM	186
ACCESSORIES	703.178032	ROUND STRIPED LACE THERMO 110 CM	186
ACCESSORIES	703.178731	INSOLE PLUS	182



709.179515



Diadora S.p.A.  
via Montello 80 / Caerano di San Marco / Treviso / Italy  
[www.diadorautility.com](http://www.diadorautility.com) - [info.utility@diadora.com](mailto:info.utility@diadora.com)



[diadorautility.com](http://diadorautility.com)